

4.2 SITE 2 – WEST BEACH LANDFILL

Site 2, the West Beach Landfill, is located in the southwestern portion of Alameda Point (Figure 1.2-2). Waste disposal operations at the site began in approximately 1952 and continued through 1978. Materials reported to have been disposed of at the site include municipal garbage; solvents; oily waste and sludges; paint wastes, strippers, thinners, and plating wastes; industrial strippers and cleaners; acids; mercury; fluids and rags contaminated with PCBs; batteries; low-level radioactive material; scrap metal; inert ordnance; asbestos; pesticides; tear gas agent; infectious waste; creosote; and waste medicines and reagents (PRC and Montgomery Watson 1993c). A wetland area is located adjacent to the site to the southwest.

Currently, there are 44 active groundwater monitoring wells associated with Site 2, 20 of which were selected for quarterly sampling. During prior sampling of the Site 2 wells, VOCs, SVOCs, pesticides/PCBs, and metals were detected in groundwater samples. This site is a wetland area with a protected nesting area for the Least Tern, an endangered species. Access restrictions exist in the nesting areas at Site 2 during May through September, and limited the ability of the sampling team to collect groundwater samples during these months, impacting the Quarter 4 sampling. Access for Quarter 3 sampling (conducted in early May 1998) was granted because the sampling took place just before the least terns began nesting.

For each quarter, Table 4.0-1 lists the groundwater wells that were sampled at Site 2 and identifies the parameters for which the samples were analyzed. During Quarter 2, the rainy season, well M010-A could not be opened due to a large puddle of standing water in the vicinity of the well; therefore, only 19 wells were sampled during Quarter 2. Only 18 wells were sampled at Site 2 during Quarter 3. Wells M017-A and M019-E were not sampled due to the addition of seven wells to the monitoring program at other sites and the desire to keep the total number of wells in the program the same. No sampling was conducted at Site 2 during Quarter 4. The locations of the quarterly sampling wells are shown on Figure 1.2-3.

4.2.1 Sampling Plan Rationale

Twenty monitoring wells were selected for the quarterly sampling program to monitor three areas. The area between the site and the adjacent wetland is monitored by the following wells: M036-A, -B, and -E; M037-A, -B, and -E; M038-A, -B, and -E; and M039-A, -B, and -E. These wells are screened in either

the FWBZ, the BSA, or the SWBZ as shown on Table 4.0-1; data from these wells was collected to assess both the horizontal and vertical distribution of contaminants in groundwater at Site 2. The remaining perimeter of the site is monitored by wells M010-A, M013-A, M023-E, and M024-A and -E, screened in the FWBZ. Three wells also screened in the FWBZ, including wells M017-A (Quarters 1 and 2 only), M019-E (Quarters 1 and 2 only), and M021-E, monitor the area between the wetland and San Francisco Bay. In addition to monitoring plume migration at the site, data from these wells were collected to conduct a feasibility study and perform an ecological risk assessment at Alameda Point (presented in the RI/FS for Alameda Point).

Samples from each of the Site 2 wells were analyzed for VOCs to evaluate the migration of VOCs previously detected in groundwater at Site 2.

During Quarter 1, samples from 11 wells in the FWBZ were analyzed for SVOCs, which were previously detected at the site. These analyses were scheduled to be conducted quarterly on samples from two wells (M019-E and M023-E) and two out of four quarters on samples from the other nine wells (M024-A, M024-E, M036-A, M036-E, M037-A, M038-A, M038-E, M039-A, and M039-E). During Quarter 2, no wells were sampled for SVOCs. SVOC analyses were inadvertently skipped on wells M019-E and M023-E. During Quarter 3, Well M019-E was not sampled and SVOC analyses were inadvertently skipped on wells M023-A and M024-E.

Samples from four wells screened in the FWBZ and located between the landfill and wetland area (M036-A, M037-A, M038-A, and M039-A) were analyzed for pesticides/PCBs; these analytes have been detected intermittently at the site.

Samples from each of the wells monitored at Site 2 were analyzed for metals and general water quality parameters. The data from these analyses will provide information for (1) assessing potential impacts to groundwater from the landfill, (2) a base-wide analysis of ambient water quality, and (3) an evaluation of the beneficial uses of groundwater at Alameda Point.

Sections 4.2.2 through 4.2.5 present the analytical results for each quarter of sampling.

4.2.2 Quarter 1 Analytical Results

One or more organic compounds were detected at concentrations exceeding MCLs in seven FWBZ wells (M024-A, M024-E, M036-E, M037-A, M038-A, M039-A, and M039-E) during Quarter 1. These wells, along with all wells with organic analytes detected above the MCLs in the FWBZ are shown on Figure 4.1-1, Sheet 1. One or more inorganic constituents were detected at concentrations exceeding MCLs in groundwater from 13 FWBZ wells (M010-A, M019-E, M021-E, M023-E, M024-A, M024-E, M036-A, M037-A, M037-E, M038-A, M038-E, M039-A, and M039-E) and four SWBZ wells (M036-B, M037-B, M038-B, and M039-B) during Quarter 1 sampling. Wells with inorganic constituents detected above the MCLs in the FWBZ and SWBZ are shown on Figures 4.1-3, Sheet 1, and 4.1-4, Sheet 1, respectively.

Organic analytical results for compounds detected in groundwater samples collected at Site 2 during Quarter 1 are presented on Table 4.2-1. VOCs were detected in seven of the 20 wells sampled at Site 2. These wells, M024-A, M024-E, M036-A, M037-A, M038-A, M039-A, and M039-E, are located along the western boundary of the site. VOCs detected in these wells include 1,2-DCB, 1,4-DCB, BTEX, and chlorobenzene. Chlorobenzene was detected at the highest concentrations of all the VOCs detected; concentrations of chlorobenzene ranged from 2 μ g/L to 210 μ g/L. With the exception of well M024-E (screened in the FWBZL), the VOCs at Site 2 were detected in wells screened in the upper portion of the FWBZ.

Groundwater from 11 monitoring wells at Site 2 were analyzed for SVOCs; SVOCs were detected in eight of these wells, M024-A, M024-E, M036-A, M037-A, M038-A, M038-E, M039-A, and M039-E, which are located along the western boundary of the site.

In the eight wells where SVOCs were detected, only naphthalene was detected at concentrations in excess of $100 \mu g/L$. Other SVOCs detected at Site 2, but at lower concentrations, included acenaphthene, dibenzofuran, fluorene, n-nitrosodiphenylamine, 2-methylnaphthalene, 2-4-dimethylphenol, carbazole, and phenanthrene. SVOCs, like VOCs, were detected only in wells screened in the FWBZU with the exception of well M024-E (screened in the FWBZL).

No pesticides or PCBs were detected in the four Site 2 wells where pesticide and PCB analyses were performed (M036-A, M037-A, M038-A and M039-A).

Thirteen metals were detected in one or more groundwater samples from the 20 Site 2 monitoring wells analyzed for metals during Quarter 1. Detected concentrations of antimony (in one well) arsenic (in 10 wells and one duplicate), barium (in 20 wells and two duplicates), cadmium (in 18 wells and two duplicates), chromium (in seven wells), cobalt (in 17 wells and two duplicates), manganese (in 18 wells and two duplicates), molybdenum (in two wells and one duplicate), nickel (in 11 wells and one duplicate), selenium (in three wells and one duplicate), silver (in one well and one duplicate), vanadium (in one well), and zinc (in 19 wells and two duplicates) are shown in Table 4.2-2.

All 20 Site 2 wells were analyzed for anions, nitrate/nitrite as nitrogen, TDS, sulfide, and alkalinity. The results are presented in Table 4.2-3 with the exception of sulfide analyses for two wells. The results were not run in the laboratory for wells M024-A and M037-A due to incorrect sample preservation.

4.2.3 Quarter 2 Analytical Results

One or more organic compounds were detected at concentrations exceeding MCLs in seven Site 2 FWBZ wells (M024-A, M024-E, M036-A, M037-A, M038-A, M039-A, and M039-E) during Quarter 2. These wells are shown on Figure 4.1-1, Sheet 2. Organic compounds were not detected at concentrations exceeding MCLs in the SWBZ wells M036-B, M037-B, M038-B, and M039-B. One or more inorganic constituents were detected at concentrations exceeding MCLs in groundwater from 14 FWBZ wells (M017-A, M019-E, M021-E, M023-E, M024-A, M024-E, M036-A, M036-E, M037-A, M037-E, M038-A, M038-E, M039-A, and M039-E) and the four SWBZ wells (M036-B, M037-B, M038-B, and M039-B) during Quarter 2 sampling. Wells with inorganic constituents detected above the MCLs in the FWBZ and SWBZ are shown on Figures 4.1-3, Sheet 2, and 4.1-4, Sheet 2, respectively.

Organic analytical results for compounds detected in groundwater samples collected at Site 2 during Quarter 2 are presented on Table 4.2-1. VOCs were detected in nine of the 19 wells sampled at Site 2. These wells, M017-A, M024-A, M024-E, M036-A, M036-B, M037-A, M038-A, M039-A, and M039-E, are located along the western boundary of Site 2. VOCs detected in these wells include chlorobenzene, chloroethane, TCE, 1,2-DCB, 1,4-DCB, BTEX, and 4-methyl-2-pentanone. Chlorobenzene was detected at concentrations ranging from 6 to 410 μ g/L, the highest concentrations of all the VOCs. No VOCs were detected in several of the wells located along the margins of the Bay Area (M019-E, M021-E, M023-E) and in the well located farthest inland (M013-E).

No pesticides or PCBs were detected in the two Site 2 wells (M037-A and M038-A) in which pesticide and PCB analyses were performed.

Fourteen metals were detected in one or more groundwater samples from the 19 Site 2 monitoring wells analyzed for metals during Quarter 2. Detected concentrations of antimony (in two wells), arsenic (in 10 wells and 1 duplicate), barium (in 19 wells and 2 duplicates), cadmium (in 16 wells and 2 duplicates), chromium (in 7 wells), cobalt (in 7 wells and 1 duplicate), copper (in 1 well) manganese (in 18 wells and 2 duplicates), molybdenum (in 3 wells), nickel (in 12 wells), selenium (in 4 wells and 1 duplicate), silver (in 9 wells, including 2 duplicate samples), thallium (in 2 wells), and zinc (in 12 wells and 1 duplicate) are shown in Table 4.2-2.

Nineteen Site 2 wells were analyzed during Quarter 2 for anions, nitrate/nitrite as nitrogen, TDS, sulfide, and alkalinity. The results are presented in Table 4.2-3.

4.2.4 Quarter 3 Analytical Results

One or more organic compounds were detected at concentrations exceeding MCLs in seven Site 2 FWBZ wells, including M024-A, M024-E, M036-A, M037-A, M038-A, M039-A, and M039-E during Quarter 3 sampling. These wells are shown on Figure 4.1-1, Sheet 3. Organic compounds were not detected at concentrations exceeding MCLs in SWBZ wells M036-B, M037-B, M038-B, and M039-B. One or more inorganic constituents were detected at concentrations exceeding MCLs in groundwater from 14 FWBZ wells (M017-A, M019-E, M021-E, M023-E, M024-A, M024-E, M036-A, M036-E, M037-A, M037-E, M038-A, M038-E, M039-A, and M039-E) and the four SWBZ wells (M036-B, M037-B, M038-B, and M039-B) during Quarter 3. Wells with inorganic constituents detected above the MCLs in the FWBZ and SWBZ are shown on Figures 4.1-3, Sheet 3, and 4.1-4, Sheet 3, respectively.

Organic analytical results for compounds detected in groundwater samples collected at Site 2 during Quarter 3 are presented on Table 4.2-1. VOCs were detected in 8 of the 18 wells sampled at Site 2. These wells (M024-A, M024-E, M036-A, M036-B, M037-A, M038-A, M039-A, and M039-E) are located along the western boundary of Site 2. VOCs detected in these wells include chlorobenzene, 1,4-DCB, and BTEX compounds. Chlorobenzene was detected at concentrations ranging from 1 to $260 \mu g/L$, the highest concentrations of all the VOCs. No VOCs were detected in the wells located along the margins of the Bay Area (M021-E and M023-E) or in the wells located farthest inland (M010-A and M013-E). Toluene was detected in one well screened in the SWBZ (M036-B), but no VOCs were

detected in the other SWBZ wells (M037-B, M038-B, and M039-B) or in three of the wells screened in the lower portion of the FWBZ (M036-E, M037-E, and M038-E).

SVOCs were detected in six of the nine wells in which SVOC analyses were performed. Detected SVOCs include 1,3-DCB, 1,4-DCB, 2,4-dimethylphenol, 2-methylnaphthalene, acenaphthene, carbazole, dibenzofuran, fluorene, naphthalene, n-nitrosodiphenylamine, and phenanthrene. The highest SVOC concentrations were 2,4-methylphenol (ranging from 14 to 39 μ g/L) and naphthalene (ranging from 6 to 72 μ g/L). The remaining SVOCs were detected at concentrations ranging from 1 to 18 μ g/L.

The pesticide heptachlor epoxide was detected at a very low concentration (0.029 μ g/L) in Well M037-A. No pesticides or PCBs were detected in the other three Site 2 wells (M036-A, M037-A, and M038-A) in which pesticide and PCB analyses were performed.

Fifteen metals were detected in one or more groundwater samples from the 19 Site 2 monitoring wells analyzed for metals during Quarter 3. Detected concentrations of arsenic (in 11 wells), barium (in 18 wells and 1 duplicate), cadmium (in 16 wells and 1 duplicate), chromium (in 9 wells), cobalt (in 17 wells and 1 duplicate), copper (in 3 wells), lead (in 5 wells), manganese (in 17 wells and 1 duplicate), molybdenum (in six wells), nickel (in all 18 wells and 1 duplicate), silver (in 2 wells and 1 duplicate), thallium (in 2 wells), vanadium (in 2 wells), and zinc (in 18 wells and 1 duplicate) are shown in Table 4.2-2.

Eighteen Site 2 wells were analyzed during Quarter 3 for anions, nitrate/nitrite as nitrogen, TDS, sulfide, and alkalinity. The results are presented in Table 4.2-3.

4.2.5 Quarter 4 Analytical Results

There was no fourth quarter sampling at Site 2 due to access restrictions associated with nesting birds.

4.2.6 Time-Series Plots

In order to track the progression of chemical degradation and movement in groundwater at Site 2, changes in chemical type and concentration were followed over a period from 1994 through 1998. Time-series plots were prepared for six monitoring wells at Site 2, located within and adjacent to the groundwater contaminant plumes depicted in Figures 6-1 and 6-2. The time-series plots present a more diverse group

4.2-6



of chemicals than the three representative chemicals shown in the contaminant plumes in Figures 6-1 and 6-2. Figures 4.2-1 through 4.2-4 depict time-series plots for a southeast to northwest transect of monitoring wells (M039-E, M038-A, M037-A, and M036-A) associated with a chlorinated solvent and petroleum plume. Figures 4.2-5 through 4.2-6 depict time-series plots for monitoring wells M024-A and M024-E associated with a separate petroleum plume.

Monitoring wells M039-E, M038-A, M037-A, and M036-A (Figures 4.2-1 through 4.2-4) are located along the southwestern edge of a former landfill, adjacent to a tidally-controlled wetland. The concentration of benzene has remained fairly constant in all four wells over the last three years. The plume appears to be stable, degrading slowly over time. However, the concentrations of the chlorinated solvents PCE and chloroethane have decreased to their respective chemical reporting limits. No increases in the concentrations of parent compounds were observed. Monitoring wells M036-A and M037-A showed a slight concentration response to precipitation events.

Monitoring wells M024-A and M024-E (Figures 4.2-5 through 4.2-6) are located within a very small petroleum plume in the northwest corner of Site 2. The concentration of petroleum compounds has changed marginally over the last four years in wells M024-A; however, the concentration of petroleum compounds in well M024-E has decreased. The plume appears to be stable, degrading slowly over time. No increases in the concentration of parent compounds were observed. Monitoring wells M024-E showed a slight concentration response to precipitation events.

TABLE 4.2-1 SITE 2 QUARTER 1 ORGANIC COMPOUNDS DETECTED IN GROUNDWATER ALAMEDA POINT (Page 1 of 5)

WELL NO.	SAMELE NIMEER	SAMPLE	VILATTIE GRINTE CINCINES (145/L)	SINTUXATHE CREWIC CEMPONIE (µg/L)	ORGANICATIONS PRINTICIDES AND PORe (µg/L)	TOTAL PETROLEIM HIDROCAREONS (mg/L)	OIL AND GREASE (rg/L)
M010-A	108-S02-001	10/30/97	1,2-DIBROMO-3-CHLOROPROPANE: R 2-BUTANCNE: R ACETONE: R	NA .	NA.	NA.	NA .
M013-A	108-S02-002	10/30/97	1,2-DIBROMD-3-CHLOROPROPANE: R 2-BUTANCNE: R ACETONE: R	NA.	NA.	NA .	NA ·
M017-A	108-S02-003	11/06/97	2-BUTANONE: R ACETONE: R	NA	NA	NΑ	NA
M019-E	108-S02-004	10/30/97	1,2-DIBROMD-3-CHLOROPROPANE: R 2-BUTANCNE: R ACETONE: R	ND	NA	NA .	AИ
M019-E	108-S02-005*	10/30/97	1,2-DIBROMD-3-CHLOROPROPANE: R 2-BUTANCNE: R ACETONE: R	ND	NA	NA.	NA
M021-E	108-S02-006	10/29/97	2-BUTANCNE: R 2-HEXANCNE: R ACETONE: R	NA.	NA.	NA.	NA
M023-E	108-S02-007	10/29/97	2-BUTANCNE: R 2-HEXANCNE: R ACETONE: R	ND	NA.	NA.	NA.
M024-A	108-S02-008	11/05/97	1,4-DICHLORCBENZENE: 11 2-BUTANCNE: R ACETCNE: R BENZENE: 20 CHLOROBENZENE: 210J	1,2,4-TRICHLORGENZENE: R 1,2-DICHLORGENZENE: R 1,3-DICHLORGENZENE: 2J 1,4-DICHLORGENZENE: 2J 2,2'-CXYBIS (1-CHLOROPROPANE): R 2,4,5-TRICHLOROPHENOL: R 2,4,5-TRICHLOROPHENOL: R 2,4-DICHLOROPHENOL: R 2,4-DINTINOPHENOL: R 2,4-DINTINOTOLUENE: R 2,4-DINTINOTOLUENE: R 2,6-DINTINOTOLUENE: R 2-CHLOROPHENOL: R 2-MEINYLNEPHENOL: R 2-MEINYLNEPHENOL: R 2-MEINYLNEPHENOL: R 2-MEINYLNEPHENOL: R 2-MEINYLNEPHENOL: R 2-MEINYLNEPHENOL: R 2-MITROPHENOL: R 2-NITROPHENOL: R	NA.	NA.	NA

TABLE 4.2-1

SITE 2

QUARTER 1 ORGANIC COMPOUNDS DETECTED IN GROUNDWATER ALAMEDA POINT

(Page 2 of 5)

WELL NO:	REGENTA GLEMES	SAMPLE DATE	WATTLE CRIME CIMEANS (LPgt)	SEMINIFATUR CREANIC CIPETING (47/L)	ORGANIZHIORINE PRETICIDES AND PORE (193/L)	TOTAL PETROLEIM HIDRICAHENS (rg/L)	OIL AND CREASE (bg/L)
M024-A	108-S02-008 (Continued)	11/05/97		3,3'-DICHLORGENZIDINE: R 3-NITROANILINE: R 4,6-DINITRO-2-METHYLPHENOL: R 4-BROMOPHENYL-PHENYLETHER: R 4-CHLORO-3-METHYLPHENOL: R 4-CHLOROPHENYL-PHENYLETHER: R 4-CHLOROPHENYL-PHENYLETHER: R 4-METHYLPHENOL: R			
	4			4-NITROANILINE: R 4-NITROPHENCL: R ACENAPHTHENE: 6J ACENAPHTHYLENE: R ANTHRACENE: R BENZO (A) ANTHRACENE: R BENZO (A) FYRENE: R BENZO (B) FILIORANTHENE: R			
				BENZO (B) FLOCKANTHENE: R BENZO (G) H, I) PERYLENE: R BENZO (K) FLOCKANTHENE: R BIS (2-CHLOROETHOXY) METHANE: R BUS (2-CHLOROETHYL) ETHER: R BUS (2-CHLOROETHYL) ETHER: R GURYSENE: R CARBAZOLE: R			
				DI-N-BUTYLPHIHALATE: R DI-N-CCTYLPHIHALATE: R DIBENZ (A, H) ANTHRACENE: R DIBENZOFURAN: 2J DIETHYLPHIHALATE: R DIMETHYLPHIHALATE: R FILICRANTHENE: R FILICRANTHENE: R FILICRENE: 2J			
				HEXACHLOROEDVZDE: R HEXACHLOROEDVZDE: R HEXACHLOROCYCLOPENTADIENE: R HEXACHLOROEDVZDE: R INDENO(1,2,3-OD) PYRENE: R ISOPHOROE: R N-NITROSO-DI-N-PROPYLAMINE: R			
·				N-NITROSCOLPHENYLAMINE (1): R NAPHIHALENE: R NITROBENZENE: R PENTACHLOROPHENOL: R PHENOMIRENE: R PHENOL: R PYRENE: R			
M024-A	108-S02-100	11/07/97	NA.	NA	NA.	NA	NA.
M024-E	108 - S02-009	11/10/97	1,4-DICHLOROBENZENE: 2J 2-BUTANONE: R ACETONE: R	1,4-DICHLOROBENZENE: 2J ACENAPHIHENE: 11 DIBENZOFURAN: 2J	NA	NA.	NΆ

TABLE 4.2-1 SITE 2 QUARTER 1 ORGANIC COMPOUNDS DETECTED IN GROUNDWATER

ALAMEDA POINT

(Page 3 of 5)

WEIL NO:	SAMELE MANEER	SAPLE	VYATILE CRIMIC CIMPONES (147/L)	SENTUNATUR ORGANIC CEMPTANS (µg/L)	OKONOCHICRINE PRETICIDES AND ROSE (185/1)	TOTAL HETROLIM HUROCHHOUS (mg/L)	OIL AND GREASE (rig/L)
M024-E	108-S02-009 (Continued)	11/10/97	BENZENE: 4J CHLOROBENZENE: 100J	·			
M036-A	108-S02-010	10/29/97	1,2-DICHLORGENIZNE: 2J 1,4-DICHLORGENIZNE: 16J 2-BUTANCNE: R 2-HEXANCNE: R ACETONE: R BENIZNNE: 9J CHLORGENIZNE: 34J CHLORGENIZNE: 12J	1,4-DICHLOROBENZENE: 6 ACENAPHIHENE: 10J DIBENZOFURAN: 4J FILORENE: 4J N-NITROSCOIPHENYLAMINE (1): 1J	ND	NA	NA
M036-B	108-S02-011	11/13/97	2-BUTANONE: R	NA	NA.	NΑ	NA.
M036-E	108-S02-012	10/29/97	2-BUTANCNE: R 2-HEXANCNE: R ACETIONE: R	NO	NA.	NA.	NA.
M037-A	108-502-013	11/05/97	1,4-DICHICROBENZENE: 7J 2-BUTANCNE: R BENZENE: 12J CHICROBENZENE: 26J ETHYLBENZENE: 4J XYLENE (TOTAL): 2J	1,2,4-TRICHLORGENZENE: R 1,2-DICHLORGENZENE: R 1,3-DICHLORGENZENE: R 1,4-DICHLORGENZENE: 3J 2,2'-CMGBIS (1-CHLORGEROPANE): R 2,4-DINITROTOLUENE: R 2,6-DINITROTOLUENE: R 2-CHLORGAPHIHALENE: 6J 2-NITROANILINE: R 3,3'-DICHLORGENZIDINE: R 3,3'-DICHLORGENZIDINE: R 3,3'-DICHLORGENZIDINE: R 4-BROOPHENYI-PHENYLETHER: R 4-CHLORGHENYI-PHENYLETHER: R 4-CHLORGHENYI-PHENYLETHER: R 4-NITROANILINE: R ACENAPHIHENE: 2J ACENAPHIHENE: ZJ ACENAPHIHENE: R BENZO (A) ANTHROCENE: R BENZO (A) PYRENE: R BENZO (B) FLUGRANTHENE: R BENZO (K) FLUGRANTHENE: R BENZO (K) FLUGRANTHENE: R BEIS (2-CHLORGETHYL) ETHER: R BIS (2-CHLORGETHYL) ETHER: R BUTYLBENZYLPHIHALEE: R	ND	N T A	NA.

TABLE 4.2-1 SITE 2

QUARTER 1 ORGANIC COMPOUNDS DETECTED IN GROUNDWATER ALAMEDA POINT

(Page 4 of 5)

NO: MET	SAMELE MANSER	SAMPLE DATE	WXAITLE CRIPNIC CIPRINES (195/L)	SEMIMATUR CREATIC CIAPTAGE (MJ/L)	CREACHLERINE PRETICIDES AND PCHE (149/L)	TOTAL ECHOLEM HEROTARIOS (mg/L)	OTL AND GREASE (rig/L)
M037-A	108-S02-013 (Continued)	11/05/97		CARBAZOLE: R CHRYSENE: R DI-N-EUTYLPHIHALATE: R DI-N-CITYLPHIHALATE: R DIENZ(A, H) ANTHRACENE: R DIENZOFURAN: R DIENTYLPHIHALATE: R DIMETHYLPHIHALATE: R FILORANTHENE: R FILORENE: R HEXACHLORGENIZAE: R HEXACHLORGENIZAE: R HEXACHLOROCYCLOPENTADIENE: R HEXACHLOROCYTLOPENTADIENE: R HEXACHLOROCYTLOPENTADIENE: R INDENO(1, 2, 3-CD) FYRENE: R ISOPHORONE: R N-NITROSO-DI-N-PROPYLAMINE: R N-NITROSO-DI-N-PROPYLAMINE: R			
N.				NAPHTHALENE: 9J NITKCEENZENE: R PHENANTHENE: R PYRENE: R			
M037-A	108-S02-101	11/07/97	NA.	NA	NA.	. NA	NA.
M037-B	108-S02-014	11/10/97	2-BUTANONE: R ACETONE: R	NA .	NA.	NA	NA
M037-E	108-S02-015	10/30/97	2-BUTANONE: R ACETONE: R	NA.	NA	NA .	NA.
M038-A	108-S02-016	11/10/97	1,4-DICHLOROBENZENE: 3J 2-BUTANCNE: R BENZENE: 2J CHLOROBENZENE: 2J ETHYLBENZENE: 8J TOLUENE: 2J XYLENE (TOTAL): 24J	NA.	NA.	NA.	NA.
A-860M	108-S02-102	11/11/97	NA.	NA.	NA.	NA.	NA.
M038-A	108-S02-103	11/12/97	NA.	2,4-DIMETHYLPHENOL: 35 2-METHYLNAPHTHALENE: 2J NAPHTHALENE: 7J	NA.	, NA	NA
M038-A	108-S02-104	11/13/97	NA.	NA.	NO	NA.	NA.
M038-A	108-S02-105	11/14/97	NA.	NA.	NA.	NA.	NA.

TABLE 4.2-1 SITE 2

QUARTER 1

ORGANIC COMPOUNDS DETECTED IN GROUNDWATER ALAMEDA POINT

(Page 5 of 5)

WELL.	SAMPLE NUMBER	SAMPLE DATE	VOLATUR CREMITE CEMPONIES (1997L)	SENTAXATTIR CRONIC COMPONIC (199/L)	ORGANICHLORING PRETICIPES AND POBE (147/Li)	TOTAL PETROLEM HYDROCARHONS (mg/L)	DIL AND GREASE (mg/L)
M038-B	108-S02-017	11/07/97	ACETONE: R	NA	NA	NA.	NA.
M038-B	108-S02-018*	11/07/97	ACETONE: R	NA	MA	AM	NA.
M038-E	108-S02-019	10/30/97	2-BUTANONE: R	2-METHYLNAPHTHALENE: 1J	ΝA	NA.	NA.
M039-A	108-S02-020		1,4-DICHIOROBENZENE: 6J 2-BUTANCNE: R BENZENE: 7J CHLOROBENZENE: 6J XYLENE (TOTAL): 4J	1,4-DICHLORGENZENE: 4J 2-METHYLNAPHTHALENE: 24 ACENAPHTHENE: 17J CARRAZOLE: 5J DIBENZOFURAN: 9J FILLORENE: 8J NAPHTHALENE: 140 PHENANTHRENE: 7J	ND .	NA.	NA.
M039-B	108-S02-021		2-BUTANONE: R ACEIONE: R	NA	, NA	ΑΛ	N/A
M039-E	108-S02-022		1,4-DICHLOROBENZENE: 8J 2-EUTANONE: R BENZENE: 1LJ CHLOROBENZENE: 34J	1,4-DICHLORGENZENE: 6 2-METHYLNAHTHALENE: 20 ACENAPHHENE: 1J NAPHHALENE: 37	NA.	NA	NA.

Notes:

μg/L = Micrograms per liter mg/L = Milligrams per liter NA = Not analyzed

= Rejected

PCBs = Polychlorinated biphenyls J = Value estimated at reported concentration

= Not detected = Duplicate sample

TABLE 4.2-1 SITE 2 QUARTER 2 ORGANIC COMPOUNDS DETECTED IN GROUNDWATER ALAMEDA POINT

(Page 1 of 3)

WELL.	SAMELE NUMBER	SAMPLE DATE	VIATUE GRANIC CIMPONIS (119/L)	SECUCIATILE ORGANIC CIMPONES (#J/L)	ORGANICHLERINE PROTICINES AND PCHE (1/2/L)	TOTAL PETRLEM HIDROCARICIE (mg/L)	OIL AND GREASE (mg/L)
M013-A	108-S02-024	02/10/98	2-BUTANCNE: R 2-HEXANCNE: R ACETONE: R	NA.	NA	NA.	NA
M017-A	108-S02-025	02/11/98	2-BUTANCNE: R ACETONE: R TRICHLOROETHENE: 1	NA.	NA	NA	NA
M019-E	108-S02-026	02/11/98	2-BUTANCNE: R ACETONE: R	NA.	NA	NA	NA.
M021-E	108-S02-027	02/11/98	2-BUTANCNE: R ACETONE: R	NA.	NA	NA	NA.
M021-E	108-S02-028	02/11/98	2-BUTANCNE: R ACETONE: R	NA.	NA.	NA .	AИ
M023-E	108-S02-029	02/11/98	2-BUTANONE: R ACETONE: R	NA .	NA ·	NA	NA
M024-A	108-S02-030	02/11/98	1,4-DICHLOROBENZENE: 28 2-BUTANCNE: R ACETONE: R BENZENE: 16 CHLOROBENZENE: 410	NA.	NA	NA.	NA
M024-E	108-502-031	02/11/98	1,4-DICHLOROBENZENE: 3 2-BUZANCNE: R ACETCNE: R BENZENE: 3 CHLOROBENZENE: 99	NA.	NA	NA.	NA
A-3E0M	108-502-032	02/10/98	1,4-DICHLOROBENZENE: 12 2-BUTANCNE: R 2-HEXANCNE: R ACETCNE: R BENZENE: 7 CHLOROBENZENE: 46 CHLOROETHANE: 1	NA.	ΑΛ	NΑ	NA
M036-B	108-S02-033	02/10/98	2-BUTANCNE: R 2-HEXANCNE: R ACETCNE: R TOLUBNE: 2	NPA	NA.	NA	NA
M036-E	108-S02-034	02/10/98	2-BUTANCNE: R 2-HEXANCNE: R ACETONE: R	NA.	NA	NA.	NA

TABLE 4.2-1 SITE 2 QUARTER 2 ORGANIC COMPOUNDS DETECTED IN GROUNDWATER ALAMEDA POINT (Page 2 of 3)

WEIL CM	SAMELE IXMESS	SAMPLE DATE	VIATTE ORPVIC CIPCONIS (1271)	SEMINATUR ORGANIC CIMPONYA (pg/l)	ORGANOCHICRINE PISTICIDES AND PORe (#9/L)	TOTAL PETROLEIM HIDROCAHONS (mj/L)	OIL AND GREASE (rg/L)
M037-A	108-S02-035	02/12/98	1,4-DICHLOROBENZENE: 12J 2-BUIANONE: R BENYZENE: 18J CHLOROBENZENE: 120 CHLOROBENZENE: 1J ETHYLBENZENE: 12J TOLUBNE: 2J XYLENE (TOTAL): 9J	NA.	4,4'-DDD: R 4,4'-DDD: R 4,4'-DDT: R ALPHA-BHC: R ALPHA-CHLORDANE: R ARCCLOR-1211: R ARCCLOR-1221: R ARCCLOR-1222: R ARCCLOR-1242: R ARCCLOR-1242: R ARCCLOR-1248: R ARCCLOR-1254: R ARCCLOR-1254: R ARCCLOR-1256: R BETA-BHC: R DELITA-BHC: R DELITA-BHC: R ENDESULFAN II: R ENDOSULFAN II: R ENDOSULFAN II: R ENDOSULFAN SULFATE: R ENDRIN: R ENDRIN R ENDRIN KETCNE: R ENDRIN KETCNE: R GMMA-BHC (LINDANE): R GMMA-BHC (LINDANE): R GMMA-CHLORDANE: R HEFTACHLOR R HEFTACHLOR R HEFTACHLOR R METHCKYCHLOR: R	NA.	NA
M037-B	108-S02-036	02/12/98	2-BUTANONE: R ACETONE: R	AVI	NA	NΑ	NA.
M037-E	108-S02-037	02/12/98	2-BUTANONE: R ACETONE: R	NA	NA	NA	NA
M-880M	108-502-038	02/13/98	1,4-DICHIOROBENZENE: 3 2-BUTANCNE: R BENZENE: 2J ETHYLBENZENE: 8J TOLUENE: 1J XYLENE (TOTAL): 16J	NA.	ND	NA.	ΑM
M038-B	108-S02-039	02/13/98	2-BUTANONE: R ACETONE: R	ŅΑ	NA	NA.	NA
M038-B	108-S02-040	02/13/98	2-BUTANONE: R ACETONE: R	NA.	NA.	NA	AM
M038-E	108-S02-041	02/13/98	2-BUTANONE: R	NA.	NA.	NA.	NΑ

TABLE 4.2-1

SITE 2

QUARTER 2

ORGANIC COMPOUNDS DETECTED IN GROUNDWATER ALAMEDA POINT

(Page 3 of 3)

METT	SAMELE ILMEER	SAMPLE DATE	VIATHE CRENIC CIPRING (µg/i.)	STATEMENTO SITUATAMENTE (LÍ _L E)	CRIMOTHLORINE PISTICIDES AND ECHA (µg/L)	TOTAL PETROLEM HIDROCAHONS (mg/L)	OII. AND GREASE (mg/L)
M039-A	108-S02-042	02/10/98	1,2-DICHLORGENZENE: 1 1,4-DICHLORGENZENE: 13 2-BUTANCNE: R 2-HEXANCNE: R 4-METHYL-2-PENITANCNE: 5 BENZENE: 6 CHLORGENZENE: 6 ETHYLBENZENE: 9 TOLUENE: 5 XYLENE (TOTAL): 32J	NA.	N A	NA	NA.
M039-B	108-S02-043	02/13/98	2-BUTANONE: R ACETONE: R	NA.	NA.	NA.	NA.
моз9-Е	108-S02-044	02/10/98	1,4-DICHLORCBENZENE: 7 2-BUTANCNE: R 2-HEXANCNE: R ACETICNE: R BENZENE: 10 CHICKORBINZENE: 15 TOLUENE: 1 XYLENE (TOTAL): 4	NA	NA.	NA	NA.

 $\mu g/L = Micrograms per liter mg/L = Milligrams per liter NA = Not analyzed R = Rejected$

PCBs = Polychlorinated biphenyls
J = Value estimated at reported concentration
ND = Not detected

TABLE 4.2-1 SITE 2 QUARTER 3 ORGANIC COMPOUNDS DETECTED IN GROUNDWATER ALAMEDA POINT

(Page 1 of 2)

WELL, NO.	SAMPLE NEMBER	SAMPLE: DATE	VOLATTLE ORDANIE CIMPONES (19/1)	SEMINATUR ORGANIC CIPROTAGE (µg/L)	CREATIONS AND EXHS	TOTAL PETRIEM BEDROCARRES (mg/L)	OIL AND GREASE (rig/L)
M010-A	108-S02-045	05/08/98	2-BUTANCNE: R ACETONE: R	NA.	. NA	NA	NA
M013-A	108-S02-046	05/08/98	2-BUTANONE: R ACETONE: R	NA.	NΑ	NA	NA.
M021-E	108-S02-050	05/08/98	2-BUTANONE: R ACETONE: R	NA.	M	NA	NA
M023-E	108-S02-051	05/08/98	2-BUTANONE: R ACETONE: R	ND	NΑ	NA.	N/A
M024-A	108-502-052	05/08/98	1,4-DICHLOROBENZENE: 16 2-BUTANCINE: R ACETONE: R BENZENE: 14 CHLOROBENZENE: 260	1,3-DICHLORGEENZENE: 1J 1,4-DICHLORGEENZENE: 7 ACENAFHTHENE: 4J DIBENZOFURAN: 2J FILORENE: 2J N-NITROSCOLPHENYLAMINE (1): 2J	NΑ	NA	NA
M024-E	108-502-053	05/11/98	1,4-DICHLOROBENZENE: 4 2-EUTANCNE: R ACETONE: R BENZENE: 4 CHLOROBENZENE: 86	NA .	NA	NA.	NA.
M036-A	108-502-054	05/14/98	1,4-DICHLOROBENZENE: 11 2-EUTANONE: R ACETONE: R BENZENE: 6 CHLOROBENZENE: 49	1,4-DICHLOROBENZENE: 6 ACENAPHHENE: 17 DIBENZOFURAN: 8J FLUORENE: 7J	ND	NA.	N/A.
M036-B	108-S02-055	05/07/98	2-BUTANCNE: R ACETONE: R TOLUENE: 2	NA.	NA	NA.	NA
M036-E	108-S02-056	05/11/98	2-BUTANONE: R ACETONE: R	ND	NA	NA	NA
моз7-А	108-S02-057	05/14/98	1,4-DICHLOROBENZENE: 7J 2-BUTANCNE: R BENZENE: 1LJ CHLOROBENZENE: 49J ETHYLBENZENE: 3J XYLENE (TOTAL): 2J	1,4-DICHLORGERVENE: 8 2,4-DIMETHYLPHENOL: 18 2-METHYLNAPHTHALENE: 4J ACHAPHTHALENE: 3J NAPHTHALENE: 15	HEPTACHLOR EPOXIDE: 0.029J	NA.	NA.
M037-B	108-S02-058	05/07/98	2-BUTANONE: R ACETONE: R	NA	NA	NA	NA.
M037-E	108-S02-059	05/11/98	2-BUTANONE: R ACETONE: R	NA.	NA .	NA.	NΆ

TABLE 4.2-1

SITE 2

QUARTER 3

ORGANIC COMPOUNDS DETECTED IN GROUNDWATER **ALAMEDA POINT**

(Page 2 of 2)

WEIL NO	SAMELE NIMBER	SAMPLE DATE	VIATLE CREATE CIMPONES (19/L)	SEMINATUR CREATE CHECKER (Lift)	CREATCHER AND ROBE (197/L)	TOTAL PETRALIM HIDROCAPHONS (mg/L)	OIL AND GREASE (trg/L)
A-8E0M	108-S02-060		1,4-DICHLOROBENZENE: 4 2-BUTANCNE: R ACEICINE: R BENZENE: 4 CHLOROBENZENE: 1 ETHYLBENZENE: 9 TOLUENE: 1 XYLENE (TOTAL): 16	1,4-DICHLORCBENZENE: 2J 2,4-DIMETHYLPHENOL: 39 2-METHYLNAPHTHALENE: 2J NAPHTHALENE: 6J	ND	NA.	NA
A-860M	108-S02-106	05/12/98	NA.	NA.	NA.	NA.	NA.
M038-B	108-S02-061		2-BUTANONE: R ACETONE: R	NA.	NA	NA	NA.
M038-B	108-S02-062		2-BUTANONE: R ACETONE: R	NA.	NA.	NA.	N/A
M038-E	108-S02-063	05/11/98	2-BUTANONE: R	ND	NA.	NA.	N/A
M039-A	108-S02-064		1,4-DICHLOROBENZENE: 12J 2-BUTANONE: R BENYZNE: 7J CHLOROBENZENE: 6J ETHYLBENZENE: 3J TOLUTNE: 3 XYLENE (TOTAL): 19	1,4-DICHLORCBENZENE: 7 2,4-DIMETHYLPHENOL: 32 2-METHYLNAPHHALENE: 11 ACENAPHTHENE: 14 DIBENZOFURAN: 6J FILICRENE: 5J NAPHTHALENE: 72 PHENANTHRENE: 4J	ND	NA.	NA
M039-B	108-S02-065		2-BUTANONE: R ACETONE: R	NA	NA	NA	NΆ
M039-E	108-S02-066		1,4-DICHIOROBENZENE: 6 2-BUTANONE: R ACETONE: R BENZENE: 8 CHLOROBENZENE: 16 XYLENE (TOTAL): 4	1,4-DICHLORGEENZENE: 4J 2,4-DIMETHYLPHENOL: 14 2-METHYLNAPHHALENE: 10J ACENAPHTHENE: 5J CARBAZOLE: 2J DIBENZOFURAN: 2J NAPHHALENE: 36	NΑ	M	NA

µg/L = Micrograms per liter
mg/L = Milligrams per liter
NA = Not analyzed

= Rejected

* Field duplicate samples: 108-S02-061 / 108-S02-062

PCBs = Polychlorinated biphenyls
J = Value estimated at reported concentration
ND = Not detected

TABLE 4.2-2 SITE 2 QUARTER 1 INORGANIC COMPOUNDS DETECTED IN GROUNDWATER ALAMEDA POINT (Page 1 of 2)

WELL NO.	SAMPLE NUMBER	SAMPLE DATE				В						м		м						
			A N T I M O	A R S S N	B A R I	E R Y L L	C A D M I	C H R O M	C O B	C O P	L	A N G A N E	M E R C	L Y B D E	n I K	S E L E N I	S I L	T H A L L	V A N A D	Z
			N Y	I G	U M	U M	Ū M	U M	L T	e P	Ā D	8 E	R Y	U M	B	Ũ M	Ė	Ú M	Ü M	й С
					1		1	1	İ	l	1 (μ	1 g/L)	<u> 1</u>	L	<u>I</u>	l	1	l	1	1
M010-A	108-802-001	10/30/97	<0.65	<3.7	133	<0.15	<0.15	0.55J	<0.40	<0.65	R	408J	<0.10	4.5J	<3.5	<1.0	<0.35	<0.90	<3.0	11.4
M013-A	108-S02-002	10/30/97	<0.65	<4.7	127	<0.15	0.56J	1.5J	<0.40	<0.65	. R	<3.4	<0.10	<0.78	<3.4	<1.0	<0.35	<0.90	<6.3	8.5J
M017-A	108-802-003	11/06/97	<0.65	4.75	61.1J	<0.15	0.94J	<0.30	<0.40	<21.2	<3.2	<0.20	<0.10	<4.7	<3.6	<1.0	<0.35	<4.5	<1.7	<14.2
M019-E	108-502-004	10/30/97	<0.65	<8.8	66.0J	<0.15	3.2	<0.30	4.5J	<0.65	R	9080J	<0.10	4.5J	<6.4	<1.8	0.86J	<18.0	<0.40	14.9
M019-E	108-S02-005*	10/30/97	<1.1	<8.8	68.5J	<0.15	0.81J	<0.30	4.9J	<0.65	R	9150J	<0.10	5.1	<6.3	<2.1	1.2J	<18.0	<0.40	5.0J
M021-E	108-S02-006	10/29/97	<0.79	23.9	268	<0.15	2.1J	<0.30	2.3J	<0.65	R	4310J	<0.10	<0.64	<4.0	<1.0	<0.35	<18.0	<0.40	11.1
M023-E	108-502-007	10/29/97	<0.65	48.4	963	<0.15	1.3J	<0.30	3.1J	<0.65	R	1070J	<0.10	<0.35	<4.3	<1.0	<0.35	<18.0	<0.40	11.0
M024-A	108-502-008	11/05/97	10.7	<3.7	655	<0.15	1.0J	4.4J	2.4J	<0.65	<0.65	442	<0.10	<0.40	5.9J	<1.0	<0.38	<1.2	<3.1	10.7
M024-A	108-S02-100	11/07/97										AN				•		:		
M024-E	108-502-009	11/10/97	<0.65	21.0	319	<0.15	0.62J	<2.6	0.98J	<0.65	<0.65	840	<0.10	<1.2	4.0J	<1.0	<0.43	<0.90	<2.6	11.4
M036-A	108-502-010	10/29/97	<1.3	<3.3	522	<0.15	0.25J	6.9	3.3J	<0.65	R	619J	<0.10	<0.30	<6.0	<1.0	<0.35	<0.90	<1.4	8.1J
M036-B	108-S02-011	11/13/97	<0.95	<7.8	85.9J	<0.15	0.66J	<0.64	1.7J	<0.65	<3.2	343	<0.10	<0.62	4.7J	<1.0	<0.35	<0.90	<0.40	85.5
M036-E	108-502-012	10/29/97	<1.2	<12.2	800	<0.15	1.4J	<0.30	3.4J	<0.65	R	420J	<0.10	<0.30	<4.9	<1.0	<0.35	<18.0	<0.44	8.4J
M037-A	108-S02-013	11/05/97	<4.8	14.0	265	<0.15	<0.29	6.4J	5.8J	<0.65	<3.2	271	<0.10	<1.4	16.6	1.9J	<0.40	<6.0	11.8J	14.6
M037-A	108-502-101	11/07/97		NA NA																
M037-B	108-S02-014	11/10/97	<0.65	<1.0	580	<0.15	0.24J	<0.30	0.44J	<0.65	<0.65	2820	<0.10	<0.30	<3.6	<1.0	<0.48	<0.90	<0.40	9.3J
M037-E	108-S02-015	10/30/97	<0.65	9.2	1160	<0.15	2.7	<0.30	2.5J	<0.65	<3.2	573	<0.10	<0.30	2.0J	<1.0	<0.35	<6.0	<0.40	14.3
M038-A	108-S02-016	11/10/97	<5.5	16.8	546	<0.15	2.0	<1.2	3.9J	<0.65	<3.2	693	<0.10	<2.8	15.2	<1.0	<0.45	<9.0	<2.3	18.5
M038-A	108-S02-102	11/11/97										NA								
M038-A	108-S02-103	11/12/97		NA																
A-8E0M	108-S02-104	11/13/97										NA								

TABLE 4.2-2 SITE 2

QUARTER 1

INORGANIC COMPOUNDS DETECTED IN GROUNDWATER ALAMEDA POINT

(Page 2 of 2)

WELL NO.	SAMPLE NUMBER	SAMPLE DATE	A B T I M Q B Y	A R S B N I C	B A R I U M	B E R Y L L I U M	C A D M I D M	C H R O M I U M	COBALT	COPPBR	L E A D	M A N G A N E S E	M E R C U R Y	M O L Y B D E N U M	N I C K B L	S E L E N I U M	5 1 L V E R	T H A L L I U M	V A N A D I I	Z I N C
M038-A	108-S02-105	11/14/97		AN																
M038-B	108-S02-017	11/07/97	<0.76	3.6J	94.1J	<0.15	0.39J	<0.30	2.6J	<0.65	<3.2	10100	<0.10	<1.0	7.0J	3.3	<0.67	<0.90	<0.40	23.3
M038-B	108-S02-018*	11/07/97	<2.2	4.4J	106	<0.15	1.1J	<0.30	3.2J	<0.65	<65.0	10900	<0.10	<2.0	9.6	2.5J	<1.1	<0.90	<0.65	42.3
M038-E	108-S02-019	10/30/97	<1.7	18.7	1330	<0.15	2.4J	<0.30	4.4J	<0.65	R	643J	<0.10	<0.30	9.0J	<1.0	<0.35	<18.0	<0.90	11.3
M039-A	108-S02-020	10/30/97	<2.3	<10.5	285	<0.15	1.0J	6.7	3.0J	<0.65	R	920J	<0.10	<0.30	13.1J	<1.0	<0.35	<4.5	<2.4	11.4
M039-B	108-S02-021	11/10/97	<0.90	2.9J	134	<0.15	0.96J	<0.30	8.1J	<0.65	<3.2	-9820	<0.10	<2.0	9.3J	3.4	<1.0	<4.5	<0.40	50.7
M039-E	108-S02-022	10/30/97	<1.5	<6.8	235	<0.15	0.81J	4.43	3.5J	<0.65	R	95.8J	<0.10	<0.56	20.6J	<1.0	<0.35	<0.90	<1.1	10.5

μg/L = Micrograms per liter
J = Value estimated at reported concentration
R = Rejected

Parameter reported below reporting limit
 Not analyzed
 Duplicate sample

TABLE 4.2-2 SITE 2 QUARTER 2 INORGANIC COMPOUNDS DETECTED IN GROUNDWATER (Page 1 of 1)

WELL	SAMPLE NUMBER	SAMPLE DATE	A N T I M O N Y	A R S E N I C	B A R I U M	E E R Y L L U M	0 A D M I U M	C H R O M I U M	C G B A L T	UÇAANA	L E A D	M A N G A N E S B	MERCORY	M C L Y E D E N U	N I C K E I	S E L E N I U	SILLUBR	T H A L L I U M	V A N A D I U M	c N I Z
M013-A	108-502-024	02/10/98	<0.70	<3.8	127	<0.10	0.21J	<1.4	<0.25	<0.94	<1.1	3/L) <0.78	<0.10	<0.70	<2.6	<0.80	0.20J	<1.3	<5.4	<4.9
M017-A	108-802-025	02/11/98		4.7J	41.3J	<0.10	2.0J	<0.20	<2.5	15.4	<3:0	51.7	<0.10	9.0	132	<1.8	<0.15	<7.0	<4.7	62.7
M019-E	108-502-026	02/11/98	<0.70	8.7	68.2J	<0.10	0.97J	<0.20	5.6J	<0.35	<3.0	8690	<0.10	5.6	7.6J	<1.8	0.72J	10.1	<0.30	<5.1
M021-E	108-502-027	02/11/98	<0.70	24.2	280	<0.10	2.3J	<0.20	<2.7	<0.35	<3.0	4710	<0.10	<0.25	<3.5	<1.8	<0.15	<7.0	<0.30	8.3J
M021-E	108-502-028	02/11/98	<0.70	22.9	270	<0.10	1.8J	<0.20	<2.7	<0.35	<3.0	4630	<0.10	<0.25	<2.1	<1.8	0.24J	<7.0	<0.30	<8.0
M023-E	108-S02-029	02/11/98	<0.70	5.4	215	<0.10	0.43J	<0.20	<2.9	<3.2	<0.60	1290	<0.10	<2.9	12.4	<1.8	<0.15	<1.4	<1.8	254
M024-A	108-S02-030	02/11/98	<1.6	2.2J	677	<0.10	<0.20	5.5	<4.5	<0.75	<2.3	364	<0.10	<0.25	4.5J	<1.8	<0.15	<1.4	<0.66	<4.2
M024-E	108-S02-031	02/11/98	<0.70	18.8	416	<0.10	<0.20	2.6J	<1.1	<0.35	<0.60	610	<0.10	<0.95	4.4J	<1.8	<0.15	<1.4	<2.5	<2.5
M036-A	108-S02-032	02/10/98	<2.1	<0.80	377	<0.10	0.55J	6.1	<1.8	<3.6	<1.6	639	<0.10	<0.25	7.5J	<0.80	0.21J	<1.3	<2.2	11.8
M036-B	108~502-033	02/10/98	<0.70	<6.3	125	<0.10	0.88J	<0.62	<2.2	<0.35	<3.0	305	<0.10	<0.40	6.2J	<0.80	0.18J	<1.3	<0.42	1560
M036-E	.108-502-034,	02/10/98	<0.90	<7.6	252	<0.10	0.64J	<0.98	<3.1	<2.7	<0.60	631	<0.10	4.5J	10.3	<0.80	0.19J	<1.3	<1.8	216
M037-A	108-502-035	02/12/98	4.2J	14.7	298	<0.10	0.46J	4.7J	5.0J	<0.35	<0.60	212	<0.10	<0.34	20.0	1.6J	<0.15	<1.4	<7.0	10.0
M037-B	108-502-036	02/12/98	<0.70	<2.6	580	<0.10	0.22J	<0.20	0.88J	<0.35	<0.60	2810	<0.10	<0.25	<3.7	1.5J	<0.15	<1.4	<0.30	10.7
M037-E	108-S02-037	02/12/98	<0.70	7.4	1360	<0.10	2.1J	<0.20	<3.6	<0.35	<3.0	649	<0.10	<0.25	<1.3	<1.8	<0.15	9.2J	<0.30	9.25
M038-A	108-S02-038	02/13/98	1.0J	22.6	544	<0.10	2.7J	1.3J	4.6J	<0.35	<3.0	759	<0.10	<0.25	13.7J	<0.90	<0.15	<7.0	<3.4	<6.8
M038-B	108-S02-039	02/13/98	<0.70	<3.6	93.9J	<0.10	0.84J	<0.20	2.9J	<0.35	<3.0	10300	<0.10	<1.0	<8.4	3.3	0.70J	<7.0	<0.30	157
M038-B	108-S02-040	02/13/98	<0.70	<3.6	89.0J	<0.10	0.50J	<0.20	2.7J	<0.35	<3.0	10400	<0.10	<1.1	<6.0	2.4J	0.86J	<70	.<0.30.	139
M038-E	108-S02-041	02/13/98	<0.70	15.7	1600	<0.10	0.82J	<0.20	3.8J	<0.35	<3.0	361	<0.10	<0.94	<8.6	<0.90	<0.15	<7.0	<7.0	<4.4
M039-A	108-S02-042	02/10/98	<4.1	<6.2	183	<0.10	1.4J	14.5	<2.2	<2.6	<3.8	1450	<0.10	<0.25	18.0	<0.80	0.20J	<1.3	<3.0	105
M039-B	108-S02-043	02/13/98	<0.70	<4.5	85.6J	<0.10	<0.20	<0.20	5.7J	<0.35	<3.0	11300	<0.10	<2.6	<8.1	2.8	1.2J	<7.0	<0.30	12.4
М039-Е	108-502-044	02/10/98	<1.4	<4.1	215	<0.10	0.48J	8.9	<3.4	<0.60	<0.60	549	<0.10	<0.25	17.4	<0.80	<0.15	<1.3	<1.8	<15.6

 $\mu g/L$ = Micrograms per liter

J = Value estimated at reported concentration

TABLE 4.2-2 SITE 2 QUARTER 3

INORGANIC COMPOUNDS DETECTED IN GROUNDWATER **ALAMEDA POINT**

(Page 1 of 1)

WELL NO.	SAMPLE NUMBER	SAMPLE DATE	A N T	ARG	B A	B B P Y L	C A D	C H R O	C O	c		M A N G	M E R	M O L Y B	u T	S E L	S.	T H A	U A N	
			N 7	E H C	R I U M	I I U M	M I U M	M I U M	B A L T	P P B R	L B A	N E S	C U R Y	E N U M	E K T	N I U M	L V E R	L I U M	D I U M	Z I N C
				I		l	l	1	1	<u> </u>	<u>Ι</u>	[ያ/ፔ)	1	l	l	l	l	1	1	
M010-A	108-S02-045	05/08/98	<0.85	7.0	355	<0.10	0.55J	17.9	2.1J	<9.9	<2.2	94.6	<0.10	10.7	19.3	<0.85	<0.30	<1.4	12.2J	226
M013-A	108-502-046	05/08/98	<0.85	<1.0	518	<0.10	0.20J	1.8J	<0.30	<4.3	<0.80	<3.5	<0.10	0.50J	4.2J	<0.85	<0.30	<1.4	<2.1	124
M021-E	108-S02-050	05/08/98	<0.85	21.8	518	<0.10	3.1	<0.35	2.8J	<3.0	5.4J	4800	<0.10	<0.50	2.7J	<4.2	<0.30	<1.4	<0.25	143
M023-E	108-S02-051	05/08/98	<0.85	49.8	1170	<0.10	1.9J	<0.35	3,8J	<3.2	<1.6	1920	<0.10	<0.50	7.53	<4.2	<0.30	10.2J	<1.1	132
M024-A	108-S02-052	05/08/98	2.1J	2.6J	869	<0.10	1.5J	5.3	2.3J	<7.4	10J	353	<0.10	<0.50	7.3J	<0.85	<0.30	<1.4	<2.2	132
M024-E	108-502-053	05/11/98	<0.85	17.2	543	<0.10	<0.15	2.6J	0.84J	<1.2	<0.50	530	<0.10	1.6J	2.8J	<0.85	<0.30	<1.4	<3.2	98.3
M036-A	108-S02-054	05/14/98	<1.2.	<1.5	631	<0.10	0.29J	6.2.	1.7J	3.7J	<0.82	680	0.76	<0.50	3.1J	R	<0.30	<1.4	<2.7	109
M036-B	108-502-055	05/07/98	<1.6	<3.8	366	<0.10	0.22J	<0.35	1.5J	<1.5	<2.5	281	<0.10	<0.50	3,6J	R	<0.30	<1.4	<0.25	399
M036-E	108-S02-056	05/11/98	<0.85	9.8	1010	<0.10	2.0J	<0.35	3.9J	<3.7	11.2J	415	<0.10	<0.50	8.2	<4.2	<0.30	<7.0	<0.68	146
M037-A	108-502-057	05/14/98	<4.2	21.1	706	<0.10	1.1J	3.3J	5.4J	2.3J	<2.5	530	0.76	<0.54	16.7	R	<0.30	<7.0	<5.3	140
M037-B	108-502-058	05/07/98	<1.3	<1.9	814	<0.10	<0.15	<0.35	0.61J	<1.6	<0.50	2810	<0.10	<0.50	3.6J	R	<0.30	<1.4	<0.25	110
M037-E	108-S02-059	05/11/98	<0.85	7.8	1550	<0.10	2.5	<0.35	3.6J	<2.4	7.3J	667	<0.10	<0.50	1.7J	<4.2	<0.30	9.3J	<0.25	135
M038-A	108-502-060	05/11/98					_				1	AN								
M038-A	108-S02-106	05/12/98	9.6	23.1	706	<0.10	1.00J	1.6J	4.7J	<4.2	<2.5	578	<0.10	7.0	23.6	<0.85	<0.30	<7.0	<4.6	135
M038-B	108-S02-061	05/07/98	<0.85	<3.4	159	<0.10	0.46J	<0.35	2.1J	<1.8	<5.0	10100	<0.10	<1.5	4.4J	R	0.46J	<7.0	<0.25	42.7
M038-B	108-502-062	05/07/98	<2.0	<3.0	328	<0.10	0.53J	<0.35	2.1J	<2.8	<5.0	9740	<0.10	<1.4	5.1J	R	0.52J	<7.0	<0.25	147
M038-E	108-S02-063	05/11/98	1.8J	11.9	1730	<0.10	0.39J	<0.35	4.8J	<3.5	7.7J	280	<0.10	2.1J	9.6	<0.85	<0.30	<14.0	16.1J	155
M039-A	108-S02-064	05/14/98	<3.9	<5.2	504	<0.10	1.1J	10.9	2.9J	3.0J	<0.50	971	<0.10	<0.50	14.6	R	<0.30	<1.4	<1.9	154
M039-B	108-S02-065	05/07/98	<1.6	<2.3	354	<0.10	0.47J	<0.35	3.2J	<1.7	<5.0	9340	<0.10	5.1	13.4	R	0.35J	<7.0	<0.25	141
M039-E	108~S02-066	05/11/98	1.3J	3.7J	513	<0.10	1.1J	8.2	3.4J	<3.8	<1.8	570	<0.10	<0.50	19.4	<0.85	<0.30	<1.4	<1.7	149

Notes:

 $\mu g/L$ = Micrograms per liter J = Value estimated at reported concentration

NA

Parameter reported below reporting limit
Not analyzed
Field duplicate samples: 108-S02-061 / 108-S02-062

TABLE 4.2-3 SITE 2 QUARTER 1 GENERAL CHEMICALS DETECTED IN GROUNDWATER ALAMEDA POINT (Page 1 of 3)

Well Number	Sample Number	Sample Date	- Alkalinity (1	mg/L)	Anions (mg/L)	Total Dissolved Sol	ids	Total Sulfide (mg/L)	Total Organic Carbon (mg/L)
M010-A	108-S02-001	10/30/97	Alkalinity:	284	Bromide:	6.1 J	Total Dissolved Solids:	2800	ND	NA
			Bicarbonate:	284	Chloride:	1470				
					Sulfate:	111				
M013-A	108-S02-002	10/30/97	Alkalinity:	118	Bromide:	0.18 J	Total Dissolved Solids:	590	ND	NA
			Bicarbonate:	118	Phosphate:	0.37 J				·
		·			Chloride:	32.7				* * * * * *
					Fluoride:	0.57				*
					Nitrate-N:	5.9				
					Nitrite-N:	0.13				
	·				Sulfate:	94.8				·
M017-A	108-S02-003	11/06/97	Alkalinity:	285	Bromide:	49.5	Total Dissolved Solids:	20000	ND	NA
			Bicarbonate:	285	Chloride:	11800				
					Fluoride:	14.7				
	<u> </u>				Sulfate:	2180				
M019-E	108-S02-004	10/30/97	Alkalinity:	1010	Bromide:	77.2 J	Total Dissolved Solids:	33000	ND	NA
			Bicarbonate:	1010	Chloride:	17100				
					Sulfate:	1500				
M021-E	108-S02-006	10/29/97	Alkalinity:	1710	Bromide:	69.1	Total Dissolved Solids:	23000	ND	NA
			Bicarbonate:	1710	Chloride:	14400				
					Sulfate:	236		_		·
M023-E	108-S02-007	10/29/97	Alkalinity:	1400	Bromide:	68.4	Total Dissolved Solids:	24000	ND	NA
			Bicarbonate:	1400	Chloride:	12400				,
		<u> </u>			Sulfate:	16.0				
M024-A	108-S02-008	11/05/97	Alkalinity:	1370	Bromide:	4.4	Total Dissolved Solids:	2200	NA	NA
	_		Bicarbonate:	1370	Chloride:	937				
	<u> </u>				Sulfate:	1.1				

TABLE 4.2-3 SITE 2 QUARTER 1

GENERAL CHEMICALS DETECTED IN GROUNDWATER

ALAMEDA POINT

(Page 2 of 3)

Well Number	Sample Number	Sample Date	Alkalinity (1		Anions (Course and April	Total Dissolved Sol			Total Organic Carbon
M024-E	108-S02-009	11/10/97	Alkalinity:	802	Bromide:	0.27	Total Dissolved Solids:	2900	ND	NA
			Bicarbonate:	802	Chloride:	11.9				
					Fluoride:	0.60				
					Sulfate:	0.32				
M036-A	108-S02-010	10/29/97	Alkalinity:	1350	Bromide:	9.3	Total Dissolved Solids:	4300	ND	NA
	, !		Bicarbonate:	1350	Chloride:	1920				
					Sulfate:	8.8				
M036-B	108-S02-011	11/13/97	Alkalinity:	2010	Bromide:	16.4	Total Dissolved Solids:	8200	ND	NA
			Bicarbonate:	2010	Chloride:	3840				
		·			Phosphate:	5.2				
					Sulfate:	1.5				
M036-E	108-S02-012	10/29/97	Alkalinity:	1550	Bromide:	61.8	Total Dissolved Solids:	24000	ND	NA
			Bicarbonate:	1550	Chloride:	13900				
M037-A	108-S02-013	11/05/97	Alkalinity:	2530	Bromide:	30.7	Total Dissolved Solids:	13000	NA	NA NA
			Bicarbonate:	2530	Chloride:	6670				
·					Phosphate:	0.55				
					Sulfate:	3.2				
M037-B	108-S02-014	11/10/97	Alkalinity:	914	Bromide:	9.6	Total Dissolved Solids:	4100	Total Sulfide: 5	NA
] 	}	}	Bicarbonate:	914	Chloride:	2090			,	
	ļ		į		Phosphate:	0.69	,			
	1				Sulfate:	0.58				
M037-E	108-S02-015	10/30/97	Alkalinity:	1780	Bromide:	71.3 J	Total Dissolved Solids:	24000	ND	NA
)			Bicarbonate:	1780	Chloride:	15000				
M038-A	108-S02-102	11/11/97	Alkalinity:	2510	Bromide:	75.3	Total Dissolved Solids:	21000	NA	NA
			Bicarbonate:	2510	Chloride:	14200			,	
					Sulfate:	81.2				

TABLE 4.2-3 SITE 2 QUARTER 1 GENERAL CHEMICALS DETECTED IN GROUNDWATER ALAMEDA POINT (Page 3 of 3)

Well Number	Sample Number	Sample Date	Alkalinity (mg/Ľ)	Anions	(mg/L)	Total Dissolved Sol (mg/L)	\$71 ,4 41 (19,00)	Total Sulfide:	Total Organic Carbon (mg/L)
M038-A	108-S02-105	11/14/97	NA		N.	A	NA		ND	NA
M038-B	108-S02-017	11/07/97	Alkalinity: Bicarbonate:	536 536	Sulfate: Bromide: Chloride:	1770 J 75.7 13100	Total Dissolved Solids:	26000	ND	NA
M038-E	108-S02-019	10/30/97	Alkalinity: Bicarbonate:		Bromide: Chloride:	85.6 J 13700	Total Dissolved Solids:	30000	ND	NA
M039-A	108-S02-020	10/30/97	Alkalinity: Bicarbonate:		Bromide: Chloride: Sulfate:	9.1 1570 21.8	Total Dissolved Solids:	4200	ND	NA
М039-В	108-S02-021	11/10/97	Alkalinity: Bicarbonate:	472 472	Chloride: Sulfate: Bromide:	14000 J 1640 J 62.7	Total Dissolved Solids:	22000	ND	NA
M039-E	108-S02-022	10/30/97	Alkalinity: Bicarbonate:	1850 J	Bromide: Chloride: Sulfate:	11.1 2170 2.2	Total Dissolved Solids:	5800	Total Sulfide: 2	NA

Notes:

mg/L = Milligrams per liter

NA = Not analyzed ND = Not detected

J = Value estimated at reported concentration

TABLE 4.2-3 SITE 2 QUARTER 2

GENERAL CHEMICALS DETECTED IN GROUNDWATER ALAMEDA POINT

(Page 1 of 3)

Well Number	Sample Number	Sample Date	Alkalinity (n	ng/L)	Anions (n	rg/L)	Total Dissolved So (mg/L)	lids
M013-A	108-S02-024	02/10/98	Alkalinity:	128	Bromide:	0.12	Total Dissolved Solids:	260
	·		Bicarbonate:	128	Chloride:	18.1		
					Fluoride:	0.22		
					Nitrate:	6.1		
					Phosphate:	0.52		
					Sulfate:	35.9		
M017-A	108-S02-025	02/11/98	Alkalinity:		Bromide:	31.7	Total Dissolved Solids:	14000 J
			Bicarbonate:	301	Chloride:	7650		
•	-				Fluoride:	0.58		
					Nitrate:	8.6		
		,	·		Sulfate:	1240		
M019-E	108-S02-026	02/11/98	Alkalinity:	991	Bromide:	65.4	Total Dissolved Solids:	28000 J
·			Bicarbonate:	991	Chloride:	15600	*	
					Fluoride:	0.57		
					Sulfate:	1420		
M021-E	108-S02-027	02/11/98	Alkalinity:		Bromide:		Total Dissolved Solids:	25000 J
	·		Bicarbonate:	1470	Chloride:	14200	1	
		ļ			Fluoride:	0.59		
					Sulfate:	176		
M023-E	108-S02-029	02/11/98	Alkalinity:	224	Bromide:	6.4	Total Dissolved Solids:	2800
			Bicarbonate:	224	Chloride:	1560		
					Fluoride:	0.15		
·					Sulfate:	36.2		
M024-A	108-S02-030	02/11/98	Alkalinity:	1050	Bromide:	2.8	Total Dissolved Solids:	1400
			Bicarbonate:	1050	Chloride:	562		
					Fluoride:	0.16		
					Sulfate:	21.6		
M024-E	108-S02-031	02/11/98	Alkalinity:	606	Bromide:	3.5	Total Dissolved Solids:	1700
			Bicarbonate:	606	Chloride:	645		
					Fluoride:	0.41		
					Sulfate:	59.5		



GENERAL CHEMICALS DETECTED IN GROUNDWATER ALAMEDA POINT

(Page 2 of 3)

Well Number	Sample Number	Sample Date	Alkalinity (m	g/L)	Anions (n	ng/L)	Total Dissolved So (mg/L)	
M036-A	108-S02-032	02/10/98	Alkalinity:	1250	Bromide:	4.5	Total Dissolved Solids:	2500
			Bicarbonate:	1250	Chloride:	1070		
					Fluoride:	0.25		
•					Sulfate:	40.2		
M036-B	108-S02-033	02/10/98	Alkalinity:		Bromide:		Total Dissolved Solids:	7000
			Bicarbonate:	1970	Chloride:	3290		
•					Fluoride:	0.23		
					Phosphate:	4.5		
					Sulfate:	1.8		
M036-E	108-S02-034	02/10/98	Alkalinity:		Bromide:		Total Dissolved Solids:	6500
			Bicarbonate:	703	Chloride:	3270		
					Fluoride:	0.38		
					Sulfate:	25.4		
M037-A	108-S02-035	02/12/98	Alkalinity:		Bromide:		Total Dissolved Solids:	9600
			Bicarbonate:	1910	Chloride:	4560	0	
_			}		Fluoride:	0.27		
					Sulfate:	74.3		
M037-B	108-S02-036	02/12/98	Alkalinity:		Bromide:		Total Dissolved Solids	4300
			Bicarbonate:	856	Chloride:	2270		
					Fluoride:	0.2		
	1				Phosphate:	0.86		
					Sulfate:	0.52		
M037-E	108-S02-037	02/12/98	Alkalinity:		Bromide:		Total Dissolved Solids:	26000
		İ	Bicarbonate:	1740	Chloride:	16900		
			1		Fluoride:	0.57		*****
M038-A	108-S02-038	02/13/98	Alkalinity:		Bromide:		Total Dissolved Solids:	23000
			Bicarbonate:	2320	Chloride:	11400	1	
			•		Fluoride:	0.46		
					Sulfate:	11.5		

TABLE 4.2-3

SITE 2

QUARTER 2

GENERAL CHEMICALS DETECTED IN GROUNDWATER ALAMEDA POINT

(Page 3 of 3)

Well Number	Sample Number	Sample Date	Alkalinity (mg/L)	Anions	(mg/L)	Total Dissolved S (mg/L)	olids
M038-B	108-S02-039	02/13/98	Alkalinity:	469	Bromide:	47.4	Total Dissolved Solids:	25000
		•	Bicarbonate:	469	Chloride:	13000	•	
					Fluoride:	0.16		
			1		Nitrate:	1.9		
					Sulfate:	1520		
M038-E	108-S02-041	02/13/98	Alkalinity:	2140	Bromide:	61.9	Total Dissolved Solids:	27000
			Bicarbonate:	2140	Chloride:	16200		
					Fluoride:	0.55		
					Sulfate:	2.4	<u> </u>	
M039-A	108-S02-042	02/10/98	Alkalinity:	and the second second	Bromide:	5.5	Total Dissolved Solids:	3300
			Bicarbonate:		Chloride:	986		
	•				Fluoride:	0.21		
					Sulfate:	114		
M039-B	108-S02-043	02/13/98	Alkalinity:		Bromide:		Total Dissolved Solids:	26000
			Bicarbonate:	406	Chloride:	13800		
					Fluoride:	0.19		
					Sulfate:	1730		
M039-E	108-S02-044	02/10/98	Alkalinity:	1610	Bromide:	5.1	Total Dissolved Solids:	3800
	•		Bicarbonate:	1610	Chloride:	1690		
					Fluoride:	0.17		
			<u> </u>		Nitrate:	0.23		

Notes:

mg/L J

= Milligram per liter

= Value estimated at reported concentration

TABLE 4.2-3 SITE 2 **QUARTER 3** GENERAL CHEMICALS DETECTED IN GROUNDWATER ALAMEDA POINT

(Page 1 of 3)

Well Number	Sample Number	Sample Date	-Alkalinity (mg/L) *-	Anions (mg/L)	Total Dissolved Sol	CONTRACTOR CONTRACTOR	Total Sulfide (mg/L)	Total Organic Carbon
M010-A	108-S02-045	05/08/98	Alkalinity:	205	Bromide:	1.3	Total Dissolved Solids:		Total Sulfide: 1.1	NA
]	1.	Bicarbonate:	205	Chloride:	336 J				
		il			Fluoride:	1.1				•
					Phosphate:	0.9 7 J				,
					Sulfate:	28.9				
M013-A	108-S02-046	05/08/98	Alkalinity:	98.2	Bromide:	0.15	Total Dissolved Solids:	1300	ND	NA
			Bicarbonate:	98.2	Chloride:	20 J				
					Nitrate-N:	39 J			. ·	
·			<u> </u>		Phosphate:	0.14 J	ľ		·	
				_	Sulfate:	105				
M021-E	108-S02-050	05/08/98	Alkalinity:	1680	Bromide:	58	Total Dissolved Solids:	32000	ND	NA
		i I	Bicarbonate:	1680	Chloride:	14400 J				
		:		•	Nitrate-N:	6.4		!		
					Sulfate:	167				
M023-E	108-S02-051	05/08/98	Alkalinity:	1280	Bromide:	5.2	Total Dissolved Solids:	30000	ND	NA
			Bicarbonate:	1280	Chloride:	16300 J	ļ		` ·	
M024-A	108-S02-052	05/08/98	Alkalinity:	1080	Chloride:		Total Dissolved Solids:	3800	Total Sulfide: 2.4	NA
]		Bicarbonate:	1080	Nitrate-N:	0.67				,
					Sulfate:	2.9				
M024-E	108-S02-053	05/11/98	Alkalinity:	640	Bromide:	3.4 J	Total Dissolved Solids:	2100	ND	NA
			Bicarbonate:	640	Chloride:	606				
					Sulfate:	677.2				

TABLE 4.2-3 SITE 2 QUARTER 3 GENERAL CHEMICALS DETECTED IN GROUNDWATER ALAMEDA POINT

(Page 2 of 3)

Well Number	Sample Number	Sample Date	Alkalinity (mg/L)	Anions (mg/L)	Total Dissolved Sol	ids .	Total Sulfide (mg/L)	Total Organic Carbon (mg/L)
M036-A	108-S02-054	05/14/98	Alkalinity:	976	Bromide:	3.9	Total Dissolved Solids:	3900	ND	NA
			Bicarbonate:	976	Chloride:	975				·
					Nitrate-N:	0.8				
					Sulfate:	5.1				
M036-B	108-S02-055	05/07/98	Alkalinity:	1770	Bromide:	25.9	Total Dissolved Solids:	7700	ND	NA
			Bicarbonate:	1770	Chloride:	1920				ļ
	·				Phosphate: Sulfate:	8.4				
) (02 (E	100 000 056	05/11/09	A llealimine.	1540	Bromide:	18.0	Total Dissalved Colida	25000	ND	NA
M036-E	108-S02-056	05/11/98	Alkalinity: Bicarbonate:	1540 1540	Chloride:	48.9 12100 J	Total Dissolved Solids:	23000	ND	INA I
M037-A	108-S02-057	05/14/98	Alkalinity:	2170	Bromide:	21.9	Total Dissolved Solids:	12000	Total Sulfide: 1.8	NA
MIU37-A	108-302-037	03/14/96	Bicarbonate:	2170	Chloride:	4450	Total Dissolved Solids.	12000	Total Suffice. 1.6	INA
			Bicar bonate.	2170	Sulfate:	2.2				
M037-B	108-S02-058	05/07/98	Alkalinity:	850	Bromide:	9.8	Total Dissolved Solids:	4600	ND	NA
1,105, 2	100 002 000		Bicarbonate:	850	Chloride:	2300				
					Sulfate:	4.4 J	·			, i
M037-E	108-S02-059	05/11/98	Alkalinity:	1670	Bromide:	60	Total Dissolved Solids:	29000	ND	NA
			Bicarbonate:	1670	Chloride:	14500 J				
li					Sulfate:	2.4				
M038-A	108-S02-060	05/11/98	Alkalinity:	2430	Bromide:	R	Total Dissolved Solids:	23000	ND	NA
			Bicarbonate:	2430	Chloride:	12400		, i		,
					Nitrate-N:	5.7				
					Sulfate:	19.2				

TABLE 4.2-3 SITE 2 QUARTER 3 GENERAL CHEMICALS DETECTED IN GROUNDWATER ALAMEDA POINT

(Page 3 of 3)


Well Number	Sample Number	Sample Date	Alkalinity (mg/L)	Anions	(mg/L)	Total Dissolved Sol		Total Sulfide (mg/L)	Total Organic Carbon (mg/L)
M038-B	108-S02-061	05/07/98	Alkalinity:	514	Bromide:	52	Total Dissolved Solids:	35000	ND	NA
ĺ			Bicarbonate:	514	Chloride:	14100				
					Sulfate:	1750 J				
M038-E	108-S02-063	05/11/98	Alkalinity:	2060	Bromide:	56.8	Total Dissolved Solids:	34000	ND	NA
			Bicarbonate:	2060	Chloride:	15100 J				
					Sulfate:	2.6				
M039-A	108-S02-064	05/14/98	Alkalinity:	1630	Bromide:	7.3	Total Dissolved Solids:	4500	ND	NA
			Bicarbonate:	1630	Chloride:	3050				
					Sulfate:	2.1				
M039-B	108-S02-065	05/07/98	Alkalinity:	385	Bromide:	52.6	Total Dissolved Solids:	29000	ND	NA
			Bicarbonate:	385	Chloride:	11900				
		·			Sulfate:	1860 J				·
M039-E	108-S02-066	05/11/98	Alkalinity:	1710	Bromide:	9.5	Total Dissolved Solids:	6200	ND	NA
			Bicarbonate:	1710	Chloride:	1960 J				


Notes:


J = Value estimated at reported concentration


mg/L = Milligrams per liter


NA = Not analyzed ND = Not detected R = Rejected














4.3 SITE 3 – AREA 97, ABANDONED FUEL STORAGE

Site 3, an abandoned fuel storage area, is located in the east-central portion of Alameda Point, approximately 200 feet west of the East Gate (Figure 1.2-2). The site previously contained five partially buried storage tanks. Between 1975 and 1978, four of these five tanks were found to be leaking. Subsequently, all five tanks were reportedly cleaned, destroyed, and buried in place. Approximately 365,000 gallons of aviation gasoline (AVGAS) may have leaked from the tanks before they were closed (PRC and Montgomery Watson 1993c).

Currently, there are 10 active groundwater monitoring wells at Site 3, three of which were selected for quarterly sampling. During prior sampling of these wells, petroleum hydrocarbons (including VOCs) were detected in groundwater. These contaminants are associated with both the AVGAS releases and VOCs suspected to be originating from nearby Site 4. In addition, there may be other sources of VOC contamination.

For each quarter, Table 4.0-1 lists the three groundwater wells that were sampled at Site 3 and identifies the parameters for which these samples were analyzed. The locations of these wells are shown on Figure 1.2-3.

4.3.1 Sampling Plan Rationale

The three wells selected for quarterly sampling at Site 3 are screened in the FWBZ. Well M03-07 is located along the margin of the petroleum hydrocarbon plume originating at Site 3. This plume is migrating radially from the center of the site under the influence of recharge from on-site landscape irrigation. Samples from this well were collected to monitor plume migration. Petroleum hydrocarbons detected in well M03-04 may not be originating from Site 3; data from the quarterly sampling were collected to further assess the source of the hydrocarbons detected in samples from this well.

Samples from well M03-04 and M03-07 were analyzed for VOCs to monitor the migration of the petroleum hydrocarbon plume. Samples from well M03-05 were also analyzed for VOCs to assess the migration of VOCs originating at Site 3 and nearby Sites 4 and 11 (see Sections 4.4 and 4.9, respectively).



Samples from the three wells monitored at Site 3 were analyzed for metals and general water quality parameters. The data from these analyses were collected to provide information for (1) assessing potential impacts to groundwater from the fuel storage area, (2) a base-wide analysis of ambient water quality, and (3) an evaluation of the beneficial uses of groundwater at Alameda Point.

Samples from wells M03-04 and M03-07 were analyzed for TPPH and TEPH to monitor plume migration.

Samples from the three Site 3 wells were analyzed for TOC during the first quarterly sampling event. The TOC data were collected to help evaluate the biodegradation potential for the petroleum hydrocarbons and solvents; a high TOC concentration indicates a high biodegradation potential.

Sections 4.3.2 through 4.3.5 present the analytical results for each quarter of sampling.

4.3.2 Quarter 1 Analytical Results

One or more organic compounds were detected at concentrations greater than the MCLs in groundwater from well M03-04 during Quarter 1, as shown on Figure 4.1-1, Sheet 1. Concentrations of one or more inorganic constituents exceeded the MCLs in all three FWBZ monitoring wells during Quarter 1 sampling, as shown on Figure 4.1-3, Sheet 1.

Analytical results for organic compounds detected in groundwater samples collected at Site 3 during Quarter 1 are presented in Table 4.3-1. Organic compounds were detected in only one well; BTEX, TPPH, and TEPH were detected in the groundwater from well MW03-04. As shown on Figure 1.2-2, groundwater flows radially outward from Site 3.

Eleven metals were detected in one or more groundwater samples from the three monitoring wells analyzed for metals during Quarter 1. Detected concentrations of arsenic (in all three wells), barium (in all three wells), cadmium (in all three wells), chromium (in all three wells), cobalt (in two wells), manganese (in all three wells), molybdenum (in two wells), nickel (in all three wells), silver (in one well), vanadium (in one well), and zinc (in all three wells) are shown in Table 4.3-2.

Wells M03-04, M03-05, and M03-07 were analyzed for anions, nitrate/nitrite as nitrogen, TDS, sulfide, and alkalinity. All three wells were also analyzed for TOC, but only during the first quarter of sampling. The general chemistry and TOC results are presented on Table 4.3-3.

4.3.3 Quarter 2 Analytical Results

One or more organic compounds were detected at concentrations greater than the MCLs in groundwater from the Site 3 well M03-04 during Quarter 2, as shown on Figure 4.1-1, Sheet 2. One or more inorganic constituents were detected at concentrations exceeding the MCLs in groundwater from monitoring wells M03-04, M03-05, and M03-07 during Quarter 2 sampling, as shown on Figure 4.1-3, Sheet 2.

Analytical results for organic compounds detected in groundwater samples collected at Site 3 during Quarter 2 are presented in Table 4.3-1. Organic compounds were detected in only one well; BTEX, diesel, motor oil, and gasoline were detected in the groundwater from well M03-04. As shown on Figure 1.2-2, groundwater flows radially outward from Site 3.

Ten metals were detected in one or more groundwater samples from the three monitoring wells analyzed for metals during Quarter 2. Detected concentrations of arsenic (in all three wells), barium (in all three wells), cadmium (in one well), chromium (in one well), lead (in one well), manganese (in all three wells), molybdenum (in two wells), nickel (in one well), silver (in one well), and zinc (in one well) are shown in Table 4.3-2.

Wells M03-04, M03-05, and M03-07, were analyzed for anions, nitrate/nitrite as nitrogen, TDS, sulfide, and alkalinity. The general chemistry results are presented on Table 4.3-3.

4.3.4 Quarter 3 Analytical Results

One or more organic compounds were detected at concentrations greater than the MCLs in groundwater from the Site 3 well M03-04 during Quarter 3, as shown on Figure 4.1-1, Sheet 3. One or more inorganic constituents were detected at concentrations exceeding the MCLs in groundwater from monitoring wells M03-04, M03-05, and M03-07 during Quarter 3 sampling, as shown on Figure 4.1-3, Sheet 3.

Analytical results for organic compounds detected in groundwater samples collected at Site 3 during Quarter 3 are presented in Table 4.3-1. Organic compounds were detected in two wells. BTEX

compounds, at high concentrations, and acetone, diesel, motor oil, and gasoline were detected in the groundwater from well M03-04. Gasoline was detected at a much lower concentration in the groundwater from well M03-07. As shown on Figure 1.2-2, groundwater flows radially outward from Site 3.

Twelve metals were detected in one or more groundwater samples from the three monitoring wells analyzed for metals during Quarter 3. Detected concentrations of antimony (in two wells), arsenic (in all three wells), barium (in all three wells), cadmium (in two wells), chromium (in all three wells), cobalt (in two wells), lead (in one well), manganese (in all three wells), molybdenum (in all three wells), nickel (in all three wells), vanadium (in one well), and zinc (in all three wells) are shown in Table 4.3-2.

Wells M03-04, M03-05, and M03-07, were analyzed for anions, nitrate/nitrite as nitrogen, TDS, sulfide, and alkalinity. The general chemistry results are presented on Table 4.3-3.

4.3.5 Quarter 4 Analytical Results

One or more organic compounds were detected at concentrations greater than the MCLs in groundwater from the Site 3 well M03-04 during Quarter 4, as shown on Figure 4.1-1, Sheet 4. One or more inorganic constituents were detected at concentrations exceeding the MCLs in groundwater from three monitoring wells (M03-04, M03-05, and M03-07) during Quarter 4 sampling, as shown on Figure 4.1-3, Sheet 4.

Analytical results for organic compounds detected in groundwater samples collected at Site 3 during Quarter 4 are presented in Table 4.3-1. Organic compounds were detected in well M03-04. BTEX compounds, at high concentrations, diesel, and gasoline were detected in the groundwater from well M03-04. Organic compounds were not detected in wells M03-05 or M03-07. As shown on Figure 1.2-2, groundwater flows radially outward from Site 3.

Nine metals were detected in one or more groundwater samples from the three monitoring wells analyzed for metals during Quarter 4. Detected concentrations of arsenic (in two wells), barium (in all three wells), chromium (in one well), cobalt (in two wells), lead (in one well), manganese (in all three wells), selenium (in one well), vanadium (in one well), and zinc (in all three wells) are shown in Table 4.3-2.

Wells M03-04, M03-05, and M03-07, were analyzed for anions, nitrate/nitrite as nitrogen, TDS, sulfide, and alkalinity. The general chemistry results are presented on Table 4.3-3.



4.3.6 Time-Series Plots

In order to track the progression of chemical degradation and movement in groundwater at Site 3, changes in chemical concentration were followed over a period from 1995 through 1998. A time-series plot (Figure 4.3-1) was prepared for one monitoring well (M03-04) at Site 3, located within an small petroleum plume depicted in Figures 6-5 and 6-6. Petroleum concentrations within monitoring well M03-04 have generally remained the same over the last three years, increasing slightly during periods of precipitation and decreasing slightly during the dry summer months. This behavior suggests that residual petroleum products may have been flushed from the overlying soil or capillary fringe in response to infiltrating rainwater. However, no substantive increases in the concentration of benzene was observed.

TABLE 4.3-1 SITE 3 **QUARTER 1** ORGANIC COMPOUNDS DETECTED IN GROUNDWATER ALAMEDA POINT (Page 1 of 1)

WELL NO.	SAMPLE REMER	SAMPLE DATE	VIATTE CRIMIC COMPONES (pg/l)	SENTUCIATUR CRONIC CINCORES (ug/la)	ORGANICHIORINE PESTICIDES AND POB (µg/L)	TOTAL PETROLEM HEDROCAHIOS (HIJ/L)	OIL AND GREASE (mg/L)
M03-04	108-503-001		1,2-DIBROMO-3-CHLOROPROPANE: R ACETONE: R BENZENE: 760J ETHYLBENZENE: 460J TOLUBNE: 150J XYLENE (TOTAL): 190J	NA.	N/A	DIESEL RANGE ORGANICS: 2J GASOLINE RANGE ORGANICS: 4.2J	NA.
M03-05	108-S03-002		2-BUTANONE: R ACETONE: R	NA	NA	NA	NA.
M03-07	108-S03-003		1,2-DIBROMO-3-CHLOROPROPANE: R 2-BUTANONE: R ACETONE: R	NA.	NA .	ND	NA.

Notes:

µg/L = Micrograms per liter
mg/L = Milligrams per liter
NA = Not analyzed

= Not analyzed = Rejected

PCBs = Polychlorinated biphenyls J = Value estimated at reported concentration

= Not detected

TABLE 4.3-1 SITE 3

QUARTER 2

ORGANIC COMPOUNDS DETECTED IN GROUNDWATER **ALAMEDA POINT**

(Page 1 of 1)

WEIL.	SAMELE IXMEER	SAMPLE		SENEWIATHE CROWNS COMPONIE (15)	CREATICIDES AND PCHA (1957L)	TOTAL PETROLOM HYDROCAPHONS (mg/L)	OIL AND CREASE (trg/L)
M03-04	108-S03-00 4		2-BUTANCNE: R 2-HEXANCNE: R ACEICNE: R ENNIENE: 740 ETHILBRIZENE: 410 TOLUENE: 200 XYLENE (TOTAL): 300	NA	NA.	DIESEL RANGE ORGANICS: 1.4J MOTOR OIL RANGE ORGANICS: 0.51J GASOLINE RANGE ORGANICS: 6.6J	NA.
M03-05	108-S03-005	02/06/98	2-BUTANONE: R	NA.	NA	NA	NΑ
M03-07	108-503-006	02/06/98	2-BITTANONE: R	NΆ	NIA	ND	NΔ

Notes:

μg/L = Micrograms per liter mg/L = Milligrams per liter NA = Not analyzed

ACETONE: R

= Rejected

PCBs = Polychlorinated biphenyls J = Value estimated at reported concentration

= Not detected

TABLE 4.3-1 SITE 3 **QUARTER 3** ORGANIC COMPOUNDS DETECTED IN GROUNDWATER ALAMEDA POINT (Page 1 of 1)

WELL NO.	SAMPLE NUMBER	SAMPLE DATE		SEMPANTIE ORGANIC CEMPANES (pg/L)	ORGANICATIVE PRETICITIES AND POTE (1/27/L)	TOTAL PETROLEIM HYDROCARBONS (mg/L)	OIL AND CREASE (mg/L)
M03-04	108-S03-007		2-BUTANCNE: R ACETONE: 58J EBNZENE: 820 ETHYLBENZENE: 440 TOLUENE: 650 XYLENE (TOTAL): 1100	NA.	NA ·	DIESEL RANGE ORGANICS: 4.6J MOTOR OIL RANGE ORGANICS: 0.67J GASOLINE RANGE ORGANICS: 3.5J	NA.
M03-05	108-S03-008		2-BUTANONE: R ACETONE: R	NA	NA.	NA.	NA.
M03-07	108-803-009	05/11/98	2-BUTANCNE: R	NA.	NA.	CASOLINE RANCE ORGANICS: 0.03J	NA.

µg/L = Micrograms per liter
mg/L = Milligrams per liter
NA = Not analyzed

PCBs = Polychlorinated biphenyls
J = Value estimated at reported concentration

TABLE 4.3-1 SITE 3

QUARTER 4

ORGANIC COMPOUNDS DETECTED IN GROUNDWATER ALAMEDA POINT

(Page 1 of 1)

WEIL NO:	SAMPLE NUMBER	SAMPLE	VOLATILE CREATIC CIMPANIS (µg/L)	SENTEXATTIE CRGANIC COMPUNES (µg/L)	ORGANOMICRINE PRETICIDES AND PORE (pg/L)	TOTAL PETROLEM HEDROCEPHENS (ng/L)	OIL AND GREASE (rig/L)
M03-04	108-S03-010		2-BUTANCNE: R 2-HEXANCNE: R ACEICNE: R BENZENE: 650J ETHYLENYZENE: 450 TOLUENE: 200 XYLENE (TOTAL): 1200J	NA.	NA.	DIESEL RANGE ORGANICS: 2.2J GASOLINE RANGE ORGANICS: 7.2J	NA.
M03-05	108-S03-011		2-BUTANCNE: R 2-HEXANCNE: R ACETONE: R	NA.	NA	NA.	NA.
M03-07	108-S03-012	08/04/98	2-BUTANCNE: R 2-HEXANCNE: R ACETONE: R	NA.	NA.	ND	N/A

mg/L = Micrograms per liter
mg/L = Milligrams per liter
NA = Not analyzed

= Rejected

PCBs = Polychlorinated biphenyls J = Value estimated at reported concentration

= Not detected

TABLE 4.3-2 SITE 3 **QUARTER 1** INORGANIC COMPOUNDS DETECTED IN GROUNDWATER ALAMEDA POINT (Page 1 of 1)

WELL NG	SAMPLE NUMBER	SAMPLE DATE	A N T I M O N N Y	A R S B N I C	BARIUM	B E R Y L L I U M	C A D M I D M	C H R O M I U M	COBALT	COPPER	L B A D	M A N G A N E S E	E	M O L Y B D E N U	N I C K B L	5 E L E N I U M	S I L V E R	T H A L L I U M	V A N A D I U M	n i i i
											(μ	g/L)								
M03-04	108-S03-001	11/03/97	<1.2	71.8	441	<0.15	1.3J	0.74J	0.46J	<0.65	<3.7	441	<0.10	5.0	5.3J	<1.0	0.46J	<1.2	<4.0	10.1
M03-05	108-803-002	11/03/97	<0.65	11.0	102	<0.15	0.88J	0.76J	<0.40	<0.65	<0.65	525	<0.10	3.43	2.2J	<1.0	<0.35	<1.2	. <1.0	9.4J
M03-07	108-503-003	11/03/97	<0.65	158	217	<0.15	1.3J	9.4	0.50J	<0.65	<0.65	263	<0.10	<1.4	3.1J	<1.0	<0.35	<1.2	9.6J	11.6

μg/L = Micrograms per liter
J = Value estimation = Value estimated at reported concentration

TABLE 4.3-2 SITE 3 **QUARTER 2**

INORGANIC COMPOUNDS DETECTED IN GROUNDWATER ALAMEDA POINT

(Page 1 of 1)

WELL NG.	SAMPLE NUMBER	SAMPLE DATE	A N	A		B E P	c	2 #				M A N	M	М О Г		5 E		T H	Ų A	
			TIMON	R 5 E N	B A R I	T T T A	A D M I	R C M I	8 A L	00008	L B A	G A N E	E R C U	E N U	N I C K B	L E N I	S I L V E	A L L I U	n A C I U	Z I N
M02 04	108-503-004	02/10/98	₹ <1.4	68.4	649	<0.10	0.20J	<0.23	<0.79	<0.35	β (μ)	g/L) 668	(0.10		L	<0.80	0.18J	M <1.3	M <0.30	<4.6
M03-04 M03-05	108-503-005	02/10/98		7.1	25.7J	<0.10	<0.20	<0.45	<0.79	<0.35	<0.60	279	<0.10	1.7J	<1.5	<0.80	<0.15	<1.4	<0.30	<3.1
M03-07	108-S03-006	02/06/98	<1.1	6.1	142	<0.10	<0.20	9.9	<1.3	<2.1	<2.8	149	<0.10	1.6J	7.3J	<0.80	<0.15	<1.4	<7.5	10.6

 μ g/L = Micrograms per liter
J = Value estimated at reported concentration

TABLE 4.3-2 SITE 3 **QUARTER 3** INORGANIC COMPOUNDS DETECTED IN GROUNDWATER ALAMEDA POINT (Page 1 of 1)

WELL NO.	SAMPLE NUMBER	SAMPLE DATE	A N T I M C N N	A R S S N I C	B A R I U M	8 E R Y L L I U M	C A D M I U M	C H R O M I U M	C O B A	COPPER	L E A D	M A N G A N E S E	M E R C U R Y	M O L Y B D E N U M	N I C K E L	3	S I L V E R	T H A L L I U	V A N A D I	2 1 1 1
			(µg/L)																	
M03-04	108-803-007	05/11/98	2.6J	103	826	<0.10	0.43J	0.45J	0.38J	<2.9	21.2	1420	<0.10	2.7J	4.7J	<0.85	<0.30	<1.4	<2.6	130
M03-05	108-503-008	05/11/98	1.1J	21.1	332	<0.10	<0.15	1.2J	0.50J	<2.6	<1.2	239	<0.10	7.4	2.6J	<0.85	<0.30	<1.4	12.3J	94.0
M03-07	108-503-009	05/11/98	<0.85	1.1J	504	<0.10	0.15J	3.2J	<0.30	<2.9	<3.4	96.9	<0.10	1.7J	3.2J	<0.85	<0.30	<1.4	<2.5	129

 $\mu g/L$ = Micrograms per liter J = Value estimated at reported concentration

TABLE 4.3-2 SITE 3 QUARTER 4 INORGANIC COMPOUNDS DETECTED IN GROUNDWATER ALAMEDA POINT (Page 1 of 1)

WELL NG.	Sample number	SAMPLE DATE	A N T I M O N Y	A R S E N I C	B A R I U M	B E R Y L L U M	C A D M I D M	C H R O M I U	C	CODER	L E A D	M A N G A N E S	MERCURY	M C L Y B D E N U	N I C K E L	S E L E N I U M	S I L V E R	T H A L L U	V A N A D D I I D M	ZINC
											(µ	3/L)								
M03-04	108-S03-010	08/04/98	<3.4	83.0J	506	<0.20	<0.30	<0.80	2.7J	<2.6	16.3	1000	<0.10	<3.0	<3.7	3.0J	<0.70	<1.1	<2.8	13.4J
M03-05	108-503-011	08/04/98	<3.2	15.6J	118J	<0.20	<0.30	<0.80	2.6J	<2.5	<1.7	363	<0.10	<5.0	<2.1	<1.6	<0.70	<1.1	9.9J	7.9J
M03-07	108-803-012	08/04/98	<1.8	<7.1	255	<0.20	<0.30	1.4J	<2.2	<3.2	<1.7	186	<0.10	<1.0	<1.7	<1.6	<0.70	<1.1	<1.4	13.4J

Notes: $\mu g/L = Micrograms$ per liter J = Value estimated at reported concentration

= Parameter reported below reporting limit

TABLE 4.3-3 SITE 3 QUARTER 1 GENERAL CHEMICALS DETECTED IN GROUNDWATER ALAMEDA POINT (Page 1 of 1)

Well Number	Sample Number	Sample Date	Alkalinity (mg/L)	Anions (n	ng/L)	Total Dissol	•	ids	Total Sulfide	Total Organic Carbon (mg/L)	all sections and a section of the se
M03-04	108-S03-001	11/03/97	Alkalinity:	1230	Bromide:	13.3	Total Dissolved S	Solids:	5300	ND	TOC Test 2:	29
			Bicarbonate:	1230	Chloride:	2460					Total Organic Carbon	31
					Phosphate:	0.22						
M03-05	108-S03-002	11/03/97	Alkalinity:	1140	Bromide:	13.0	Total Dissolved S	Solids:	12000	ND	TOC Test 2:	17
			Bicarbonate:	1140	Chloride:	2150					Total Organic Carbon	17
					Phosphate:	4.6						
					Sulfate:	74.4						
M03-07	108-S03-003	11/03/97	Alkalinity:	474	Bromide:	1.8	Total Dissolved S	Solids:	990	ND	TOC Test 2:	27
			Bicarbonate:	474	Chloride:	252		•			Total Organic Carbon	29
					Fluoride:	1.4						

Notes:

mg/L = Milligrams per liter

ND = Not detected

TABLE 4.3-3 SITE 3

QUARTER 2

GENERAL CHEMICALS DETECTED IN GROUNDWATER

ALAMEDA POINT

(Page 1 of 1)

Well Number	Sample Number	Sample Date	Alkalinity (i	ng/L)	Anions (m	ng/L)	Total Dissolved So (mg/L)	lids
M03-04	108-S03-004	02/10/98	Alkalinity:	1330	Bromide:	13.1	Total Dissolved Solids:	6100
			Bicarbonate:	1330	Chloride:	2440		
					Fluoride:	0.63		
					Nitrate:	2.1	·	
M03-05	108-S03-005	02/06/98	Alkalinity:	372	Bromide:	0.24	Total Dissolved Solids:	420
		:	Bicarbonate:	372	Chloride:	24.4		
					Fluoride:	0.32		
·					Nitrate:	0.23		
					Phosphate:	0.25		
					Sulfate:	25		
M03-07	108-S03-006	02/06/98	Alkalinity:	378	Bromide:	0.93	Total Dissolved Solids:	570
		•	Bicarbonate:	378	Chloride:	135	,	
					Fluoride:	0.77		
					Sulfate:	0.23		

Notes:

mg/L

= Milligrams per liter

J

= Value estimated at reported concentration

TABLE 4.3-3 SITE 3 QUARTER 3 GENERAL CHEMICALS DETECTED IN GROUNDWATER ALAMEDA POINT (Page 1 of 1)

Well Number	Sample Number	Sample Date	Álkalinity (m	ig/L)	Anions	(mg/L)	† Total Dissolved Sol (mg/L)	ids	Total Sulfide (mg/L)	Total Organic Carbon (mg/L)
M03-04	108-S03-007	05/11/98	Alkalinity:	1110	Bromide:	10.6	Total Dissolved Solids:	5000	ND	NA
			Bicarbonate:	1090	Chloride:	1710 J				i
			Carbonate:	21.3	Nitrate-N:	2.3				
					Phosphate:	0.13				
					Sulfate:	0.92				
M03-05	108-S03-008	05/11/98	Alkalinity:	853	Bromide:	7.1	Total Dissolved Solids:	4000	ND	NA
·			Bicarbonate:	853	Chloride:	1280 J				
		•			Phosphate:	2.8				
			. •		Sulfate:	25.7				
M03-07	108-S03-009	05/11/98	Alkalinity:	373	Bromide:	1.7	Total Dissolved Solids:	1800	ND	NA
		,	Bicarbonate:	373	Chloride:	209 J				* * *
					Sulfate:	0.48				

Notes:

= Value estimated at reported concentration

mg/L = Milligrams per liter

ND = Not detected NA = Not analyzed

TABLE 4.3-3 SITE 3

QUARTER 4

GENERAL CHEMICALS DETECTED IN GROUNDWATER


ALAMEDA POINT (Page 1 of 1)

Well Number	Sample Number	Sample Date	Alkalinity (i	ng/L)	Anions	(mg/L)	Total Dissolved Soli (mg/L)	ds	Total Sulfide (mg/L)	Total Organic Carbon (mg/L)
M03-04	108-S03-010	08/04/98	Alkalinity:	1240	Bromide:	12.9	Total Dissolved Solids:	4700	ND	NA
	·		Bicarbonate:	1240	Chloride:	2080	•			
M03-05	108-S03-011	08/04/98	Alkalinity:	1110	Bromide:	10.0	Total Dissolved Solids:	4400	1.0	NA
			Bicarbonate:	1110	Chloride:	2090				
					Sulfate:	72.8				
M03-07	108-S03-012	08/04/98	Alkalinity:	414	Bromide:	2.0	Total Dissolved Solids:	840	ND	NA
			Bicarbonate:	414	Chloride:	245				

Notes:

mg/L = Milligrams per liter

ND = Not detected NA = Not analyzed



4.4 SITE 4 – BUILDING 360, AIRCRAFT ENGINE FACILITY

Site 4, an aircraft engine facility, is located in the east-central portion of Alameda Point, near the eastern perimeter of the base (Figure 1.2-2). The site consists of Building 360, an aircraft engine repair facility that began operation in 1954. Activities in the building have included metal machining and plating, painting, and parts cleaning (PRC and Montgomery Watson 1993c).

Currently, there are 10 active groundwater monitoring wells at Site 4, nine of which were selected for quarterly sampling. During Quarters 3 and 4, however, all 10 wells were sampled at Site 4. Well D04-01 was one of seven wells from various sites added to the monitoring program. During prior sampling of the Site 4 wells, VOCs and metals associated with past operations at Building 360 were detected in groundwater samples.

For each quarter, Table 4.0-1 lists the groundwater wells that were sampled at Site 4 and identifies the parameters for which the samples were analyzed. The locations of these wells are shown on Figure 1.2-3.

4.4.1 Sampling Plan Rationale

Seven of the nine wells sampled at Site 4, including M04-05, M04-06, M04-07, MW360-1, MW360-2, MW360-3, MW360-4, are screened in the FWBZ. Two wells sampled at Site 4 during Quarters 1 and 2 (D04-02 and D04-03) and the additional well added for Quarters 3 and 4 (D04-01) are screened in the SWBZ. Samples from these wells were analyzed for VOCs. The VOC data were collected to monitor the extent of the solvent plume in groundwater, located primarily in the central and northwestern portions of the site. Data from wells D04-02, MW360-2, MW360-3, and MW360-4 was collected to monitor the margin of the plume. Data from well M04-07 was collected to evaluate the relationship between solvent plumes originating at Sites 4, 11, and 21; analytical results for Sites 11 and 21 are discussed in Section 4.9.2.

Samples from each of these wells were also analyzed for metals and general water quality parameters. Metals data will be used to evaluate the extent of contaminant and ambient metals concentrations at Alameda Point. Data for general water quality parameters were collected to complete a base-wide analysis of ambient water quality and an evaluation of the beneficial uses of groundwater at Alameda Point.

Samples from each of the nine wells were analyzed for TOC during the first quarter sampling event. The TOC data were collected to help evaluate the biodegradation potential for the solvents found at Site 4; a high TOC concentration indicates a high biodegradation potential. Sections 4.4.2 through 4.4.5 present the analytical results for each quarter of sampling.

4.4.2 Quarter 1 Analytical Results

Organic compounds were detected at concentrations exceeding the MCLs in groundwater from three Site 4 wells (MW360-1, MW360-2, and MW360-4) during Quarter 1. These three wells, screened in the FWBZ, along with all FWBZ wells with detected organic compounds exceeding the MCLs, are shown on Figure 4.1-1, Sheet 1. One or more inorganic constituents exceeded the MCLs in six of the seven Site 4 FWBZ monitoring wells (M04-05, M04-06, MW360-1, MW360-2, MW360-3, and MW360-4) and in the two SWBZ wells (D04-02 and D04-03) during Quarter 1 sampling. These wells are shown on Figures 4.1-3, Sheet 1, and 4.1-4, Sheet 1, respectively.

Table 4.4-1 presents a complete list of organic compounds detected in groundwater samples collected at Site 4 during Quarter 1. VOCs were detected in four monitoring wells, MW360-1, MW360-2, and MW360-4, and M04-05. In well M04-05, 1,1-DCA and TCE were detected. These VOCs were also detected at relatively high concentrations, compared to other Alameda Point wells, in the other three Site 4 wells, M360-1, M360-2, and M360-4. TCE was detected in the groundwater sample from well MW360-1 at a concentration of 4,600 μg/L. Numerous other VOCs were detected in groundwater samples from wells M360-1, M360-2, M360-4 and in the duplicate sample from well M360-4, including 1,2-DCB, 1,1-DCE, cis-1,2-DCE, and vinyl chloride, indicating possible movement of the margin of the solvent plume. Groundwater flow in the vicinity of the solvent plume at Site 4 is toward the north (Figure 1.2-2).

Thirteen metals were detected in one or more groundwater samples from the nine Site 4 monitoring wells analyzed for metals during Quarter 1. Detected concentrations of arsenic (in five wells and one duplicate), barium (in nine wells and one duplicate), cadmium (in eight wells and one duplicate), chromium (in three wells and one duplicate), cobalt (in seven wells and one duplicate), copper (in three wells and one duplicate), manganese (in eight wells and one duplicate), mercury (in one well), molybdenum (in five wells and one duplicate), nickel (in nine wells and one duplicate), selenium (in five wells), vanadium (in three wells and one duplicate), and zinc (in eight wells and one duplicate) are shown in Table 4.4-2.



All nine Site 4 wells were analyzed for anions, nitrate/nitrite as nitrogen, TDS, sulfide, alkalinity. All nine wells were also analyzed for TOC, but only during the first quarter of sampling. The results are presented in Table 4.4-3.

4.4.3 Quarter 2 Analytical Results

Organic compounds were detected at concentrations exceeding the MCLs in groundwater from three Site 4 wells (MW360-1, MW360-2, and MW360-4) during Quarter 2. These three wells, screened in the FWBZ, are shown on Figure 4.1-1, Sheet 2. One or more inorganic constituents exceeded the MCLs in six of the seven Site 4 FWBZ monitoring wells (M04-05, M04-06, MW360-1, MW360-2, MW360-3, and MW360-4) and in the two SWBZ wells (D04-02 and D04-03) during Quarter 2 sampling. These wells are shown on Figure 4.1-3, Sheet 2, and 4.1-4, Sheet 2, respectively.

Table 4.4-1 presents a list of the organic compounds detected in groundwater samples collected at Site 4 during Quarter 2. VOCs were detected in four monitoring wells, M04-05, MW360-1, MW360-2, and MW360-4. In well M04-05, 1,1-DCA and TCE were detected. TCE was also detected at relatively high concentrations, compared to other Alameda Point wells, in the other three Site 4 wells with VOCs detected (M360-1, M360-2, and M360-4). TCE was detected in the sample from well MW360-1 at a maximum concentration of 4,100 µg/L. A comparable concentration was detected in the Quarter 1 sample from this same well. Numerous other VOCs were detected in groundwater samples from wells M360-1, M360-2, M360-4, including 1,2-DCB, 1,4-DCB, 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, 1,1,1-trichloroethane (TCA), chlorobenzene, and vinyl chloride. Groundwater flow in the vicinity of the solvent plume at Site 4 is toward the north (Figure 1.2-2).

Twelve metals were detected in one or more groundwater samples from the nine Site 4 monitoring wells analyzed for metals during Quarter 2. Detected concentrations of arsenic (in three wells), barium (in nine wells and one duplicate), cadmium (in eight wells and one duplicate), chromium (in two wells), cobalt (in five wells and one duplicate), manganese (in seven wells and one duplicate), molybdenum (in seven wells), nickel (in eight wells and one duplicate), selenium (in one duplicate), silver (in five wells and one duplicate), vanadium (in one well), and zinc (in four wells and one duplicate) are shown in Table 4.4-2.

All nine Site 4 wells were analyzed for anions, nitrate/nitrite as nitrogen, TDS, sulfide, and alkalinity. The results are presented in Table 4.4-3.

4.4.4 Quarter 3 Analytical Results

Organic compounds were detected at concentrations exceeding the MCLs in groundwater from three Site 4 wells (MW360-1, MW360-2, and MW360-4) during Quarter 3. These three wells, screened in the FWBZ, are shown on Figure 4.1-1, Sheet 3. One or more inorganic constituents exceeded the MCLs in all ten Site 4 wells including seven FWBZ monitoring wells (M04-05, M04-06, M04-07, MW360-1, MW360-2, MW360-3, and MW360-4) and three SWBZ wells (D04-01, D04-02, and D04-03) during Quarter 3. These wells are shown on Figure 4.1-3, Sheet 3, and 4.1-4, Sheet 3, respectively.

Table 4.4-1 presents a list of the organic compounds detected in groundwater samples collected during Quarter 3. VOCs were detected in five monitoring wells, D04-02, M04-05, MW360-1, MW360-2, and MW360-4. Toluene was detected in well D04-02 and TCE was detected in well M04-05 at concentrations of 3 and 1 μ g/L, respectively. TCE was detected at a very high concentration, relative to other Alameda Point wells, in groundwater from well MW360-1 (2,700 μ g/L) and at a relatively high concentration (410 μ g/L) in well MW360-4. TCE was also detected in well MW360-2 (64 μ g/L) Several other VOCs were detected in wells MW360-2 and MW360-4, including 1,1,1-TCA, 1,1-DCA, 1,1-DCE, 1,2-DCB, 1,4-DCB, chlorobenzene, cis-1,2-DCE, trans-1,2-DCE, and vinyl chloride. Groundwater flow in the vicinity of the solvent plume at Site 4 is toward the north (Figure 1.2-2).

Thirteen metals were detected in one or more groundwater samples from the 10 Site 4 monitoring wells analyzed for metals during Quarter 3. Detected concentrations of antimony (in one well and one duplicate), arsenic (in four wells), barium (in six wells and two duplicates), cadmium (in six wells and two duplicate samples, but not their associated original samples), chromium (in seven wells and two duplicates), cobalt (in eight wells and one duplicate), manganese (in all 10 wells and both duplicates), molybdenum (in eight wells and two duplicates), nickel (in all 10 wells and both duplicates), silver (in one well), thallium (in one well), vanadium (in six wells and one duplicate), and zinc (in five wells and two duplicates) are shown in Table 4.4-2.

All nine Site 4 wells were analyzed for anions, nitrate/nitrite as nitrogen, TDS, sulfide, and alkalinity. The results are presented in Table 4.4-3.

4.4-4

12/7/98

4.4.5 Quarter 4 Analytical Results

Organic compounds were detected at concentrations exceeding the MCLs in groundwater from three Site 4 wells (MW360-1, MW360-2, and MW360-4) during Quarter 4. These three wells, screened in the FWBZ, are shown on Figure 4.1-1, Sheet 4. One or more inorganic constituents exceeded the MCLs in six of the seven Site 4 FWBZ monitoring wells (M04-05, M04-06, MW360-1, MW360-2, MW360-3, and MW360-4) and in two of the three SWBZ wells (D04-02 and D04-03) during Quarter 4 sampling. These wells are shown on Figures 4.1-3, Sheet 4, and 4.1-4, Sheet 4, respectively.

Table 4.4-1 presents a list of the organic compounds detected in groundwater samples collected during Quarter 4. VOCs were detected in four monitoring wells, M04-05, MW360-1, MW360-2, and MW360-4. TCE was detected at a very high concentration, relative to other Alameda Point wells, in groundwater from well MW360-1 (2,900 μ g/L) and at a relatively high concentration (580 μ g/L) in well MW360-4. TCE was also detected at lower concentrations in wells MW360-2 (48 μ g/L) and M04-05 (1 μ g/L). Several other VOCs were detected in wells MW360-1, MW360-2, and MW360-4, including 1,1,1-TCA, 1,1-DCA, 1,1-DCE, 1,2-DCB, 1,3-DCB, 1,4-DCB, chlorobenzene, cis-1,2-DCE, trans-1,2-DCE, PCE, and vinyl chloride. Groundwater flow in the vicinity of the solvent plume at Site 4 is toward the north (Figure 1.2-2).

Twelve metals were detected in one or more groundwater samples from the 10 Site 4 monitoring wells analyzed for metals during Quarter 4. Detected concentrations of arsenic (in one well), barium (in all ten wells and one duplicate), cadmium (in four wells), chromium (in two wells), cobalt (in six wells and one duplicate), lead (in one well), manganese (in all 10 wells and one duplicate), molybdenum (eight wells), nickel (in four wells and one duplicate), silver (in one well), thallium (in one well), vanadium (in one well), and zinc (in eight wells and one duplicate) are shown in Table 4.4-2.

All nine Site 4 wells were analyzed for anions, nitrate/nitrite as nitrogen, TDS, sulfide, and alkalinity. The results are presented in Table 4.4-3.

4.4.6 Time-Series Plots

In order to track the progression of chemical degradation and movement in groundwater at Site 4, changes in chemical type and concentration were followed over a period from 1994 through 1998. Time-series



plots were prepared for five monitoring wells at Site 4, located within and adjacent to the groundwater contaminant plumes depicted in Figures 6-5 and 6-6. The time-series plots present a more diverse group of chemicals than the three representative chemicals shown in the contaminant plumes in Figures 6-5 and 6-6. Figures 4.4-1 through 4.4-3 depict time-series plots for a east to west transect of monitoring wells (MW360-4, MW360-1, and M04-07) associated with a chlorinated solvent and petroleum plume. Figures 4.4-4 and 4.4-5 depict time-series plots for a north to south transect of monitoring wells (M04-05 and MW360-2) associated with the down gradient margin of the same chlorinated solvent plume.

Monitoring well MW360-4 (Figure 4.4-1) is located in the up gradient portion of the chlorinated solvent plume. The concentrations of the parent chemical (TCE) and degradation products (DCE, DCA, and vinyl chloride) have decreased by at least one order of magnitude over the last four years. There is no correlation with chemical concentration and precipitation events. Monitoring well MW360-1 (Figure 4.4-2) is located within the same chlorinated solvent plume and down gradient from the contaminant source area. The concentrations of the parent chemicals (TCE and PCE) have remained fairly constant over the last four years. The concentrations of the degradation products (DCE, DCA, and vinyl chloride) have increased slightly over the last four years. However, the ratio of degradation product to parent chemical is still extremely low which suggests that the plume is still fairly young. The concentration of benzene has decreased to its reporting limit. Chlorinated solvent concentrations generally decrease during periods of precipitation induced dilution and increase during the dry summer months. Monitoring well M04-07 (Figure 4.4-3) is located on the down gradient western margin of the chlorinated solvent plume. The concentrations of the parent chemical (TCE) and degradation product (DCE) have decreased over the last four years to the reporting limit for each chemical. There is no correlation between chemical concentration and precipitation events in well M04-07.

Monitoring well M04-05 (Figure 4.4-4) is located along the down gradient margin of the chlorinated solvent plume. The concentrations of the parent chemical (TCE) and degradation products (TCA, DCE, and DCA) have decreased by approximately one order of magnitude over the last four years. In fact, the concentrations of all degradation products have decreased within the last year to the reporting limit for each chemical. There is no correlation between chemical concentration and precipitation events.

Monitoring well MW360-2 (Figure 4.4-5) is located along the down gradient margin of the chlorinated solvent plume. The concentrations of the parent chemical (TCE) and DCE (a degradation product) have decreased slightly over the last four years. The concentrations of other degradation products (TCA, DCA, and vinyl chloride) have decreased approximately one order of magnitude over the last four years. The ratio of degradation product (DCE) to parent chemical (TCE) exceeds one, which suggests that the plume

is undergoing dechlorination. There is no correlation between chemical concentration and precipitation events.

TABLE 4.4-1 SITE 4 QUARTER 1 ORGANIC COMPOUNDS DETECTED IN GROUNDWATER ALAMEDA POINT (Page 1 of 2)

METT.	SAMPLH NIMBER	SAMPLE DATE	WIATUR CRIMIC CIMPONES (19/1)	SEMECHATIC CHARGES (LINE)	ORGANICHER INS PROTECTION AND PUBS (MJ/L)	TOTAL PETROLEM HYDROCARRENS (mg/L)	OIL AND GREASE (trg/L)
D04-02	108-S01-014	11/14/97	2-BUTANONE: R ACETONE: R	NA	NA	NA	NA.
D04-03	108-S04-004	11/14/97	2-BUTANONE: R ACETONE: R	NA	NA	NA	NA.
M04-05	108-S04-001	11/03/97	1,1-DICHLOROETHANE: 1J 2-BUTANCINE: R ACEICNE: R TRICHLOROETHENE: 3J	NA.	NA.	NA.	NA
M04-06	108-S04-002	11/03/97	1,2-DIEROMO-3-CHLOROPROPANE: R 2-BUTANCNE: R ACETONE: R	NA.	NA	NA	NA.
M04-07	108-S04-003	11/03/97	1,2-DIERCMO-3-CHLOROPROPANE: R 2-BUTANCNE: R ACETONE: R	NA.	NA	NA.	NA
MV360-1	108-S04-005	11/07/97	1,1-DICHLOROETHANE: 2 1,1-DICHLOROETHANE: 7 1,2-DICHLOROENZANE: 200 1,3-DICHLOROENZANE: 4 1,4-DICHLOROENZANE: 38J ACETONE: R CHLOROBENZENE: 2 CIS-1,2-DICHLOROETHANE: 30J TETRACHLOROETHENE: 3 TRANS-1,2-DICHLOROETHANE: 3 TRICHLOROETHENE: 4600J VINYL CHLORIDE: 0.9	NA.	NA.	NA.	NA
Mw360-2	108-S04-006	11/06/97	1,1,1-TRICHLOROETHANE: 21 1,1-DICHLOROETHANE: 11 1,1-DICHLOROETHANE: 280J 1,2-DICHLOROETHANE: 2 2-EUTANCNE: R ACETONE: R CIS-1,2-DICHLOROETHANE: 4 TRICHLOROETHANE: 76J VINYL CHLORIDE: 0.7	NA.	NA	NA	NA
MW360-3	108-204-007	11/03/97	2-BUTANCNE: R ACETONE: R	NA	NA.	NA.	NΆ
MW360-4	108-S04-008	11/06/97	1,1-DICHLOROETHENE: 5 1,1-DICHLOROETHENE: 4 1,2-DICHLOROBENZENE: 18	NA NA	NA	NA	NA.

TABLE 4.4-1 SITE 4 **QUARTER 1**

ORGANIC COMPOUNDS DETECTED IN GROUNDWATER ALAMEDA POINT

(Page 2 of 2)

WELL NO.	SAMELE NIMBER	SAMPLE DATE	VIATIE CREVIC CURING (19/1)	SERTUCATUE CREVITO CEPROTROS (ug/L)	CHEWICHLERINE PRETICIPES AND PORE (197/L)	TOTAL PETROLEM HIDROCAHICAS (mg/L)	OIL AND GREASE (mg/f)
MW360-4	108-504-008 (Confined)		1,4-DICHLORCHENZENE: 3 2-BUTANCNE: R ACETONE: R ACETONE: R CHLORCHENZENE: 4 CIS-1,2-DICHLOROETHENE: 260J TRANS-1,2-DICHLOROETHENE: 11 TRICHLOROETHENE: 520J VINYL CHLORIDE: 64J				
MW360-4	108-S04-009*		1,1-DICHLOROETHANE: 6 1,1-DICHLOROETHANE: 4 1,2-DICHLOROEENZENE: 20 1,4-DICHLOROEENZENE: 4 2-EUTANONE: R ACEIONE: R CHLOROEENZENE: 4 CIS-1,2-DICHLOROETHENE: 260J TRANS-1,2-DICHLOROETHENE: 11 TRICHLOROETHENE: 920J VINYL CHLORIDE: 48J	NA.	NA.	NA.	NA.

μg/L = Micrograms per liter
mg/L = Milligrams per liter
NA = Not analyzed
* = Duplicate sample

PCBs = Polychlorinated biphenyls J = Value estimated at reported concentration

= Rejected

TABLE 4.4-1 SITE 4 QUARTER 2 ORGANIC COMPOUNDS DETECTED IN GROUNDWATER ALAMEDA POINT (Page 1 of 2)

WELL NO.	SAMPLE NUMBER	SAMPLE	VOIATHE CREATIC CIMPANES (1971)	SENTUDIATTIE CRONIC CEMPOTARE (µg/L)	ORGANOCHICRINE PRESTICIDES AND PORE (MS/Li)	TOTAL PETROLEUM HIDROCANHONS (mg/L)	OIL AND CREASE (rig/L)
D04-02	108-S04-010	02/04/98	2-BUTANONE: R ACETONE: R	NA.	NA	NA.	NA.
D04-03	108-S04-011	02/04/98	2-BUIANONE: R ACETONE: R	NA.	NA	NA	N/A
D04-03	108-S04-012	02/04/98	2-BUTANONE: R ACETONE: R	NA.	NΑ	NA	NA.
M04-05	108-504-013	02/09/98	1,1-DICHLOROETHANE: 1 2-EUTANCNE: R 2-HEXANCNE: R ACETONE: R TRICHLOROETHENE: 2	NA.	NA.	NA.	NA.
M04-06	108-S04-014	02/09/98	2-BUTANCNE: R 2-HEXANCNE: R ACETONE: R	N/A	NA.	NA	NA
M04-07	108-S04-015	02/09/98	2-BUTANCNE: R 2-HEXANCNE: R ACEICNE: R	AM	NA .	NA	NΆ
MW360-1	108-S04-016	02/09/98	1,2-DICHLORGENZENE: 320 1,4-DICHLORGENZENE: 73 2-BUTANCNE: R ACETONE: R CCIS-1,2-DICHLOROETHENE: 50 TRICHLOROETHENE: 4100	NA	NA	NA	NA
MW360-2	108-S04-017	02/09/98	1,1,1-TRICHLOROETHANE: 20 1,1-DICHLOROETHANE: 9 1,1-DICHLOROETHANE: 490 2-BUTANCNE: R ACEICNE: R TRICHLOROETHENE: 94	NA.	NA	· NΑ	NA
MW360-3	108-S04-018	02/09/98	2-BUTANCNE: R ACETONE: R	NA	NA	NΑ	N/A
MW360-4	108-S04-019	02/09/98	1,1-DICHLOROETHANE: 5 1,1-DICHLOROETHENE: 3 1,2-DICHLOROEDNZENE: 15 1,4-DICHLOROEDNZENE: 3 2-EUTANONE: R	N/A	NA.	NA ·	NA.

TABLE 4.4-1 SITE 4

QUARTER 2

ORGANIC COMPOUNDS DETECTED IN GROUNDWATER ALAMEDA POINT

(Page 2 of 2)

WELL NO.	SAMPLE NEMBER	SAMPLE DATE		SENDIVIATUE ORGANIC COMPONIC (µg/L)	ORGANIZATION INS PRESTICIDES AND PONE (149/TA)	TOTAL TETROLOM HERCOMICAS (rg/L)	OIL AND GREASE (mg/L)
MW360-4	108-504-019 (Continued)	-,, -	ACETONE: R CHLOROBENZENE: 3 CIS-1,2-DICHLOROETHENE: 240 TRANS-1,2-DICHLOROETHENE: 8 TRICHLOROETHENE: 1200 VINYL CHLORIDE: 54			·	

Notes:

\(\mu_j/L = \text{Micrograms per liter} \)
\(\mu_j/L = \text{Milligrams per liter} \)
\(\mu_i = \text{NA} = \text{Not analyzed} \)

PCBs = Polychlorinated biphenyls J = Value estimated at reported concentration

= Rejected

TABLE 4.4-1 SITE 4 QUARTER 3 ORGANIC COMPOUNDS DETECTED IN GROUNDWATER ALAMEDA POINT (Page 1 of 2)

WELL, NO.	SAMPLE NIMBER	SAMPLE DATE	VOIATHE CREATIC CONCORDS (1971)	SERCEPTO STREETS STREETS	ONGANCHICEDE PESTICIDES AND RUB ((27/L))	TOTAL PETROLATM HYDROCARRONS (mg/L)	OIL AND GREASE (mg/L)
D04-01	108-S04-043	05/13/98	2-BUTANONE: R ACETONE: R	NA.	NA	ND	NА
D04-01	108-S04-044	05/13/98	2-BUTANONE: R ACETONE: R	NA.	NA	ND	NΆ
D04-02	108-S04-020	05/08/98	2-BUIANCNE: R TOLLIENE: 3	NA.	NA.	NΑ	NA
D04-03	108-S04-021	05/06/98	2-BUTANONE: R ACETONE: R	NA.	NA	MA	N/A
D19-01	108-\$04-045	05/08/98	2-BUIANCNE: R ACETONE: R	NA.	NA	MOTOR OIL RANGE ORGANICS: 0.32J	NA.
M04-05	108-S04-022	05/05/98	2-BUTANCNE: R ACETONE: R TRICHLOROETHENE: 1	AM	NA	NA.	NΑ
M04-06	108-S04-023	05/06/98	2-BUTANONE: R ACETONE: R	NA	NA .	ΝĀ	NA.
M04-07	108-S04-024	05/05/98	2-BUTANCNE: R 2-HEXANCNE: R ACETONE: R	NA	NA .	NA.	NA
MW360-1	108-S04-025	05/06/98	2-BUTANCNE: R ACETONE: R IRICHLOROETHENE: 2700	NΑ	NA .	NA	ΝA
MW360-2	108 - S04-026	05/06/98	1,1,1-TRICHLOROETHANE: 12 1,1-DICHLOROETHANE: 6 1,1-DICHLOROETHANE: 220 1,2-DICHLOROENZENE: 2 2-BUTANCNE: R ACETONE: R CIS-1,2-DICHLOROETHENE: 3 TRICHLOROETHENE: 64	NA.	NA.	NA.	NA
MW360-3	108-S04-027	05/14/98	2-BUTANONE: R ACETONE: R	NA	NA .	· NA	NA
MW360-3	108-S04-028	05/14/98	2-BUTANONE: R ACETONE: R	. NA	NA	NA	NA.
MW360-4	108-S04-029	05/06/98	1,1-DICHLOROETHANE: 3 1,1-DICHLOROETHENE: 2 1,2-DICHLOROEENZENE: 7	NA	NA	NA .	NΆ

TABLE 4.4-1 SITE 4

QUARTER 3

ORGANIC COMPOUNDS DETECTED IN GROUNDWATER

ALAMEDA POINT

(Page 2 of 2)

WEIL NO:	SAMELE LAMBER	SAMPLE DATE		SEMINATUR CREANIC COMPONICS (Hg/L)		TOTAL PETROLEIM HZDROCARHONS (mg/L)	OIL AND GREASE (ng/L)
MW360-4	108-504-029 (Continued)		1,4-DICHLOROBENZENE: 2 2-BUTANCNE: R ACETCNE: R CHLOROBENZENE: 2 CIS-1,2-DICHLOROETHENE: 180 TRANS-1,2-DICHLOROETHENE: 22 TRICHLOROETHENE: 410 VINYL CHLORIDE: 21				
MWD13-2	108-S04-046		2-BUTANONE: R ACETONE: R	NA.	NA	MOTIOR OIL RANGE ORGANICS: 0.54J	NA.

 μ g/L = Micrograms per liter mg/L = Milligrams per liter NA = Not analyzed R = Rejected

POBs = Polychlorinated biphenyls

J = Value estimated at reported concentration

= Not detected

TABLE 4.4-1 SITE 4 QUARTER 4 ORGANIC COMPOUNDS DETECTED IN GROUNDWATER ALAMEDA POINT (Page 1 of 2)

METTY	SAMPLE NUMBER	SAMPLE DATE	VIATHE CREVIT: CLECKES (18/1)	SHIWATHE CREATE CHECKE (µg/l.)	ONEANOCHICRINE PRETICIDES AND PCH8 (129/L)	TOTAL PETROLLIM HIDROCARHONS (mg/L)	OIL AND GREASE (rig/L)
D04-01	108-S04-030	08/05/98	2-BUTANONE: R 4-METHYL-2-PENTANONE: R ACETONE: R	NA	NA.	ND	N/A.
D04-02	108-S04-031	08/05/98	2-BUTANONE: R 4-METHYL-2-PENIANONE: R ACETONE: R	NA	NA.	NA	NΆ
D04-03	108-S04-032	08/05/98	2-BUTANCNE: R 4-METHYL-2-PENIANCNE: R ACETONE: R	NA	NA	NΆ	NΆ
M04-05	108-S04-033	08/04/98	2-BUTANCNE: R 2-HEXANCNE: R ACETONE: R TRICHLOROETHENE: 1	NA	NA.	NA.	NA.
M04-06	108-S04-034	08/04/98	2-BUTANCNE: R 2-HEXANCNE: R ACETICNE: R	NA.	NA.	NA	NA
M04-07	108-504-035	08/04/98	2-BUTANCNE: R 2-HEXANCNE: R ACETONE: R	NA	NA.	NA.	NA.
M#360-1	108-504-036	08/04/98	1,1-DICHLOROETHANE: 4J 1,1-DICHLOROETHENE: 5J 1,2-DICHLOROETHENE: 16UJ 1,3-DICHLOROETHENE: 14J 1,4-DICHLOROETHENE: 4JJ 1,4-DICHLOROETHENE: 4LJ 2-BUTANCNE: R 2-HEXANCNE: R CHLOROETHENE: 1J CIS-1,2-DICHLOROETHENE: 23J TETRACHLOROETHENE: 2J TRANS-1,2-DICHLOROETHENE: 3J TRICHLOROETHENE: 2900 VINYL CHLORIDE: LJ	NA.	NA.	NA.	NA
MW360-2	108-S04-037	08/04/98	1,1,1-TRICHLOROETHANE: 9 1,1-DICHLOROETHANE: 5 1,1-DICHLOROETHANE: 150 1,2-DICHLOROETHENE: 2 2-BUTANONE: R	NA.	NA.	NA .	NA.

TABLE 4.4-1 SITE 4

QUARTER 4

ORGANIC COMPOUNDS DETECTED IN GROUNDWATER ALAMEDA POINT

(Page 2 of 2)

METT'	SAMELE IXMEER	SAMPLE DATE	VIATHE CREVIC CINCUIS (19/L)	SHITWATTIE CRONIC CIMPONES (四/L)	ORFMOCHLORINE PRITTCHES IND POB (pg/L)	TOTAL PETROLIM HIDROCAPECNS (mg/L)	OIL AND CREASE (rig/L)
MW360-2	108-504-037 (Continued)	' '	2-HEXANONE: R ACETONE: R CLS-1,2-DICHLOROETHENE: 2 TRICHLOROETHENE: 48				
MW360-3	108-S04-038	08/05/98	2-BUTANONE: R ACETONE: R	NA	NA	AИ	NA
MW360-3	108-S04-039		2-BUTANONE: R ACETONE: R	NA	NA	NA	NA.
Mv360-4	108-504-040		1,1-DICHLOROETHANE: 3 1,1-DICHLOROETHENE: 2 1,2-DICHLOROEDNZENE: 11 1,4-DICHLOROEDNZENE: 2 2-BUTANCNE: R ACETONE: R CHLOROEDNZENE: 2 CLS-1,2-DICHLOROETHENE: 170 IRANS-1,2-DICHLOROETHENE: 9 TRICHLOROETHENE: 580 VINYL CHLORIDE: 26	NA.	NA.	NA.	NA.

 μ g/L = Micrograms per liter mg/L = Milligrams per liter NA = Not analyzed R = Rejected

PCBs = Polychlorinated biphenyls
J = Value estimated at reported concentration
ND = Not detected

TABLE 4.4-2 SITE 4 **QUARTER 1** INORGANIC COMPOUNDS DETECTED IN GROUNDWATER ALAMEDA POINT (Page 1 of 1)

WELL NO:	SAMPLE NUMBER	SAMPLE DATE	A N T I M C N Y	A R S E N I	BARIUM	B E R Y L L T U	C A D M I D M	C H R O M I U M	COBALT	COPPER	L B A D	M A N G A N E E E	M E R C U R Y	M C L Y B D E N U	N I C K B L	8 E L E M I U M	3 T L Y E R	T H A L L I U	V A N A D I I D M	Z I N C
D04-02	108-S01-014	11/14/97	<1.3	<7.1	53.9J	<0.30	1.0J	<0.60	1.0J	<1.3	<65.0	19800	<0.10	<0.60	3.2J	2.5J	<1.8	<18.0	<0.80	21.0
D04-03	108-504-004	11/14/97	<0.65	<6.2	45.2J	<0.15	2.3J	<0.30	1.1J-	<0.65	<65.0	29400	<0.10	<0.30	6.4J	2.4J	<3.0	<18.0	<0.40	36.7
M04-05	108-S04-001	11/03/97	<2.0	1.2J	318	<0.15	1.15	105	<0.40	<0.92	<0.65	<5.3	<0.10	783	11.5	1.4J	<0.35	<1.2	<4.5	9.5J
M04-06	108-504-002	11/03/97	<0.92	4.5J	65.3J	<0.15	<0.15	1.3J	<0.40	<4.3	<0.65	50.9	0.34	7.4	4.8J	<1.0	<0.35	<1.2	8.1J	6.8J
M04-07	108-504-003	11/03/97	<0.65	5.2	50.95	<0.15	0.74J	<0.30	0.91J	<0.65	<0.65	39.2	<0.10	15.7	6.7J	<1.0	<0.35	<1.2	8.2J	10.4
MW360-1	108-S04-005	11/07/97	<1.4	<1.0	49.6J	<0.15	0.30J	<0.40	6.8J	3.8J	<0.65	216	<0.10	<1.1	693	<1.0	<0.35	<0.90	<4.1	11.5
MW360-2	108-804-006	11/06/97	<1.2	<1.0	776	<0.15	0.63J	<0.30	16.5J	0.94J	<0.65	3870	<0.10	<1.7	15.7	1.3J	<0.49	<0.90	<1.0	11.2
MW360-3	108-804-007	11/03/97	<0.65	- 6.5	122	<0.15	2.3J	0.66J	53J	<4.0	<0.65	1500	<0.10	17.4	31.2	1.1J	<0.35	<1.2	8.8J	10.0J
MW360-4	108-504-008	11/06/97	<0.71	: 2.2J	37.3	<0.15	<0.15	<0.88	0.56J	1.05	<0.65	387	<0.10	34.9	5.1J	<1.0	<0.35	<0.90	<5.2	<6.9
MW360-4	108-504-009*	11/06/97	<1.2	2.8J	50.9J	<0.15	0.23J	8.4	1.9J	3.0J	<0.65	459	<0.10	36.8	15.2	<1.0	<0.35	<0.90	10.5J	7.9J

Notes:

 $\mu g/L$ = Micrograms per liter J = Value estimated at reported concentration

Parameter reported below reporting limitDuplicate sample

TABLE 4.4-1 SITE 4 **QUARTER 2** INORGANIC COMPOUNDS DETECTED IN GROUNDWATER ALAMEDA POINT (Page 1 of 1)

WELL NO.	SAMPLE NUMBER	SAMPLE DATE	A N T I N O N Y	ARSENIC	B A R I U M	B B R Y L L I U	C A D M H D M	C H R O M I U	C O B A L T	COpps	L B A D	M A N G A N E S E	MERCURY	M O L Y B D E M U M	N I C K B	S E L E N I I U M	SILVER	T H A L L I U M	V A H A D T U	Z I N C
D04-02	108-S04-010	02/04/98	<3.3	<2.7	58.9J	<0.20	13.7	<0.40	1.5J	<0.70	<60.0	18700	<0.10	<0.50	6.2J	<3.9	0.62J	<13.0	<0.60	515
D04-03	108-S04-011	02/04/98	<1.1	<4.0	80.4J	<0.10	26	<0.20	0.70౮⊹	<0.35	<6.0	24900	<0.10	<0.25	2.4J	<6.3	2.5	<13.0	<0.30	46.5
D04-03	108-S04-012	02/04/98	<0.96	<1.6	79.5J	<0.10	2.3√	<0.20	0.36J	<0.35	<6.0	24700	<0.10	<0.25	2.1J	7.9	2.4	<13.0	<0.30	44.7
M04-05	108-S04-013	02/09/98	<0.70	<0.80	273	<0.10	0.29J	57.5	<0.25	<2.1	<0.60	<0.25	<0.10	550	9.3	<0.80	<0.15	<1.3	<2.7	<3.9
M04-06	108-504-014	02/09/98	<1.2	18.5	67.4J	<0.10	13.5	3.0J	<1.1	<3.8	<5.3	57.7	<0.10	6.6	5.9J	<0.80	<0.15	<1.3	36.8	58.5
M04-07	108-S04-015	02/09/98	<0.70	<2.1	32.6J	<0.10	<0.20	<1.6	<0.39	<1.2	<0.60	<2.4	<0.10	15.3	<3.3	<0.80	<0.15	<1.3	<5.9	<4.4
MW360-1	108-504-016	02/09/98	<1.6	<0.80	46.3J	<0.10	0.94J	<0.62	6.0J	<3.0	<0.60	217	<0.10	0.94J	632	<0.92	0.32J	<1.4	<3.2	10.6
MW360-2	108-S04-017	02/09/98	<0.70	<0.80	754	<0:10	0.795	<0.20	17.3J	<0.74	<0.60	4000	<0.10	1.4J	19.0	<0.80	0.20J	<1.4	<0.51	<5.2
MW360-3	108-S04-018	02/09/98	<1.0	1.7J	201	<0.10	0.88J	<0.20	6.53	<3.6	<0.60	2090	<0.10	7.4	20.9	<0.80	0.20J	<1.4	<6.6	<5.6
MW360-4	108-S04-019	02/09/98	<0.70	1.1J	34.7J	<0.10	0.24J	<0.30	<0.68	<0.54	<0.60	298	<0.10	24.4	4.2J	<0.80	<0.15	<1.4	~<4.1	<3.0

 $\mu g/L$ = Micrograms per liter J = Value estimated at reported concentration

= Parameter reported below reporting limit

TABLE 4.4-2 SITE 4 **QUARTER 3** INORGANIC COMPOUNDS DETECTED IN GROUNDWATER ALAMEDA POINT (Page 1 of 1)

WELL NO.	Sample number	SAMPLE DATE	A N H H O N Y	A R S S N I C	B A R I U M	B B R Y L L I U M	C A D M I	C H R O M I U M	C 0 B A L T	COPPER	L E A D	M A N G A N E S E	MERCURY	M O L Y B D E N U M	N I C K E L	S E L E N I U M	5 1 L V & R	T H A L L U M	V A N A D I	Z I M G
D04-01	108-504-043	05/13/98	1.8J	<1.0	247	<0.10	<0.43	2.9J	<0.30	<3.8	<0.93	920	<0.10	2.4J	0.68J	R	<0.30	<1.4	<0.96	70.9
D04-01	108-S04-044	05/13/98	1.5J	<1.0	289	<0.10	1.05	1.3J	<0.30	<4.3	<0.50	1770	<0.10	2.6J	1.7J	. R	<0.30	<1.4	<0.41	114
D04-02	108-S04-020	05/08/98	<0.85	<1.0	269	<0.10	0.45J	<0.35	0:36J	<4.7	<2.9	3000	<0.10	2.0J	3.3J	<0.85	<0.30	<1.4	<0.25	<13.6
D04-03 ·	108-S04-021	05/06/98	<2.0	<2.4	289	<0.10	2.6	<0.35	2.6J	<3.9	<5.0	28400	<0.10	<0.50	48.4	R	1.4J	16.8J	<0.25	270
D19-01	108-S04-045	05/08/98	<0.85	<1.0	306	<0.10	5.5J	<0.35	0.515	<3.4	<1.8	1050	<0.10	0.56J	21.8	<0.85	<0.30	<1.4	<0.25	259
M04-05	108-S04-022	05/05/98	<0.85	1.8J	<506	<0.10	0.30J	65.7	<0.30	<4.9	<0.90	3.9J	<0.10	525	4.9J	R	<0.30	<1.4	3.2J	<110
M04-06	108-S04-023	05/06/98	<0.85	19.5	<87.7	<0.10	<0.15	6.4	1.1J	<5.8	<0.90	20.0	<0.10	9.6	8.7	R	<0.30	<1.4	62.4	<17.5
M04-07	108-504-024	05/05/98	<0.85	1.2J	<307	<0.10	0.29J	6.0	0.66J	<4.3	<0.90	18.3	<0.10	14.6	6.9J	R	<0.30	<1.4	5.0J	<97.9
MW360-1	108-S04-025	05/06/98	<0.85	2,2J	<356	<0.10	0.94J	11.1	7.2J	9.3	<0.90	269	<0.10	0.74J	640	R	<0.30	<1.4	10.6J	<125
MW360-2	108-S04-026	05/06/98	<1.6	<1.0	1040	<0.10	0.62J	<0.35	16.3J	<3.1	<0.50	4060	<0.10	<1.4	20.9	R ·	<0.30	<1.4	<0.68	126
MW360-3	108-S04-027	05/14/98	<0.94	<5.7	3,76	<0.10	<0.15	10.2	6.8J	9.2J	<2.2	919	<0.10	23.6	40.7	R	<0.30	<1.4	14.8J	137
MW360-3	108-504-028	05/14/98	<1.0	<4.5	108	<0.10	0.15J	6.8	6.3J	6.1J	<0.57	916	<0.10	22.0	35.2	R	<0.30	<1.4	12.6J	27.7
MW360-4	108-504-029	05/06/98	<1.0	<2.3	325	<0.10	<0.15	8.9	1.7J	4.8	<0.72	195	<0.10	34.1	14.7	R	<0.30	<1.4	10.0J	124
MWD13-2	108-504-046	05/06/98	<0.85	<1.0	<266	<0.10	0.205	<0.35	<0.30	<1.7	<1.1	13.3	<0.10	1.5J	2.2J	R	0. 4 3J	<1.4	<1.1	<83.9

Notes:

 $\mu g/L$ = Micrograms per liter J = Value estimated at reported concentration

Parameter reported below reporting limitRejected

TABLE 4.4-2 SITE 4 **QUARTER 4** INORGANIC COMPOUNDS DETECTED IN GROUNDWATER ALAMEDA POINT (Page 1 of 1)

WELL NO.	SAMPLE NUMBER	SAMPLE DATE				В		c				M		М О					v	
			A N T I M G N	A R S S N I C	B A R I U M	R Y L L I U	C A D M I U	H R C M I U	C O B A L T	00000000000000000000000000000000000000	L B A	A N G A N E S E	M B R C U R	L Y B D E N	N I C K B	S E L E N I U	B I L V E	H A L L I	A N A D I	Z I N
				1 -	<u> </u>	1 +1	1	1	1	<u> </u>		g/L)	1	М	1	М	P	М	M	C
D04-01	108-504-030	08/05/98	<1.8	<2.5	19.6J	<0.20	3.3J	<0.80	<1.9	<2.8	<1.7	1460	<0.10	1.7J	<1.9	<2.2	<0.70	<1.1	<0.60	18.8B
D04-02	108-S04-031	08/05/98	<1.8	<4.3	36.9J	<0.20	4.2J	<0.80	<2.6	<3.8	<1.7	8610	<0.10	-1.0J	4.5J	<2.2	<0.70	<5.5	<0.60	127
D04-03	108-504-032	08/05/98	<2.5	<5.9	47.0J	<0.20	1.6J	<0.80	3.4J	<4.0	<1.7	28400	<0.10	<1.0	<3.0	<2.2	1.2J	24.0	<0.60	72.0
M04-05	108-504-033	08/04/98	<1.8	<2.5	284	<0.20	<0.30	105	<2.0	<5.7	<1.1	7.5J	<0.10	562	<5.6	<1.6	<0.70	- <1.1	<4.1	8.4J
M04-06	108-504-034	08/04/98	<1.8	18.1J	10.0J	<0.20	<0.30	1.4J	4.2J	<6.6	<1.7	16.6	<0.10	11.7	<6.7	<1.6	<0.70	<1.1	30.7J	10.4J
M04-07	108-504-035	08/04/98	<1.8	<2.1	40.3J	<0.20	<0.30	<0.80	<2.2	<3.9	<1.7	11.3J	<0.10	18.2	<2.0	<1.6	<0.70	<1.1	<3.6	6.8J
MW360-1	108-504-036	08/04/98	<3.4	<2.1	51.2J	<0.20	<0.30	<0.80	8.4J	<6.1	<1.7	248	<0.10	<1.0	600	<1.6	<0.70	<1.1	<3.6	10.2J
MW360-2	108-S04-037	08/04/98	<1.8	<2.5	744	<0.20	0.51J	<0.80	20.9J	<4.4	<1.7	4230	<0.10	<1.9	<20.8	<1.6	<0.70	<1.1	<0.60	11.4J
MW360-3	108-504-038	08/05/98	<1.8	<7.2	52.5J	<0.20	<0.30	<0.80	8.0J	-<2:2-	30	978	<0.10	-24.2	24.1-	<2.2-	<0.70	<1.1	<5.6	<5.3
MW360-3	108-504-039	08/05/98	<1.8	<7.1	53.3J	<0.20	<0.30	<0.80	5.8J	<2.0	<1.7	988	<0.10	24.5	25.0	<2.2	<0.70	<1.1	<5.9	<4.2
MW360-4	108-504-040	08/05/98	<1.8	<2.1	30.8J	<0.20	<0.30	<0.80	3.4J	<1.6	<1.7	115	<0.10	22.8	4.2J	<2.2	<0.70	:<1.1	<4.1	59.0

Notes:

 $\mu g/L$ = Micrograms per liter

J = Value estimated at reported concentration

= Parameter reported below reporting limit

TABLE 4.4-3 SITE 4 QUARTER 1 GENERAL CHEMICALS DETECTED IN GROUNDWATER ALAMEDA POINT (Page 1 of 2)

Well Number	Sample Numbe	Sample Date	Alkalinity (mg	Æ)	Anions	(mg/L)	Total Dissolved Solids	(mg/L)	Total Sulfide (mg/L)	Total Organic Carbon (mg/L)
D04-02	108-S01-014	11/14/97	Alkalinity:	211	Bromide:	74.4	Total Dissolved Solids:	32000	ND	ND
			Bicarbonate:	211	Chloride: Sulfate:	19300 2790				
D04-03	108-S04-004	11/14/97	Alkalinity:	211	Bromide:	117	Total Dissolved Solids:	51000	ND	ND
9	, <i>'</i>		Bicarbonate:	211	Chloride: Sulfate:	29800 4110			·	
M04-05	108-S04-001	11/03/97	Alkalinity:	403	Chloride:	15.6	Total Dissolved Solids:	150	ND	TOC Test 2: 11
			Bicarbonate:	403	Fluoride:	0.42	No. 4			Total Organic Carbon: 10
					Nitrate-N:	2.7				
	ļ				Sulfate:	34.8				
M04-06	108-S04-002	11/03/97	Alkalinity:	462	Bromide:	0.17	Total Dissolved Solids:	600	ND	TOC Test 2: 12
			Bicarbonate:	462	Chloride:	10.3				Total Organic Carbon: 12
					Fluoride:	0.42		•		
					Nitrate-N:	1.8				• • •
					Phosphate:	9.2				
	<u> </u>				Sulfate:	22.8				
M04-07	108-S04-003	11/03/97	Alkalinity:		Bromide:	1.6	Total Dissolved Solids:	1600	ND	TOC Test 2: 8
			Bicarbonate:	699	Chloride:	347				Total Organic Carbon: 9
					Fluoride:	0.99				
					Phosphate:	0.35				
					Sulfate:	180				
MW360-1	108-S04-005	11/07/97	Alkalinity:	931	Bromide:	3.9	Total Dissolved Solids:	2100	ND	TOC Test 2:
			Bicarbonate:	931	Chloride:	265 J				Total Organic Carbon: 14 J
1		l			Sulfate:	196 J			<u> </u>	

TABLE 4.4-3 SITE 4 QUARTER 1 GENERAL CHEMICALS DETECTED IN GROUNDWATER ALAMEDA POINT

(Page 2 of 2)

Well Number	Sample Numbe	Sample Date	Alkalinity (mg/L)).).:	Anions (m	g/L)	Total Dissolved Solids (mg/L)	Total Sulfide (mg/L)	Total Organic Carb (mg/L) स	on:
MW360-2	108-S04-006	11/06/97	Alkalinity: 3	301	Bromide:	6.1	Total Dissolved Solids:	2500	ND	TOC Test 2:	8
			Bicarbonate: 3	301	Chloride:	2040				Total Organic Carbon:	10 J
					Nitrate-N:	1.1	÷				
					Phosphate:	0.85					
					Sulfate:	108					
MW360-3	108-S04-007	11/03/97	Alkalinity: 7	718	Bromide:	1.5	Total Dissolved Solids:	1200	ND	TOC Test 2:	21
			Bicarbonate: 7	718	Chloride:	235	·		·	Total Organic Carbon:	23
					Phosphate:	5.5					
					Sulfate:	139	•				
MW360-4	108-S04-008	11/06/97	Alkalinity: 3	383	Chloride:	59.8	Total Dissolved Solids:	740	ND	TOC Test 2:	7
			Bicarbonate: 3	383	Sulfate:	94.6 J				Total Organic Carbon:	7 J

Notes:

mg/L = Milligrams per liter

ND = Not detected

J = Value estimated at reported concentration



GENERAL CHEMICALS DETECTED IN GROUNDWATER ALAMEDA POINT

(Page 1 of 2)

Well Number	Sample Number	Sample Date	Alkalinity (mg	L)	Anions (mg/L)	Total Dissolved S (mg/L)	olids
D04-02	108-S04-010	02/04/98	Alkalinity:	215	Bromide:	65.4	Total Dissolved Solids:	35000 J
			Bicarbonate:	215	Chloride:	19100		,
]					Sulfate:	2410		
D04-03	108-S04-011	02/04/98	Alkalinity:	227	Bromide:	91.8	Total Dissolved Solids:	51000 J
			Bicarbonate:	. 227	Chloride:	28400		
		_			Sulfate:	3440		
M04-05	108-S04-013	02/09/98	Alkalinity:	418	Bromide:	0.14	Total Dissolved Solids:	510
		*	Bicarbonate:	418	Chloride:	19	,	
					Fluoride:	0.4		
					Nitrate:	2.7		
			Ì		Nitrite:	0.1		
·				e.	Sulfate:	32.6	1	
M04-06	108-S04-014	02/09/98	Alkalinity:		Bromide:		Total Dissolved Solids:	600
			Bicarbonate:	138	Chloride:	11.8	1	
			Carbonate:	256	Fluoride:	0.34		1
			1		Nitrite:	0.11		
	•				Phosphate:	1.6	1	
			_ <u></u>		Sulfate:	16.9	<u> </u>	
M04-07	108-S04-015	02/09/98	Alkalinity:		Bromide:	0.61	· ·	780
			Bicarbonate:	409	Chloride:	139	1	
					Fluoride:	0.65		
					Nitrate:	0.47		
					Phosphate:	0.22		
			<u> </u>		Sulfate:	85.4		
MW360-1	108-S04-016	02/09/98	Alkalinity:	943	Bromide:	4	Total Dissolved Solids:	2400
			Bicarbonate:	943	Chloride:	660	T .	•
					Fluoride:	0.24		
		· ·			Nitrate:	0.3		
					Phosphate:	0.14	·	
 					Sulfate:	184		

TABLE 4.4-3 SITE 4 QUARTER 2

GENERAL CHEMICALS DETECTED IN GROUNDWATER ALAMEDA POINT

(Page 2 of 2)

Well Number	Sample Number	Sample Date	Alkalinity (mg	y/L)	Anions (n	ng/L)	Total Dissolved Se (mg/L)	olids
MW360-2	108-S04-017	02/09/98	Alkalinity:	335	Bromide:	5.5	Total Dissolved Solids:	2700
			Bicarbonate:	335	Chloride:	1340		
					Fluoride:	0.25		
	·		31		Nitrate:	0.7		
					Phosphate:	0.79		
					Sulfate:	146		
MW360-3	108-S04-018	02/09/98	Alkalinity:	757	Bromide:	1.9	Total Dissolved Solids:	1700
			Bicarbonate:	757	Chloride:	412		
					Fluoride:	0.17		
					Phosphate:	2.6		
					Sulfate:	94		
MW360-4	108-S04-019	02/09/98	Alkalinity:	374	Bromide:	0.31	Total Dissolved Solids:	710
			Bicarbonate:	374	Chloride:	38.9		
	,				Fluoride:	0.36	ļ	
]					Nitrate:	0.34]	
					Nitrite:	0.12		
		•			Phosphate:	0.47		
					Sulfate:	90.8		

Notes:

mg/L

= Milligram per liter

J

= Value estimated at reported concentration

TABLE 4.4-3 SITE 4 QUARTER 3 GENERAL CHEMICALS DETECTED IN GROUNDWATER ALAMEDA POINT (Page 1 of 2)

Well Number	Sample Number	Sample Date	Alkalinity (mg/L)	Anions (n	ng/L)	Total Dissolved Solids ((mg/L)	Total Sulfide (mg/L)	Total Organic Carbon (mg/L)
D04-01	108-S04-043	05/13/98	Alkalinity: 53.3	Bromide:	3.6	Total Dissolved Solids:	2800	ND	ND
		i	Bicarbonate: 53.3	Chloride:	915		Í		
<u>}</u>				Nitrate-N:	0.51				
				Sulfate:	128 J		j		
D04-02	108-S04-020	05/08/98	Alkalinity: 213	Bromide:	29.9	Total Dissolved Solids:	31000	ND	NA
			Bicarbonate: 213	Chloride:	9430 J	5	Į		
				Sulfate:	1060				
D04-03	108-S04-021	05/06/98	Alkalinity: 192	Bromide:	95.4	Total Dissolved Solids:	56000	ND	NA
ļi			Bicarbonate: 192	Chloride:	20900		ļ		
				Sulfate:	3730 J				
M04-05	108-S04-022	05/05/98	1	Fluoride:	0.56	Total Dissolved Solids:	480	Total Sulfide: 1.2	NA
				Nitrate-N:	2.7				
M04-06	108-S04-023	05/06/98	Alkalinity: 514	Bromide:	0.24	Total Dissolved Solids:	560	ND	NA
				Fluoride:	0.62	·	1		
			Carbonate: 262	Phosphate:	1.5		1		
				Sulfate:	40.3 J				
M04-07	108-S04-024	05/05/98	1	Bromide:	0.14	Total Dissolved Solids:	800	ND	NA
			Bicarbonate: 215	Fluoride:	0.62				e
ļ				Nitrate-N:	0.33				
				Phosphate:	0.13		ļ		
L	<u> </u>			Sulfate:	43.4 J	<u> </u>			

TABLE 4.4-3 SITE 4 QUARTER 3 CALS DETECTED

GENERAL CHEMICALS DETECTED IN GROUNDWATER ALAMEDA POINT

(Page 2 of 2)

Well Number	Sample Number	Sample Date	Alkalinity (mg/L)	Anic	ons (mg/L)	Total Dissolved Solids ((mg/L)	Total Sulfide (mg/L)	Total Organic Carbon (mg/L)
MW360-1	108-S04-025	05/06/98	Alkalinity: 89	Bromide:	5.5	Total Dissolved Solids:	2300	ND	NA
 			Bicarbonate: 89	Chloride:	756	·			
				Sulfate:	185 J				
MW360-2	108-S04-026	05/06/98	Alkalinity: 34	Bromide:	8.2	Total Dissolved Solids:	4000	ND	NA
			Bicarbonate: 34	Chloride:	1490				
				Nitrate-N	: 1.1		-		
				Sulfate:	128 J		i		
MW360-3	108-S04-027	05/14/98	Alkalinity: 71	Bromide:	0.5	Total Dissolved Solids:	1100	ND	NA
ļ	!		Bicarbonate: 71	Chloride:	36		ļ		
				Sulfate:	24.3				
MW360-4	108-S04-029	05/06/98	Alkalinity: 33	Bromide:	0.25	Total Dissolved Solids:	1500	ND	NA
		-	Bicarbonate: 33	6 Chloride:	60.8			`	İ
	}			Fluoride:	0.58				
				Nitrate-N	: 0.2		ĺ		
	[Phosphate	e: 0.68				
				Sulfate:	79 J				

Notes:

= Value estimated at reported concentration

mg/L = Milligrams per liter

NA = Not analyzed ND = Not detected

TABLE 4.4-3 SITE 4 QUARTER 4 GENERAL CHEMICALS DETECTED IN GROUNDWATER ALAMEDA POINT (Page 1 of 2)

Well Number	Sample Number	Sample Date	Alkalinity (mg/L)	Anions	(mg/L)	Total Dissolved Solids	(mg/L)	Total Sulfide (mg/L)	Total Organic Carbon (mg/L)
D04-01	108-S04-030	08/05/98	Alkalinity: 54.8	Bromide:	10.1	Total Dissolved Solids:	2800	ND	ND
			Bicarbonate: 54.8	Chloride:	1900				
ļ				Nitrate-N:	1.00				;
	·	<u> </u>		Sulfate:	289				
D04-02	108-S04-031	08/05/98	· · · · · · · · · · · · · · · · · · ·	Bromide:	56.6	Total Dissolved Solids:	30000	ND	NA
		i	Bicarbonate: 157	Chloride:	14200				
				Sulfate:	1770			<u> </u>	
D04-03	108-S04-032	08/05/98		Bromide:	112.0	Total Dissolved Solids:	60000	ND	NA NA
	·	i ·	Bicarbonate: 200	Chloride:	28200				
				Sulfate:	3120				
M04-05	108-S04-033	08/04/98		Chloride:	12.30	Total Dissolved Solids:	1600	ND	NA NA
			Bicarbonate: 374	Nitrate-N:	4.30		Į		
				Sulfate:	32.40				
M04-06	108-S04-034	08/04/98	l -	Bromide:	0.81	Total Dissolved Solids:	820	ND	NA
	·		i	Chloride:	10.80	,	J		
				Sulfate:	19.4				
M04-07	108-S04-035	08/04/98	1	Bromide:	0.53	Total Dissolved Solids:	1000	ND	NA
			Bicarbonate: 313	Chloride:	61.10				1
J				Nitrate-N:	0.33		Ì		
L				Sulfate:	45.6				

TABLE 4.4-3 SITE 4 QUARTER 4 GENERAL CHEMICALS DETECTED IN GROUNDWATER ALAMEDA POINT


(Page 2 of 2)


Well *: Number:	Sample Number	Sample Date	Alkalinity (mg/L)	Anior	is (mg/L)	Total Dissolved Sol (mg/L)	ids	Total Sulfide	Total Organic Carbon (mg/L)
MW360-1	108-S04-036	08/04/98	Alkalinity: 90:	Bromide:	4.3	Total Dissolved Solids:	3300	ND	NA
			Bicarbonate: 903	Chloride:	753				
				Nitrate-N:	0.26				
				Sulfate:	165				
MW360-2	108-S04-037	08/04/98	Alkalinity: 360	Bromide:	6.0	Total Dissolved Solids:	960	ND	NA
			Bicarbonate: 366	Chloride:	1430				
				Nitrate-N:	0.66				
				Sulfate:	108				
MW360-3	108-S04-038	08/05/98	Alkalinity: 69°	Bromide:	0.59	Total Dissolved Solids:	970	Total Sulfide: 1.3	NA
]		Bicarbonate: 69'	Chloride:	31.1	,		,	
				Phosphate:	6.1	1.		!	
	-			Sulfate:	36.9				·
MW360-4	108-S04-040	08/05/98	Alkalinity: 350	Chloride:	40.6	Total Dissolved Solids:	730	ND	NA
			Bicarbonate: 350	Phosphate:	0.58				
	· .			Sulfate:	90.8				


Notes:


mg/L = Milligrams per liter


NA = Not analyzed ND = Not detected











4.5 SITE 5 – BUILDING 5, AIRCRAFT REWORK AREA AND SITE 10 – MISSILE REWORK FACILITY

Site 5 is located in the central portion of Alameda Point (Figure 1.2-2). The site consists of Building 5, an aircraft rework facility that began operating in 1942. Activities in the building have included metal machining, cleaning, and reworking, and plating and painting. Two 18-foot-deep sumps in the building were used to collect wastewater from plating operations (PRC and Montgomery Watson 1993c). Site 10 is adjacent to and directly south of Building 5.

Currently, there are 17 active groundwater monitoring wells at Site 5, 15 of which were selected for quarterly sampling. During prior sampling of these wells, VOCs, metals, and cyanide associated with past operations at Building 5 were detected in groundwater samples. One well, which was installed adjacent to Building 5 during the Site 10 investigation, was sampled as part of Site 5 in this quarterly monitoring program, for a total of 16 groundwater wells at Sites 5 and 10.

Table 4.0-1 lists the 15 selected Site 5 wells and the one selected Site 10 well (M10-01) and identifies the parameters for which the samples were analyzed. The locations of these wells are shown on Figure 1.2-3.

4.5.1 Sampling Plan Rationale

Fifteen of the 16 wells sampled at Sites 5 and 10 are screened in the FWBZ (Table 4.0-1). The remaining well, D05-02, is screened in the SWBZ. Samples from each of the 16 wells were analyzed for VOCs. The VOC data were collected to monitor the extent of the VOC plume in groundwater originating under Building 5. Analytical results from well M10-01, associated with Site 10, are included with the results for Site 5. Data from nearby Site 12 (well M12-01) will also be used to monitor the VOC plume (see Section 4.10 of this report).

Samples from each of these wells were analyzed for metals and general water quality parameters. Metals data were collected primarily to evaluate the extent of contaminants at Sites 5 and 10. Data will also be used to evaluate background metals concentrations. Data for general water quality parameters were collected to complete a base-wide analysis of ambient water quality and an evaluation of the beneficial uses of groundwater at Alameda Point.

Samples from each of the 16 wells were analyzed for TOC during the first quarterly sampling event. The TOC data were collected to help evaluate the biodegradation potential for the solvents found at Sites 5 and 10; a high TOC concentration indicates a high biodegradation potential. Sections 4.5.2 through 4.5.5 present the analytical results for each quarter of sampling.

4.5.2 Quarter 1 Analytical Results

One or more organic compounds were detected at concentrations exceeding the MCLs in groundwater from 11 Site 5 monitoring wells sampled during Quarter 1 (M05-01, M05-02, M05-03, M05-04, M05-05, M05-07, M05-10, M05-11, M05-12, M05HW-01, and M05BS-01, screened in the FWBZ). These wells are shown on Figure 4.1-1, Sheet 1, along with FWBZ wells from various sites with detected organic compounds exceeding the MCLs. Groundwater from the one Site 5 SWBZ well and the one Site 10 well did not exhibit detected concentrations of organics exceeding the criteria. One or more inorganic constituents exceeded the MCLs during Quarter 1 sampling in the 14 Site 5 monitoring wells screened in the FWBZ (M05-01 through M05-12, M05BS-01, and M05HW-01) and in the Site 5 well screened in the SWBZ (D05-02). These wells are shown on Figures 4.1-3, Sheet 1, and 4.1-4, Sheet 1. The Site 10 monitoring well (M10-01) did not exhibit detected concentrations of inorganics exceeding the MCLs.

Organic analytical results for compounds detected in groundwater samples collected at Sites 5 and 10 during Quarter 1 are presented in Table 4.5-1. VOCs were detected in 13 of the 16 wells sampled. Vinyl chloride was detected at relatively high concentrations in wells M05BS-01, M05-02, M05-05, and M05-11. Vinyl chloride concentrations in these wells ranged from $22 \mu g/L$ to $1,600 \mu g/L$. Numerous other VOCs were detected in wells M05-03, M05-07, and M05-10 and M05HW-01 including total xylenes, ethylbenzene, 1,1-DCA, 1,1-DCE, and chloroethane. VOCs were detected at relatively low concentrations in the remaining eight wells.

Eleven metals were detected in one or more groundwater samples from the 16 monitoring wells analyzed for metals during Quarter 1. Detected concentrations of arsenic (in 12 wells), barium (in 16 wells and 1 duplicate), cadmium (in 3 wells and 1 duplicate), chromium (in 4 wells), cobalt (in 7 wells and 1 duplicate), copper (in 5 wells and 1 duplicate), manganese (in 16 wells and 1 duplicate), molybdenum (in 9 wells), nickel (in 16 wells and 1 duplicate), vanadium (in 3 wells), and zinc (in 11 wells and 1 duplicate) are shown in Table 4.5-2.



All 16 Sites 5 and 10 wells were analyzed for anions, nitrate/nitrite as nitrogen, TDS, sulfide, and alkalinity. All 16 wells were also analyzed for TOC, but only during the first quarter of sampling. The results are presented on Table 4.5-3.

4.5.3 Quarter 2 Analytical Results

One or more organic compounds were detected at concentrations exceeding the MCLs in groundwater from eight Site 5 monitoring wells, including seven wells (M05-02, M05-04, M05-07, M05-10, M05-11, M05-12, and M05HW-01) screened in the FWBZ and one well (D05-02) screened in the SWBZ during Quarter 2 sampling. The FWBZ wells are shown on Figure 4.1-1, Sheet 2, and the SWBZ wells are shown on Figure 4.1-2, Sheet 2. One or more inorganic constituents exceeded the MCLs in 10 of the 15 Site 5 monitoring wells screened in the FWBZ (M05-02, M05-03, M05-04, M05-06, M05-07, M05-08, M05-10, M05-11, M05-12 and M05HW-01) and in one well (D05-02) screened in the SWBZ during Quarter 2. These wells are shown on Figures 4.1-3, Sheet 2, and 4.1-4, Sheet 2. The Site 10 monitoring well (M10-01) did not exhibit detected concentrations of organics or inorganics exceeding the MCLs during Quarter 2 sampling.

Organic analytical results for compounds detected in groundwater samples collected at Sites 5 and 10 during Quarter 2 are presented in Table 4.5-1. VOCs were detected in 11 of the 16 wells sampled. Vinyl chloride was detected at a maximum concentration of 420 µg/L in well M05-11, and was also detected in wells D05-02, M05-02, M05-04, M05-07, M05-10, M05-12, and M05HW-01. Numerous other VOCs were detected in these wells and in M05-03 and M05-08, including chloroform, benzene, toluene, total xylenes, TCE, PCE, cis-1,2-DCE, trans-1,2-DCE, 1,1,1-TCA, 1,1-DCA, 1,1-DCE, 1,2-DCB, 1,3-DCB, 1,4-DCB, and chloroethane. VOCs were detected at relatively low concentrations in the remaining eight wells.

Ten metals were detected in one or more groundwater samples from the 16 monitoring wells analyzed for metals during Quarter 2. Detected concentrations of arsenic (in 7 wells), barium (in all 16 wells and 1 duplicate), cadmium (in 10 wells and 1 duplicate), chromium (in 8 wells), cobalt (in 4 wells and 1 duplicate), manganese (in 14 wells and 1 duplicate), molybdenum (in 15 wells and 1 duplicate), nickel (in 13 wells and 1 duplicate), silver (in 2 wells and 1 duplicate) and zinc (in 1 well and 1 duplicate) are shown in Table 4.5-2.

All 16 Sites 5 and 10 wells were analyzed for anions, nitrate/nitrite as nitrogen, TDS, sulfide, and alkalinity. The results are presented on Table 4.5-3.

4

4.5.4 Quarter 3 Analytical Results

One or more organic compounds were detected at concentrations exceeding the MCLs in groundwater from nine Site 5 FWBZ monitoring wells (M05-02, M05-04, M05-05, M05-07, M05-10, M05-11, M05-12, M05BS-01, and M05HW-01) during Quarter 3. The Site 10 monitoring well (M10-01) and the SWBZ well (D05-02) did not exhibit detected concentrations of organics exceeding the MCLs. The FWBZ wells exceeding the criteria are shown on Figure 4.1-1, Sheet 3. One or more inorganic constituents exceeded the MCLs in 14 of the 15 FWBZ monitoring wells from Sites 5 and 10 (M05-01, M05-02, M05-03, M05-04, M05-05, M05-06, M05-07, M05-08, M05-09, M05-10, M05-11, M05-12, M05BS-01, and M05HW-01) and in one SWBZ well (D05-02). These wells are shown on Figures 4.1-3, Sheet 3, and 4.1-4, Sheet 3, respectively.

Organic analytical results for compounds detected in groundwater samples collected at Sites 5 and 10 during Quarter 3 are presented in Table 4.5-1. VOCs were detected in 13 of the 16 wells sampled. Vinyl chloride was detected at a maximum concentration of 290 μ g/L in well M05-11, and was also detected at varying concentrations in groundwater from wells M05-02 (100 μ g/L), M05-04 (2 μ g/L), M05-05 (15 μ g/L), M05-07 (2 μ g/L), M05-10 (5 μ g/L), M05-12 (2 μ g/L), M05BS-01 (28 μ g/L), and M05HW-01 (76 μ g/L). Along with vinyl chloride, numerous other VOCs were detected in these wells including, 1,1,1-TCA, 1,1-DCA, 1,1-DCE, 1,2-DCB, 1,3-DCB, 1,4-DCB, cis-1,2-DCE, trans-1,2-DCE, BTEX compounds, chloroform, TCE, PCE, and chloroethane. BTEX compounds were detected at relatively high concentrations in groundwater from well M05-03 and VOCs were detected at relatively low concentrations in groundwater from wells D05-02 (toluene at 1 μ g/L) and M10-01 (1,1-DCA at 1 μ g/L).

Twelve metals were detected in one or more groundwater samples from the 16 monitoring wells analyzed for metals during Quarter 3. Detected concentrations of arsenic (in 12 wells and 1 duplicate), barium (in all 16 wells and 1 duplicate), cadmium (in 7 wells and 1 duplicate), chromium (in 11 wells), cobalt (in 11 wells and 1 duplicate), manganese (in all 16 wells and 1 duplicate), molybdenum (in 13 wells and 1 duplicate), nickel (in all 16 wells and 1 duplicate), silver (in 3 wells and 1 duplicate), thallium (in 1 well and its duplicate), vanadium (in three wells), and zinc (in all 16 wells and 1 duplicate) are shown in Table 4.5-2.



All 16 Sites 5 and 10 wells were analyzed for anions, nitrate/nitrite as nitrogen, TDS, sulfide, and alkalinity. The results are presented on Table 4.5-3.

4.5.5 Quarter 4 Analytical Results

One or more organic compounds were detected at concentrations exceeding the MCLs in groundwater from nine Site 5 FWBZ monitoring wells (M05-02, M05-04, M05-05, M05-07, M05-10, M05-11, M05-12, M05BS-01, and M05HW-01) during Quarter 4. The Site 10 well (M10-01) and the SWBZ well (D05-02) did not exhibit detected concentrations of organics exceeding the MCLs. The FWBZ wells exceeding the criteria are shown on Figure 4.1-1, Sheet 4. One or more inorganic constituents exceeded the MCLs in 14 of the 15 monitoring wells from Sites 5 and 10 screened in the FWBZ (M05-01, M05-02, M05-03, M05-04, M05-05, M05-06, M05-07, M05-08, M05-10, M05-11, M05-12, M05BS-01, M05HW-01, and M10-01) and in the one Site 5 well screened in the SWBZ (D05-02) during Quarter 4 sampling. These wells are shown on Figures 4.1-3, Sheet 4, and 4.1-4, Sheet 4, respectively.

Organic analytical results for compounds detected in groundwater samples collected at Sites 5 and 10 during Quarter 4 are presented in Table 4.5-1. VOCs were detected in 11 of the 16 wells sampled. Vinyl chloride was detected at a maximum concentration of 280 μ g/L in well M05-11, and was also detected at varying concentrations in groundwater from wells M05-02 (65 μ g/L), M05-04 (4 μ g/L), M05-05 (22 μ g/L), M05-07 (4 μ g/L), M05-10 (4 μ g/L), M05-12 (2 μ g/L), M05BS-01 (73 μ g/L), and M05HW-01 (18 μ g/L). Along with vinyl chloride, numerous other VOCs were detected in the Site 5 and 10 wells, including, 1,1,1-TCA, 1,1-DCA, 1,1-DCE, 1,2-DCB, 1,3-DCB, 1,4-DCB, cis-1,2-DCE, trans-1,2-DCE, BTEX compounds, chloroform, TCE, PCE, and chloroethane. BTEX compounds were detected at relatively high concentrations in groundwater from well M05-03 (ethylbenzene at 79 μ g/L and total xylenes at 870 μ g/L). VOCs were not detected in groundwater from wells M05-01, M05-06, M05-08, M05-09, or D05-02.


Thirteen metals were detected in one or more groundwater samples from the 16 monitoring wells analyzed for metals during Quarter 4. Detected concentrations of arsenic (in 5 wells), barium (in all 16 wells and 1 duplicate), cadmium (in 2 wells and 1 duplicate), chromium (in 4 wells), cobalt (in 9 wells and 1 duplicate), copper (in 2 wells), lead (in 1 well), manganese (in all 16 wells and 1 duplicate), molybdenum (in 13 wells and 1 duplicate), nickel (in 5 wells and 1 duplicate), thallium (in 1 duplicate sample, but not in the original sample), vanadium (in 1 well), and zinc (in 7 wells and 1 duplicate) are shown in Table 4.5-2.

All 16 Sites 5 and 10 wells were analyzed for anions, nitrate/nitrite as nitrogen, TDS, sulfide, and alkalinity. The results are presented on Table 4.5-3.

4.5.6 Time-Series Plots

In order to track the progression of chemical degradation and movement in groundwater at Site 5, changes in chemical type and concentration were followed over a period from 1994 through 1998. Time-series plots were prepared for thirteen monitoring wells at Site 5, located within and adjacent to the groundwater contaminant plumes depicted in Figures 6-3 and 6-4. The time-series plots present a more diverse group of chemicals than the three representative chemicals shown in the contaminant plumes in Figures 6-3 and 6-4. Figures 4.5-1 through 4.5-3 depict time-series plots for a east to west transect of monitoring wells (M05-06, M05-02, and M05-11) associated with a chlorinated solvent and petroleum plume. Figures 4.5-4 through 4.5-6 depict time-series plots for a west to east transect of monitoring wells (M05-03, M10-01, and M05HW-01) associated with the southern margin of a separate larger chlorinated solvent and petroleum plume located on the eastern portion of Site 5. Finally, Figures 4.5-7 through 4.5-13 depict time-series plots for a south to north transect of monitoring wells (M05-10, M12-01, M05-04, M05-07, M05BS-01, M05-12, and M05-05) associated with the central and northern portions of the same large chlorinated solvent and petroleum plume.

Monitoring well M05-06 (Figure 4.5-1) is located along the southern margin of the western chlorinated solvent plume. The concentrations of the parent chemicals (PCE and TCE) and degradation products (TCA, DCA, and DCE) have decreased over two orders of magnitude over the last four years to the reporting limit for each chemical. Monitoring well M05-02 (Figure 4.5-2) is located within the same plume. The concentrations of the parent chemicals (PCE and TCE) and benzene have decreased slightly over the last four years; while the concentrations of the degradation products (TCA, DCA, and DCE) have decreased by at least one order of magnitude. TCA and DCA were not detected above their respective reporting limits. Vinyl chloride has increased slightly over the same time frame. Chlorinated solvent concentrations generally decrease during periods of precipitation induced dilution and increase during the dry summer months. Monitoring well M05-11 (Figure 4.5-3) is located within the same plume. No parent compounds were detected in well M05-11. The concentrations of the degradation products (DCE and vinyl chloride) and benzene have increased over the last four years. However, the concentrations of DCA and chloroethane have decreased and are no longer detected above their respective



Monitoring well M05-03 (Figure 4.5-4) is located along the southern margin of the large eastern chlorinated solvent and petroleum plume. The concentrations of the parent chemicals (TCE) and benzene as well as the degradation products (DCA, DCE, chloroethane, and vinyl chloride) have decreased one to two orders of magnitude over the last four years to the reporting limit for each chemical. Monitoring well M10-01 (Figure 4.5-5) is located within the same plume. The concentrations of the parent chemical (TCE) and DCE (degradation product) have decreased to their respective reporting limits over the last four years; while the concentration of DCA (a degradation product) has decreased by approximately one order of magnitude. Monitoring well M05HW-01 (Figure 4.5-6) is also located within the same plume. The concentrations of the parent chemicals (PCE and TCE) have generally remained the same over the last four years; while the concentrations of DCA, DCE, vinyl chloride (degradation products) and benzene have increased slightly over the same time frame. The concentration of TCA (a degradation product) has decreased to its reporting limit. In general chlorinated solvent concentrations generally decrease during periods of precipitation induced dilution and increase during the dry summer months.

Monitoring well M05-10 (Figure 4.5-7) is located on the western margin of the large eastern chlorinated solvent and petroleum related plume. The concentration of the parent chemical (TCE) and all degradation products except for TCA have decreased over the last year. Monitoring well M12-01 (Figure 4.5-8) is located on the southeastern margin of the same plume. The concentration of the parent chemical (PCE) has decreased to its reporting limit over the last year; while the concentrations of the degradation products (DCE and vinyl chloride) have increased by almost an order of magnitude over the same time frame. This may be suggestive of active dechlorination of PCE.

Monitoring wells M05-04 and M05-07 (Figures 4.5-9 and 4.5-10) are located in the central part of the large eastern chlorinated solvent and petroleum plume. The concentrations of all compounds in both wells decreased one to three orders of magnitude over the last year. The concentrations of PCE, chloroethane, and benzene have decreased to their respective report limits. The drastic change in chemical concentration within the heart of the plume may be related to the removal of a former waste oil storage tank south of well M05-07. There are both direct and inverse relationships, though minor, between changes in groundwater elevation and changes in chemical concentration.

Monitoring wells M05BS-01, M05-12, and M05-05 are located in the northern portion of the large eastern chlorinated solvent and petroleum plume. The concentrations of parent chemicals and degradation products in well M05BS-01 (Figure 4.5-11) varied widely over the last four years; however, the concentrations of all chemicals increased over the last year. The increase appears to correlate with a rapid increase in groundwater elevation. No parent compounds were detected in well M05-12 (Figure 4.5-12). The concentration of vinyl chloride (a degradation product) in well M05-12 has increased over the last four years. However, the concentrations of DCA, DCE, benzene, and chloroethane (degradation products) have decreased over the same time frame. The concentration of the parent chemical (TCE) in well M05-05 (Figure 4.5-13) has decreased to its reporting limit over the last year; while the concentrations of degradation products (DCA, DCE, and vinyl chloride) have decreased slightly over the same time frame.

TABLE 4.5-1 SITES 5 AND 10 QUARTER 1 ORGANIC COMPOUNDS DETECTED IN GROUNDWATER ALAMEDA POINT (Page 1 of 3)

METT	SAMPLE IXMEER	SAMPLE DATE	VOLATUE GRONUC GIMEXINES (149/Li)	ANCOMED SINASOS BITTATOTIVES (L/Eq.)	CREATCHERINE PRETICIDES AND PERS (145/L)	TOTAL PETICLEUM HYDROCARHONS (119/L)	OIL AND CREASE (rg/L)
D05-02	108-S05-013	11/13/97	2-BUTANCNE: R BENZENE: 0.6 CHLOROFORM: 10 TOLUENE: 2	NA	NA.	NA.	AИ
D05-02	108-S05-014*	11/13/97	2-BUTANCNE: R ACETONE: 31J BENZENE: 0.6 CHLOROFORM: 9 TOLUENE: 2	NA	NA.	NA.	NA
M05-01	108-805-003	11/03/97	2-BUTANCNE: R ACETONE: R METHYLENE CHLORIDE: 58	NA.	NA.	NA	NA.
M05-02	108-S05-004	11/03/97	2-BUTANCNE: R ACETCNE: R BENZENE: 2 CIS-1,2-DICHLOROETHENE: 6 TETRACHLOROETHENE: 2 TOLUBEE: 3 TRANS-1,2-DICHLOROETHENE: 2 TRICHLOROETHENE: 7 VINYL CHLORIDE: 86	NA.	NA.	NA.	NA.
M05-03	108-S05-005	11/04/97	2-BUTANCNE: R ACETONE: R CHLOROETHANE: 25 ETHYLBENZENE: 120 TOLUENE: 38 XYLENE (TOTAL): 1400J	NA.	NA.	NA.	NA
M05-04	108-S05-006	11/04/97	1,1,1-TRICHLOROETHANE: 1 1,1-DICHLOROETHANE: 5 1,1-DICHLOROETHANE: 2 2-BUTANCHE: R ACETONE: R CHLOROETHANE: 22 TRICHLOROETHENE: 8 VINYL CHLORIDE: 2	NA.	NA.	N/A	N/A
M05-05	108-505-007	11/04/97	7 1,1-DICHLOROETHANE: 4 2-BUTANONE: R ACETONE: R TRANS-1,2-DICHLOROETHENE: 4	NA.	NA.	N/A	NA.

TABLE 4.5-1

SITES 5 AND 10 QUARTER 1 ORGANIC COMPOUNDS DETECTED IN GROUNDWATER ALAMEDA POINT

(Page 2 of 3)

MET.	SAMELE NIMEER	SAMPLE BEAG	VEATEE OFFICE CIPCING (147/1)	SHITATATUR ORGANIC CIMOTATES (42/L)	OKCANDELLORING PRETICIDES AND POHE (187/L)	TOTAL PETRALIM SECRECIAL (1/m)	OIL AND GREASE trg/L)
M05-05	108-S05-007 (Continued)	11/04/97	TRICHLOROETHENE: 1 VINYL CHLORIDE: 98				
M05-06	108-S05-008	11/03/97	2-BUTANONE: R ACETONE: R	NA.	N/A	NA.	NA
M05-07	108-S05-009	11/03/97	1,1,1-TRICHLOROETHANE: 8 1,1-DICHLOROETHANE: 78 1,1-DICHLOROETHANE: 2 2-EUTANONE: R ACETONE: R CHLOROETHANE: 42 CHLOROFORM: 1 CIS-1,2-DICHLOROETHENE: 3 TRANS-1,2-DICHLOROETHENE: 1 TRICHLOROETHENE: 18 VINYL CHLORIDE: 4	NA.	NA.	NZA	NA.
M05-08	108-S05-010	11/03/97	2-BUTANONE: R ACETONE: R	NA.	NA.	ΑN	NA.
M05-09	108-S05-011	11/04/97	2-BUTANONE: R ACETONE: R	NA.	NA .	NA	NA.
M05-10	108-S05-012	11/03/97	1,1,1-TRICHLOROETHANE: 12 1,1-DICHLOROETHANE: 330J 1,1-DICHLOROETHANE: 140J 1,2-DICHLOROETHANE: 2 2-BUTANONE: R ACETONE: R CHIOROETHANE: 440J CIS-1,2-DICHLOROETHENE: 3 TRICHLOROETHENE: 5 VINYL CHLORIDE: 9	NA.	NA.	NA.	NA.
M05-11	108-S05-001	11/03/97	2-BUTANONE: R ACETONE: R BENZENE: 3 CHLOROETHANE: 2 CIS-1,2-DICHLOROETHENE: 2 TRANS-1,2-DICHLOROETHENE: 19 VINYL CHLORIDE: 1600J	NPA.	NA.	. NA	N/A
M05-12	108-S05-002	11/03/97	2-BUTANONE: R ACETONE: R BENZENE: 1	NA.	NA.	NA.	NA

TABLE 4.5-1 SITES 5 AND 10 **QUARTER 1** ORGANIC COMPOUNDS DETECTED IN GROUNDWATER ALAMEDA POINT (Page 3 of 3)

METT.	Sample immer	SAMPLE DATE	VXATILE CREMIT: CIMPANES (1971)	SHIVIAITIE CREATIC CIMPUNG (µg/L)	ORGANDHICKINE PRETICIDES AND FORE (MG/Li)	TOTAL PETROLEM HYDROCHECKE (mg/L)	OIL AND GREASE (trg/L)
M05-12	108-S05-002 (Continued)	11/03/97	CHLOROETHANE: 2 TRANS-1,2-DICHLOROETHENE: 2 VINYL CHLORIDE: 2				
M05BS-01	108-S05-016		1,1-DICHLOROETHANE: 4 2-BUTANCHE: R ACETONE: R TRANS-1,2-DICHLOROETHENE: 2 VINYL CHLORIDE: 22	NA.	NZA.	NA	NZA.
M05Hw-01	108-S05-015		1,1,1-TRICHLOROETHANE: 7 1,1-DICHLOROETHANE: 52J 1,1-DICHLOROETHANE: 22 1,2-DICHLOROETHENE: 10 1,4-DICHLOROETHENE: 1 2-BUTANINE: R ACETONE: R BENIZENE: 6 CHLOROETHANE: 1 CIS-1,2-DICHLOROETHENE: 32J TRANS-1,2-DICHLOROETHENE: 5 TRICHLOROETHENE: 8 VINYL CHLORIDE: 44J	NA.	N/A	NA.	NA.
M10-01	108-S10-001	11/04/97	1,1-DICHLOROETHANE: 4 2-BUTANCNE: R ACETONE: R TRICHLOROETHENE: 2	NA.	NA.	NA.	NA.

hg/L = Micrograms per liter mg/L = Milligrams per liter NA = Not analyzed

= Duplicate sample

PCBs = Polychlorinated biphenyls

J = Value estimated at reported concentration

= Rejected

TABLE 4.5-1 SITES 5 AND 10 QUARTER 2 ORGANIC COMPOUNDS DETECTED IN GROUNDWATER ALAMEDA POINT (Page 1 of 3)

KETT	SAMPLE NUMBER	SAMPLE DATE	VXATLE ORDNIE CIPTAIS (47/14)	SHITUXATTE CRONIC CIMPUNE (pg/L)	ORGANICATIONE PRETICIDES AND POPE (pg/L)	EXTAL PETRALEM HIDROCAHIONS (119/L)	OIL AND GREASE (mg/L)
D05-02	108-S05-017	02/04/98	2-BUTANCNE: R ACETONE: R VINYL CHLORIDE: 0.5	NA.	NA.	NA.	NA
D05-02	108-S05-018	02/04/98	2-BUIANONE: R CHLOROFORM: 1 TOLLIENE: 1	NA.	NA.	NA.	NA.
M05-01	108-S05-019	02/05/98	2-BUIANCNE: R	NA.	NA.	NA.	NA
M05-02	108-S05-020	02/05/98	2-BUTANONE: R ACETONE: R CIS-1,2-DICHLOROETHENE: 1 TETRACHLOROETHENE: 2 TRICHLOROETHENE: 2 VINYL, CHLORIDE: 22	NA.	NA.	NA	NA.
M05-03	108-S05-021	02/05/98	2-BUTANCNE: R ACEICNE: R XYLENE (TOTAL): 510	NA .	NA.	NA	NA.
M05-04	108-S05-022	02/05/98	1,1,1-TRICHLOROETHANE: 11 1,1-DICHLOROETHANE: 22 1,1-DICHLOROETHANE: 6 2-BUTANONE: R ACSTONE: R CHLOROETHANE: 5 CHLOROFORM: 1 CIS-1,2-DICHLOROETHENE: 13 TRICHLOROETHENE: 50J VINYL CHLORIDE: 2	NA	NA.	NA.	MA
M05-05	108-S05-023	02/05/98	2-BUTANONE: R ACETONE: R	NA.	NA.	N/A	NA
M05-06	108-S05-024	02/05/98	2-BUTANONE: R ACETONE: R	NA.	NA	NA.	NA
M05-07	108-S05-025	02/05/98	1,1,1-TRICHLOROETHANE: 5 1,1-DICHLOROETHANE: 15 2-BUTANONS: R ACETONE: R CHLOROFORM: 4 CIS-1,2-DICHLOROETHENE: 2 TRICHLOROETHENE: 10	NA.	NA.	· NA	NA

TABLE 4.5-1 SITES 5 AND 10 QUARTER 2 ORGANIC COMPOUNDS DETECTED IN GROUNDWATER ALAMEDA POINT

(Page 2 of 3)

WELL) KG	SAMPLE NIMBER	SAMPLE DATE	VIATUE CRIMIC CIMPONES (M/L)	HINTOXATTIR CREANIC CIMPOTAGE (pg/L)	OKCANCHICRINE PRETICIDES AND RINE (1/5/TL)	TOTAL PETROLEM HYDROCHHONS (mg/L)	OIL AND GREASE (trg/L)
M05-07	108-S05-025 (Continued)	02/05/98	VINYL CHLORIDE: 2				
M05-08	108-S05-026	02/05/98	2-BUTANONE: R ACETONE: R TETRACHLOROETHENE: 2	NA.	NA.	NA.	NA
M05-09	108-S05-027	02/05/98	2-EUTANONE: R ACETONE: R	N/A	NA .	NA.	NA
M05-10	108-S05-028		1,1,1-TRICHLOROETHANE: 5 1,1-DICHLOROETHANE: 230 1,1-DICHLOROETHENE: 100 1,2-DICHLOROEDNZENE: 2 2-BUTANCNE: R ACETONE: R CHLOROETHANE: 220 CIS-1,2-DICHLOROETHENE: 2 TRICHLOROETHENE: 3 VINYL CHLORIDE: 8	NA.	NA.	NZA.	NA
M05-11	108-S05-029	02/06/98	2-BUTANCNE: R ACETONE: R VINYL CHLORIDE: 420	NA .	NA	NA .	NA.
M05-12	108-S05-030	02/06/98	2-BUTANCNE: R ACEICNE: R BENZENE: 1 CHLOROETHANE: 2 TRANS-1,2-DICHLOROETHENE: 2 VINYL CHLORIDE: 2	NA.	N/A.	NA.	ΑΝ
M05BS-01	108-S05-031	02/06/98	2-BUTANONE: R ACETONE: R	NA	NA	NA	NA.
M05HW-01	108-505-032	02/06/98	1,1-DICHLOROETHANE: 230 1,1-DICHLOROETHANE: 50 1,2-DICHLOROEDNIZANE: 11 1,3-DICHLOROEDNIZANE: 1 1,4-DICHLOROEDNIZANE: 3 2-EUTANONE: R ACEICINE: R BENIZANE: 1 CIS-1,2-DICHLOROETHENE: 98 TETRACHLOROETHENE: 1 TRANS-1,2-DICHLOROETHENE: 2	NA	N A	NZA.	AN.

TABLE 4.5-1 SITES 5 AND 10 **QUARTER 2**

ORGANIC COMPOUNDS DETECTED IN GROUNDWATER ALAMEDA POINT

(Page 3 of 3)

WELL NO:	SAMPLE NINGER	SAMPLE DATE	VEATHE ORDING COMPONES (AH/L)	SEMINATURE ORGANIC COMPONES (µg/L)	OREMOCHICRINE PESTICIDES AND POBS (MJ/L)	TOTAL PERCLEM HDRXXHEAS (mj/L)	OIL AND CREASE (mg/L)
M05HW-01	108-S05-032 (Continued)		TRICHLOROETHENE: 16 VINYL CHLORIDE: 24		·		
M10-01	108-S10-002		1,1-DICHLOROETHANE: 2 2-BUIANCNE: R ACETONE: R TRICHLOROETHANE: 1	NA.	NA.	NA.	NA

μg/L = Micrograms per liter
mg/L = Milligrams per liter
NA = Not analyzed

PCBs = Polychlorinated biphenyls
J = Value estimated at reported concentration
R = Rejected

TABLE 4.5-1 SITES 5 AND 10 QUARTER 3 ORGANIC COMPOUNDS DETECTED IN GROUNDWATER ALAMEDA POINT (Page 1 of 3)

WEIL,	SAMPLE NUMBER	SAMPLE DATE	VIATILE CREWIC CIMPONIS (L/E/L)	SENTATTIE CREATIC CEMPONES (12)(13)	ORCENICATIONS PRESTICIONS AND PORS (197/14)	TOTAL PETROLEIM HIDROCHEENS (HIJ/L)	OTL AND GREASE (rig/L)
D05-02	108-805-033	05/08/98	2-BUTANONE: R ACETONE: R TOLUENE: 1	NA	NA	NA ·	NA
D05-02	108-S05-034	05/08/98	2-BUTANCNE: R ACETONE: R TOLURNE: 1	NA	NA.	NA .	NA.
M05-01	108-805-035	05/07/98	2-BUTANONE: R ACETONE: R	NA.	NA.	NA	NA
M05-02	108-S05-036	05/07/98	2-BUTANCNE: R ACETONE: R BENZENE: 1 CTS-1,2-DICHLOROETHENE: 3 TETRACHLOROETHENE: 2 TOLLENE: 3 TRANS-1,2-DICHLOROETHENE: 4 TRICHLOROETHENE: 3 VINYL CHLORIDE: 100	NA	N/A	M	M
M05-03	108-805-037	05/14/98	2-BUTANCNE: R ACEICNE: R ETHYLBENZENE: 86 TOLUENE: 10 XYLENE (TOTAL): 780	NA.	N/A	MA	NA.
M05-04	108-S05-038	05/08/98	1,1,1-TRICHLORCETHANE: 6 1,1-DICHLORCETHANE: 16 1,1-DICHLORCETHENE: 5 2-BUTANCNE: R ACETCNE: R CCIS-1,2-DICHLOROETHENE: 11 TRICHLOROETHENE: 38 VINYL CHLORIDE: 2	NA.	N/A	NA.	NA
M05-05	108-S05-039	05/07/98	1,1-DICHLOROETHANE: 1 2-BUTANCNE: R ACETONE: R CIS-1,2-DICHLOROETHENE: 2 VINYL CHLORIDE: 15	NA.	N/A	NA.	NA
M05-06	108-S05-040	05/13/98	2-BUTANONE: R ACETONE: R	NA.	NA	NA	ΝΆ
M05-07	108-S05-041	05/08/98	1,1,1-TRICHLOROETHANE: 3 1,1-DICHLOROETHANE: 9 2-BUTANONE: R	NA	NA	NA	NA.

TABLE 4.5-1 SITES 5 AND 10 OHARTER 3

QUARTER 3 ORGANIC COMPOUNDS DETECTED IN GROUNDWATER ALAMEDA POINT

(Page 2 of 3)

MBT.	SAMPLE NUMBER	SAMPLE DATE	VOTATTLE OPENITO CIMPANOS (µg/L)	SEMINATILE CREVIC CIMECINES (µg/L)	ORGANICATION PRETICIDES AND ROBE (1/2/L)	TOTAL PETROLEM HIDROCAHICAS (mg/L)	OIL AND CREASE (ng/L)
M05-07	108-S05-041 (Continued)	05/08/98	ACEIONE: R CHLOROFORM: 1 CIS-1,2-DICHLOROETHENE: 1 TRICHLOROETHENE: 8 VINYL CHLORIDE: 2				
M05-08	108 - S05-0 4 2	05/07/98	2-BUTANONE: R ACEIONE: R	NA	. AA	NA	NA
M05-09	108-S05-043	05/07/98	2-BUTANONE: R ACETONE: R	N/A	NA	NA.	NA.
M05-10	108-S05-044	05/13/98	1,1,1-TRICHLOROETHANE: 8 1,1-DICHLOROETHANE: 120J 1,1-DICHLOROETHENE: 24 1,2-DICHLOROETHENE: 1 2-BUTANCNE: R ACETONE: R CHICROETHANE: 180J CIS-1,2-DICHLOROETHENE: 1 TRICHLOROETHENE: 2 VINYL CHLORIDE: 5J	NA.	NZA.	NA.	NA.
M05-11	108-S05-045	05/13/98	2-BUTANCNE: R ACETCNE: R BENZENE: 2 CHLOROETHANE: 2 TRANS-1,2-DICHLOROETHENE: 9 VINYL CHLORIDE: 290	NA.	NA.	NA.	NA.
M05-12	108-S05-046	05/13/98	2-BUTANINE: R ACETONE: R BENIZENE: 0.8 CHLOROETHANE: 2 CIS-1,2-DICHLOROETHENE: 1 TRANS-1,2-DICHLOROETHENE: 2 VINYL CHLORIDE: 2J	NA.	N/A	NA.	NA .
M05BS-01	108-S05-048	05/11/98	1,1-DICHLOROETHANE: 67 1,1-DICHLOROETHENE: 9 1,2-DICHLOROEENZENE: 14 1,3-DICHLOROEENZENE: 1 1,4-DICHLOROEENZENE: 4 2-BUTANONE: R ACCIONE: R	NA.	NA.	NA.	NA.

TABLE 4.5-1 SITES 5 AND 10 **QUARTER 3** ORGANIC COMPOUNDS DETECTED IN GROUNDWATER ALAMEDA POINT (Page 3 of 3)

KET.	SAMPLE NUMBER	SAMPLE DATE		SEMINIATUE ORGANIC COMPUNES (L)(D4)	DEFENDATION DE PROTICULES AND PUBE 199/LI	TOTAL PETROLAM SANCORUM (L/Lym)	DIL AND CREASE (mg/L)
M05BS-01	108-505-048 (Continued)	, .	BENZENE: 1.0 CIS-1,2-DICHLOROETHENE: 52 TETRACHLOROETHENE: 1 TRANS-1,2-DICHLOROETHENE: 3 TRICHLOROETHENE: 13 VINYL, CHLORIDE: 28J	·			
M05HW-01	108-S05-047		1,1-DICHLOROETHANE: 10 2-BUTANCNE: R ACETONE: R BENZENE: 1 CIS-1,2-DICHLOROETHENE: 3 TRANS-1,2-DICHLOROETHENE: 4 VINYL CHLORIDE: 76	NA.	NA.	NA	AИ
M10-01	108-S10-003	05/12/98	1,1-DICHLOROETHANE: 1 2-BUTANCNE: R ACETONE: R	NA.	NA	NA	NA.

Notes:

 $\mu g/L$ = Micrograms per liter mg/L = Milligrams per liter NA = Not analyzed

* Field duplicate samples: 108-S05-033 / 108-S05-034

PCBs = Polychlorinated biphenyls

= Value estimated at reported concentration

= Rejected

TABLE 4.5-1 SITES 5 AND 10

QUARTER 4 ORGANIC COMPOUNDS DETECTED IN GROUNDWATER ALAMEDA POINT

(Page 1 of 3)

NO: MET	SAMPLE NEMBER	SAMPLE DATE	VOIATTLE CREMIC CIMEINIS (1/2/12)	SENTALATILE CREAVIC CEMPONNE (42/L1)	ORGANICATIONS PRETICIDES AND POBE (1/13/11)	TOTAL PETROLEUM HYDROCARIONS (HJ/L)	OIL AND GREASE (mg/L)
D05-02	108-S05-049	08/05/98	2-BUTANCNE: R 4-METHYL-2-PENTANCNE: R ACETIONE: R	NA	NA.	NA	NA.
D05-02	108-S05-050	08/05/98	2-BUTANONE: R 4-METHYL-2-PENTANONE: R ACETIONE: R	NA	NA.	MA	NA
M05-01	108-S05-051	08/05/98	2-BUIANONE: R ACETONE: R	NA	NA	NA.	NA
M05-02	108-S05-052	08/05/98	2-BUTANCNE: R ACETONE: R BENIZANE: 0.6 CIS-1,2-DICHLOROETHENE: 1 TETRACHLOROETHENE: 2 TRICHLOROETHENE: 3 VINYL CHLORIDE: 65	NA.	NA.	NA.	NA.
M05-03	108-S05-053	08/05/98	2-BUTANCNE: R ACETONE: R EIHYLBENZENE: 79 XYLENE (TOTAL): 870	NA.	NA.	NA	NA.
M05-04	108-505-054	08/05/98	1,1,1-TRICHLOROETHANE: 4 1,1-DICHLOROETHANE: 14 1,1-DICHLOROETHENE: 2 2-BUTANCANE: R ACETONE: R CEIS-1,2-DICHLOROETHENE: 8 TRICHLOROETHENE: 24 VINYL CHLORIDE: 4	NA	NA.	NA	NA.
M05-05	108-805-055	08/05/98	1,1-DICHLOROETHANE: 1 2-BUTANCNE: R ACETONE: R CLS-1,2-DICHLOROETHENE: 3 TRANS-1,2-DICHLOROETHENE: 1 VINYL CHLORIDE: 22	NA.	NA	NA.	NA
M05-06	108-S05-056	08/05/98	2-BUTANONE: R ACETONE: R	NA.	NA.	NA.	NA.
M05-07	108-805-057	08/05/98	1,1,1-TRICHLOROETHANE: 5 1,1-DICHLOROETHANE: 32 2-BUTANONE: R	NA	NA	NA.	NA

TABLE 4.5-1 SITES 5 AND 10 QUARTER 4

QUARTER 4 ORGANIC COMPOUNDS DETECTED IN GROUNDWATER ALAMEDA POINT

(Page 2 of 3)

WELL NO	SAMEZIE NUMBER	SAMPLE DATE	VOTATTLE CRIENTIC COMPONIES (1971)	SEMINOTATILE CROANIC CINCORES (AG/L)	ORGANICHICRING PESTICIDES AND PCHS (1971)	TOTAL PETROLEM HIDROCAHENS (mg/L)	OIL AND CREASE (ng/L)
M05-07	108-S05-057 (Cantimued)	08/05/98	ACTIONE: R EENZEME: 0.6 CHLOROETHANE: 20 CIS-1,2-DICHLOROETHENE: 2 TRICHLOROETHENE: 9 VINYL CHLORIDE: 4				
M05-08	108-505-058	08/05/98	2-BUTANCNE: R 4-METHYL-2-PENTANCNE: R ACCIONE: R	NA.	NA	NΑ	NA ·
M05-09	108-S05-059	08/06/98	2-EUTANONE: R ACETONE: R	NA.	NA	NA	NA
M05-10	108 - S05-060	08/06/98	1,1,1-TRICHLOROETHANE: 24J 1,1-DICHLOROETHANE: 160J 1,1-DICHLOROETHANE: 14J 1,2-DICHLOROETHANE: 1J 1,2-DICHLOROETHANE: 0.6J 2-BUTANONE: R ACETONE: R CHLOROETHANE: 150J CIS-1,2-DICHLOROETHENE: 1J TRICHLOROETHENE: 2J VINYL CHLORIDE: 4J	NA.	NA.	NA.	ИA
M05-11	108-S05-061	08/06/98	2-BUTANCNE: R ACETCNE: R BENZENE: 2J TRANS-1,2-DICHLOROETHENE: 10J VINYL CHLORIDE: 280J	NA.	N/A	NA.	АÎЛ
M05-12	108~S05-062	08/06/98	1,1-DICHLOROETHANE: 1J 2-BUTANCNE: R ACETONE: R BENZENE: 1.0J TRANS-1,2-DICHLOROETHENE: 2J VINYL CHLORIDE: 2J	NA.	NA.	NA.	NA.
M05BS-01	108~S05-063	08/06/98	1,1-DICHLOROETHANE: 8J 2-BUTANCNE: R ACETONE: R BENZENE: 1J CIS-1,2-DICHLOROETHENE: 2J TRANS-1,2-DICHLOROETHENE: 3J	NA.	NA.	NA.	NA

TABLE 4.5-1 SITES 5 AND 10 **QUARTER 4**

ORGANIC COMPOUNDS DETECTED IN GROUNDWATER ALAMEDA POINT

(Page 3 of 3)

WELL.	SAMELE NIMEER	SAMPLE DATE	VIATILE CRIMIC CIMPONIS (127/L)	SENTIMATILE CREMIC COMPONDS (µg/L)	ORGANIZHIORINE PRETICIDES AND PINE (MJ/L)	TOTAL PETROLEM HEROCEPHENS (HE/L)	OIL AND GREASE (rg/L)
M05BS-01	108-S05-063 (Continued)	08/06/98	VINYL CHLORIDE: 73J				
M05HW-01	108-S05-064	08/06/98	1,1-DICHLOROETHANE: 25J 1,1-DICHLOROETHENE: 3J 1,2-DICHLOROBENZENE: 11J 1,3-DICHLOROBENZENE: 1J 1,4-DICHLOROBENZENE: 3J 2-BUTANINE: R ACEIONE: R BENZENE: 0.6J CIS-1,2-DICHLOROETHENE: 37J TETRACHLOROETHENE: 3J TRANS-1,2-DICHLOROETHENE: 2J TRICHLOROETHENE: 13J VINYL CHLORIDE: 18J	NA	N/A	NA.	NA.
M10-01	108-S10-004	08/07/98	1,1-DICHLOROETHANE: 1J 2-EUTANONE: R 2-HEXANONE: R ACETONE: R	NA.	NA .	NA.	NA

Notes:

μg/L = Micrograms per liter
mg/L = Milligrams per liter
NA = Not analyzed

Polychlorinated biphenylsValue estimated at reported concentrationRejected

TABLE 4.5-2 SITES 5 AND 10 **QUARTER 1** INORGANIC COMPOUNDS DETECTED IN GROUNDWATER ALAMEDA POINT (Page 1 of 1)

WELL	Sample Number	SAMPLE												М						1
NO.		DATE	A			8 E		-				M A		O L		S		T	v	
			N T	A R	В	Ř	C A	H	c	e		N G	M E	y B		E L		H	A	
			Î	S	Ā	Ĺ	D M	O M	Ö	Ö		A N	R	D	N I C	Ε	, 5 I	A L	N A	
			G N	N T	Ī	Ĭ	ī	Ī	Ā	p B	B A	E 5	U R	N U	K	N I	L V	L I	D I	Z I
			Ÿ	Ċ	й	й	M	M	Ť	R	Ď	E	Ŷ	М	E L	N	E R	U M	M	N C
											(да	7/L)								
D05-02	108~805-013	11/13/97	<2.1	<1.0	68.2J	<0.15	3.4	<0.30	7.50	6.0	<0.65	3210	<0.10	<6.3	11.7	<1.0	<0.35	<9.0	<0.40	374
D05-02	108-S05-014*	11/13/97	<1.9	<1.1	79.5J	<0.15	3.5	<0.30	13.1J	5.3	<3.2	5640	<0.10	<6.0	15.5	1.6J	<0.35	<9.0	<0.40	596
M05-01	108-505-003	11/03/97	<0.65	8.8	299	<0.15	<0.15	<0.30	<0.40	<0.65	<3.2	1550	<0.10	<2.0	2.2J	<1.0	<0.35	<6.0	<2.4	10.8
M05-02	108-505-004	11/03/97	<0.65	1.2J	238	<0.15	<0.15	<0.30	0.42J	<0.65	<0.65	697	<0.10	4.9J	2.35	<1.0	<0.35	<1.2	<1.4	8.8J
M05-03	108-805-005	11/04/97	<0.65	68.3	139	<0.15	<0.18	<1.5	0.705	<0.65	<0.65	670	<0.10	4.9J	25.6	<1.0	<0.35	<1.2	<0.40	<8.2
M05-04	108-505-006	11/04/97	<0.65	<5.9	142	<0.15	<0.15	<0.38	<0.40	<0.65	<0.65	395	<0.10	<1.8	6.4J	<1.0	<0.35	<1.2	<0.78	<10.1
M05-05	108-805-007	11/04/97	<0.87	26.0	58.5J	<0.15	<0.24	<0.82	0.64J	1.0J	<0.65	198	<0.10	7.5	23.3	<1.0	<0.35	<1.2	6.0J	<8.9
M05-06	108-S05-008	11/03/97	<0.65	5.3	33.1J	<0.15	<0.15	<0.30	<0.40	<0.65	<0.65	69.4	<0.10	5.5	1.8J	<1.0	<0.35	<1.2	4.9J	6.0J
M05-07	108-505-009	11/03/97	<0.65	18.3	135	<0.15	<0.15	0.40J	<0.40	<0.65	<0.65	525	<0.10	<1.4	13.5	<1.0	<0.35	<1.2	<0.50	9.4J
M05-08	108-S05-010	11/03/97	<0.65	42.9	92.7J	<0.15	<0.15	0.44J	<0.40	<0.65	<0.65	324	<0.10	<2.0	4.7J	.<1.0	<0.35	<1.2	<0.50	9.6J
M05-09	108-805-011	11/04/97	<0.82	<2.1	152	<0.15	<0.39	<0.40	<0.40	0.95J	<0.65	-52.3	<0.10	<1.2	2.2J	<1.0	<0.35	<1.2	<0.58	12.4
M05-10	108-505-012	11/03/97	<1.0	18.7	21.2J	<0.15	<0.15	3.0J	<0.40	<0.65	<0.65	54.4	<0.10	2.4J	1.6J	<1.0	<0.35	<1.2	<2.2	8.7J
M05-11	108-505-001	11/03/97	<0.65	5.2	1350	<0.15	<0.15	<0.30	<0.40	<0.65	<0.65	1140	<0.10	2.8J	6.4J	<1.0	<0.35	<1.2	<0.40	10.5
M05-12	108-805-002	11/03/97	<0.65	9.8	386	<0.15	<0.15	1.5J	1.3J	<0.65	<0.65	623	<0.10	15.7	41.0	<1.0	<0.35	<1.2	<0.52	8.9J
M05BS-01	108-S05-016	11/04/97	<0.78	6.7	395	<0.15	0.76J	<0.30	6.8J	1.95	<0.65	744	<0.10	7.4	41.3	<1.0	<0.35	<1.2	<1.8	13.5
M05HW-01	108-S05-015	11/04/97	<0.65	<3.8	76.2J	<0.15	<0.32	<0.74	<0.40	<0.65	<0.65	217	<0.10	<0.78	6.6J	<1.0	<0.35	<1.2	<0.66	<9.2
M10-01	108-S10-001	11/04/97	<0.65	7.1	21.2J	<0.15	1.2J	<0.82	1.23	2.0J	<0.65	25.0	<0.10	3.7J	31.2	<1.0	<0.35	<1.2	4.8J	<8.0

Notes:

 $\mu g/L$ = Micrograms per liter J = Value estimated at reported concentration

Parameter reported below reporting limitDuplicate sample

TABLE 4.5-1 2 SITES 5 AND 10 **QUARTER 2** INORGANIC COMPOUNDS DETECTED IN GROUNDWATER ALAMEDA POINT (Page 1 of 1)

WELL NO.	Sanple number	SAMPLE DATE	A			B		Ç				M A		M G L		5		Ť	ŋ	
			N I I M	# # # # # # # # # # # # # # # # # # #	B A R I	Y L	A D M	R C M	C O B A	0000	L B	N G A N E	R C U	Y B D B	K I B	E L E N	s I L	A L L	A N A D	Z
			N Y	I C	M M	U M	D M	U M	L T	B	A D	.s E	R	Ŭ M	B L	U M	E R	U M	0 M	N C
							•				(μ	1/L)	1							
D05-02	108-S05-017	02/04/98	<0.92	<0.86	76.1J	<0.10	6.8	<0.20	15.7J	<4.6	<3.0	5700	<0.10	7.0	20.9	<2.5	0.60J	<6.5	<0.30	383
D05-02	108-S05-018	02/04/98	<0.70	<2.0	77.1J	<0.10	5.8	<0.20	17.2J	<4.1	<3.0	6170	<0.10	6.5	19.8	<1.7	0.51J	<6.5	<0.30	422
M05-01	108-805-019	02/05/98	<0.70	<0.80	175	<0.10	1.0J	<0.20	<0.25	<1.7	<0.60	28.0	<0.10	5.5	3.4J	<0.90	<0.15	<1.4	<0.30	<6.4
M05-02	108-S05-020	02/05/98	<0.70	<3.6	101	<0.10	0.24J	0.38J	1.0Ј	<2.8	<0.60	290	<0.10	3.0J	51.9	<0.90	<0.15	<7.0	<2.9	<5.1
M05-03	108-S05-021	02/05/98	<0.70	43.5	198	<0.10	0.28J	0.85J	<0.25	<0.86	<0.60	1110	<0.10	0.92J	28.9	<0.90	<0.15	<1.4	<0.30	<6.6
M05-04	108-S05-022	02/05/98	<0.70	<3.7	164	<0.10	0.48J	<0.20	0.38J	<1.1	<0.60	500	<0.10	1.6J	8.0J	<0.90	<0.15	<1.4	<0.40	<15.0
M05-05	108-S05-023	02/05/98	<1.3	6.4	21.3J	<0.10	0.26J	3.75	<0.25	<1.6	<0.60	<1.9	<0.10	3.2J	<0.35	<0.90	<0.15	<1.4	<3.8	<3.6
M05-06	108-S05-024	02/05/98	<0.70	6.0	30.5J	<0.10	0.20Ј	0.21J	<0.25	<1.8	<0.60	133	<0.10	5.7	1.5J	<0.90	<0.15	<1.4	<3.4	<8.4
M05-07	108-S05-025	02/05/98	<0.70	10	53.0J	<0.10	<0.20	<0.20	<0.25	<1.6	<0.60	220	<0.10	0.72J	4.8J	<0.97	<0.15	<1.4	<0.30	<3.6
M05-08	108-S05-026	02/05/98	<1.1	41.5	56.8J	<0.10	<0.20	<0.20	<0.25	<1.2	<0.60	311	<0.10	2.2J	3.3J	<0.90	<0.15	<1.4	<0.30	<3.5
M05-09	108-S05-027	02/05/98	<0.70	<0.80	80.7J	<0.10	0.42J	1.4J	<0.25	<1.4	<0.60	14.2	<0.10	<0.47	1.6J	<0.90	<0.15	<1.4	<1.2	<4.3
M05-10	108-S05-028	02/06/98	<0.70	15.1	21.0J	<0.10	0.26J	8.4	<1.2	<0.35	<0.60	55.8	<0.10	2.7J	<1.7	<0.80	<0.15	<1.4	<1.3	<4.1
M05-11	108-S05-029	02/06/98	<0.70	2.9J	1220	<0.10	<0.20	<0.20	<0.50	<0.35	<0.60	1060	<0.10	1.8J	8.05	<1.4	<0.15	<1.4	<0.30	<3.8
M05-12	108-S05-030	02/06/98	<1.2	7.4	426	<0.10	<0.20	<2.1	<1.7	<0.35	<0.60	602	<0.10	16.1	45.8	<0.80	0.48J	<1.4	<0.30	<3.3
M05BS-01	108-S05-031	02/06/98	<0.76	1.1J	16.6J	<0.10	<0.20	3.5J	<0.25	<0.35	<0.60	<0.92	<0.10	0.80J	<2.3	<0.80	<0.15	<1.4	<2.5	<1.8
M05HW-01	108-S05-032	02/06/98	<0.70	2.0J	68.3J	<0.10	<0.20	<0.68	<0.40	<0.35	<0.60	190	<0.10	0.68J	6.0J	<0.80	<0.15	<1.4	<0.30	<2.5
M10-01	108-S10-002	02/05/98	<0.70	<3.5	21.2J	<0.10	0.27J	0.80J	0.72J	<1.6	<0.60	33.4	<0.10	1.4J	15.4	<0.90	<0.15	<1.4	<2.6	<18.1

Notes:

 $\mu g/L$ = Micrograms per liter J = Value estimated at reported concentration

= Parameter reported below reporting limit

TABLE 4.5-2 SITES 5 AND 10 **QUARTER 3** INORGANIC COMPOUNDS DETECTED IN GROUNDWATER ALAMEDA POINT (Page 1 of 1)

WELL NG:	SAMPLE NUMBER	SAMPLE DATE	A			B		c				M A		М О Б		5		Ŧ	v	
			N T I M O	A R S E N	B A R I	P Y L L I U	C A D M I	H R O M I U	C O B A L	C	L B A	N G A N E	M E R C U R	Y B D B N U	N I C K B	E L E N I	S 1 L V E	H A L L I U	A N A D I	Z I N
			, Y	e .	М	М	<u> </u>	И	T	R	D (μ)	g/L)	Y	М	L	И	R	М	M	L e
D05-02	108-S05-033	05/08/98	<0.85	2.4J	108	<0.10	2.4J	<0.35	17.3J	<4.7	<4.9	8810	<0.10	4.3J	19.8	<0.85	0.36J	8.4J	<0.25	309
D05-02	108-505-034	05/08/98	<0.85	2.5J	317	<0.10	2.35	<0.35	18.4J	<5.4	′ <4.1	10100	<0.10	4.0J	21.0	<0.85	0.42J	8.1J	<0.25	432
M05-01	108-S05-035	05/07/98	<1.4	2.3J	513	<0.10	<0.15	<0.35	1.2J	<1.1	<2.5	706	<0.10	<1.6	5.2J	R	<0.30	<1.4	<0.25	102
M05-02	108-505-036	05/07/98	<1.8	<1.7	351	<0.10	0.305	<0.35	1.2J	<1.2	<2.5	2150	<0.10	3.2J	3.5ປັ	R	<0.30	<7.0	<0.30	-119
M05-03	108-S05-037	05/14/98	<0.85	46.2	468	<0.10	0.22J	0.82J	<0.30	1.3J	<0.50	1610	<0.10	<0.70	15.9	R	<0.30	<1.4	<0.25	102
M05-04	108-505-038	05/08/98	<0.85	5.1	297	<0.10	0.26J	<0.35	<0.30	<2.4	<2.5	204	<0.10	4.4J	10.3	<0.85	<0.30	<1.4	<0.70	113
M05-05	108-S05-039	05/07/98	<1.3	6.7	297	<0.10	0.50J	2.2J	<0.30	<2.0	<1.4	10.4	<0.10	6.0	3.5J	R	<0.30	<1.4	6.5J	97.1
M05-06	108-505-040	05/13/98	<0.85	6.6	330	<0.10	<0.32	4.9J	0.83J	<4.9	<2.6	191	<0.10	7.1	7.5J	R	<0.30	<1.4	7.2J	106
M05-07	108-S05-041	05/08/98	<0.85	9.2	316	<0.10	0.54J	0.49J	<0.30	<3.0	<0.80	305	<0.10	0.96J	2.4J	<0.85	<0.30	<1.4	<0.90	101
M05-08	108-S05-042	05/07/98	<0.85	37.1	320	<0.10	0.26J	0.66J	0.43J	<1.2	<0.50	306	<0.10	<2.1	5.2J	R	<0.30	<1.4	<0.42	97.4
M05-09	108-S05-043	05/07/98	<1.9	<1.6	366	<0.10	<0.15	2.0J	0.54J	<2.1	<0.50	35.2	<0.10	0.80J	3.1J	R	0.30J	<1.4	3.0J	110
M05-10	108-S05-044	05/13/98	<0.85	15.9	387	<0.10	<0.15	6.5	1.3J	<4.2	<0.50	365	<0.10	1.05	3.9J	R	<0.30	<1.4	<0.57	110
M05-11	108-S05-045	05/13/98	<0.85	<4.4	2120	<0.10	<0.30	<0:35	0.48J	<3.1	<2.5	1650	<0.10	1.9J	6.4J	R	<0.30	<1.4	<0.25	116
M05-12	108-S05-046	05/13/98	<0.85	9.3	686	<0.10	<0.24	1.8J	1.75	<3.3	<0.50	658	0.15J	17.3	55.5	<0.85	<0.30	<1.4	<0.50	109
M05BS-01	108-S05-048	05/11/98	<0.85	1.75	317	<0.10	<0.15	0.68J	<0.30	<1.9	<1.7	188	<0.10	0.90J	6.6J	<0.85	<0.30	<1.4	<1.1	87.0
M05HW-01	108-S05-047	05/11/98	<0.85	<1.0	856	<0.10	<0.34	1.73	3.7J	<6.5	<0.72	563	<0.10	1.9J	34.8	<0.85	<0.30	<1.4	<1.4	123
M10-01	108-S10-003	05/12/98	<0.85	1.95	286	<0.10	<0.15	1.3J	1.4J	<1.8	<2.7	107	<0.10	1.3J	21.2	<0.85	0.30	<1.4	<3.1	83.3

#g/L = Micrograms per liter
J = Value estimated at reported concentration
* Field duplicate samples: 108-S05-033 / 108-S05-034

= Parameter reported below reporting limit

= Rejected

TABLE 4.5-2 SITES 5 AND 10 **QUARTER 4** INORGANIC COMPOUNDS DETECTED IN GROUNDWATER ALAMEDA POINT (Page 1 of 1)

WELL NG.	SAMPLE NUMBER	SAMPLE DATE	ANHIBONY	ARSENIC	B A R I U M	8 E R Y L L I U M	C A D M I D M	C H R O M I U	C O B A LL T	C O P P P R	L B A D	M A N G A N E E E	M E R C U R	M O L S B D P N U M	N I C K B L	S E L E N I U	5 I L Y E R	T H A L I U M	V A N A D I D	Z 1 N C
D05-02	108-805-049	08/05/98	<1.8	<6.5	73.5J	<0.20	1.3J	<0.80	15.SJ	<3.9	<8.5	9250	<0.10	3.0J	21.8	<2.2	<0.70	<6.1	<0.60	279
D05-02	108-805-050	08/05/98	<1.8	<5.5	68.6J	<0.20	1.3J	<0.80	12.4J	<3.2	<1.7	8730	<0.10	3.0J	20.1	<2.2	<0.70	7.8J	<0.60	337
M05-01	108-805-051	08/05/98	<2.1	<6.0	206	<0.20	<0.30	<0.80	3.1J	<0.90	<1.7	1150	<0.10	1.7J	<3.9	<2.2	<0.70	<1.1	<0.60	<5.5
M05-02	108-805-052	08/05/98	<1.8	<6.2	158J	<0.20	<0.30	<0.80	<2.8	<1.0	<1.7	747	<0.10	6.0	<2.8	<2.2	<0.70	<1.1	<2.3	14.3J
M05-03	108-805-053	08/05/98	<1.8	58.4	259	<0.20	<0.30	0.98J	<1.8	<0.60	<1.7	1620	<0.10	<1.0	9.8	<2.2	<0.70	<1.1	<0.60	<4.7
M05-04	108-805-054	08/05/98	<3.5	<10.8	58.9J	<0.20	<0.30	<0.80	<2.3	<1.2	<1.7	186	<0.10	4.2J	10.6	<2.2	<0.70	<1.1	<0.60	<8.5
M05-05	108-805-055	08/05/98	<1.8	15.2	116J	<0.20	<0.30	0.98J	3.6J	<1.7	<1.7	238	<0.10	5.7	10.6	<2.2	<0.70	<1.1	<4.6	31.1
M05-06	108-805-056	08/05/98	<1.8	<9.0	30.8J	<0.20	<0.30	<0.80	<2.8	<2.1	<1.7	158	<0.10	6.6	<1.6	<2.2	<0.70	<1.1	<4.4	13.5J
M05-07	108-805-057	08/05/98	<1.8	18.3	113J	<0.20	<0.30	<0.80	<2.6	<1.3	<1.7	552	<0.10	1.2J	4.2J	<2.2	<0.70	<1.1	<0.60	13.8J
M05-08	108-805-058	08/05/98	<1.8	45.0	73.3J	<0.20	<0.30	<0.80	<1.9	<1.0	1.9J	330	<0.10	2.3J	<2.0	<2.2	<0.70	<1.1	<0.60	<8.6
M05-09	108-805-059	08/06/98	<2.6	<3.0	45.3J	<0.20	<0.30	<0.80	<0.40	<2.0	<1.7	48.8	<0.10	1.8J	<1.8	<2.2	<0.70	<1.4	<1.6	<3.4
M05-10	108-S05-060	08/06/98	<1.8	17.4	241	<0.20	<0.30	18.8	3.3J	<0.60	<1.7	672	<0.10	<1.0	<3.8	<2.2	<0.70	<1.4	<0.60	<2.6
M05-11	108-505-061	08/06/98	<3.1	<5.4	1510	<0.20	0.90J	<0.80	2.8J	121	<12.5	1220	<0.10	2.5J	<30.0	<2.2	<0.70	<2.8	<0.60	1420
M05-12	108-S05-062	08/06/98	<2.3	<8.6	414	<0.20	<0.30	1.5J	3.6J	<0.60	<1.7	667	<0.10	15.6	<52.2	<2.2	<0.70	<1.4	<0.60	<5.9
M05BS-01	108-805-063	08/06/98	<2.4	<8.6	504	<0.20	<0.30	<0.80	5.0J	<0.60	<1.7	913	<0.10	8.8	<29.1	<2.2	<0.70	<1.4	<0.60	<1.8
M05HW-01	108-S05-064	08/06/98	<1.8	<2.9	74.7J	<0.20	<0.30	<0.80	2.1J	0.62J	<1.7	220	<0.10	<1.0	<6.4	<2.2	<0.70	<1.4	<0.60	9.4J
M10-01	108-S10-004	08/07/98	<2.4	<5.5	33.4J	<0.20	<0.30	<0.80	4.2J	<2.4	<1.7	130	<0.10	2.2J	<25.3	<2.2	<0.70	<1.1	2.9J	<0.44

Notes:

 $\mu g/L$ = Micrograms per liter J = Value estimated at reported concentration

= Parameter reported below reporting limit

TABLE 4.5-3 SITES 5 AND 10 QUARTER 1 GENERAL CHEMICALS DETECTED IN GROUNDWATER ALAMEDA POINT (Page 1 of 3)

Well = Number 2	Sample Number	Sample Date	Alkalinity (n	ng/L)	Anions	(mg/L)	Total Dissolved Sol	ids -	Total Sulfide (mg/L)	Total Organic Carbon	
D05-02	108-S05-013	11/13/97	Alkalinity:	241	Bromide:	29.8	Total Dissolved Solids:	16000	ND	ND	
	e e e e e e e e e e e e e e e e e e e		Bicarbonate:	88.0	Chloride:	6880					
			Carbonate:	153	Sulfate:	938					
M05-01	108-S05-003	11/03/97	Alkalinity:	598	Bromide:	46.0	Total Dissolved Solids:	20000	ND	ND	
			Bicarbonate:	598	Chloride:	10700					
					Phosphate:	3.6		,			
					Sulfate:	1060					
M05-02	108-S05-004	11/03/97	Alkalinity:	616	Bromide:	38.6	Total Dissolved Solids:	1000	ND	ND	
			Bicarbonate:	616	Chloride:	8010					
					Phosphate:	4.4					
					Sulfate:	61.7					<u> </u>
M05-03	108-S05-005	11/04/97	Alkalinity:	480	Bromide:	0.63	Total Dissolved Solids:	770	Total Sulfide: 4	TOC Test 2:	17
			Bicarbonate:	480	Chloride:	157	1			Total Organic Carbon:	17
					Fluoride:	0.85					
					Sulfate:	1.3					
M05-04	108-S05-006	11/04/97	Alkalinity:	793	Bromide:	4.6	Total Dissolved Solids:	1800	ND	TOC Test 2:	9
			Bicarbonate:	793	Chloride:	1230				Total Organic Carbon:	10
1					Fluoride:	2.2			Ì		
					Phosphate:	2.1					
					Sulfate:	81.2					
M05-05	108-S05-007	11/04/97	Alkalinity:	302	Bromide:	2.2	Total Dissolved Solids:	1100	ND	TOC Test 2:	2
		}	Bicarbonate:	302	Chloride:	498				Total Organic Carbon:	3
					Fluoride:	0.91					
1			1		Phosphate:	1.7	1				
1					Sulfate:	14.7	1]		

TABLE 4.5-3 SITES 5 AND 10 QUARTER 1 GENERAL CHEMICALS DETECTED IN GROUNDWATER ALAMEDA POINT

(Page 2 of 3)

Well Number	Sample Number	Sample Date	.Alkalinity (m	g/L)	Anions (i	mg/L) ^(*)	Total Dissolved Soli	ds	Total Sulfide (mg/L)	Total Organic Carbon	
M05-06	108-S05-008	11/03/97	Alkalinity:	361	Bromide:	5.1	Total Dissolved Solids:	1400	ND	ND	
J			Bicarbonate:	361	Chloride:	1230	,				
					Fluoride:	1.7					
					Phosphate:	1.1					
			<u> </u>		Sulfate:	71.1					
M05-07	108-S05-009	11/03/97	Alkalinity:	272	Bromide:	1.3	Total Dissolved Solids:	780	ND	ND	
	1	1	Bicarbonate:	272	Chloride:	403		•			
ŀ	• !				Fluoride:	0.63					
					Phosphate:	0.14					
	<u> </u>				Sulfate:	12.5					
M05-08	108-S05-010	11/03/97	Alkalinity:	337	Bromide:	3.1	Total Dissolved Solids:	400	ND	Total Organic Carbon:	2
}	ł		Bicarbonate:	337	Chloride:	697					
			[Phosphate:	4.6					
					Sulfate:	26.7					
M05-09	108-S05-011	11/04/97	Alkalinity:	219	Bromide:	1.5	Total Dissolved Solids:	950	ND	TOC Test 2:	3
			Bicarbonate:	219	Chloride:	360	7			Total Organic Carbon:	4
			·		Nitrate-N:	0.14			,	·	
					Sulfate:	71.4		_			
M05-10	108-S05-012	11/03/97	Alkalinity:	82.9	Chloride:	26.9	Total Dissolved Solids:	170	ND	TOC Test 2:	2
			Bicarbonate:	82.9	Fluoride:	1.1				Total Organic Carbon:	1
			ļ		Phosphate:	1.8					
		<u> </u>			Sulfate:	6.6					

TABLE 4.5-3 SITES 5 AND 10 QUARTER 1 GENERAL CHEMICALS DETECTED IN GROUNDWATER ALAMEDA POINT (Page 3 of 3)

Well: Number	Sample Number	Sample Date	Alkalinity (r	ng/L)	Anions	(mg/L)	Total Dissolved Sol	4.00	Total Sulfide	Total Organic Carbon	
M05-11	108-S05-001	11/03/97	Alkalinity:	1130	Bromide:	31.4	Total Dissolved Solids:	11000	ND	ND	
			Bicarbonate:	1130	Chloride:	6080					
					Phophate:	2.3					
					Sulfate:	26.9					
M05-12	108-S05-002	11/03/97	Alkalinity:	793	Bromide:	18.5	Total Dissolved Solids:	3500	ND	ND	
,			Bicarbonate:	793	Chloride:	3880					
					Sulfate:	6.4				<u>.</u>	
M05BS-01	108-S05-016	11/04/97	Alkalinity:	580	Bromide:	7.4	Total Dissolved Solids:	2500	ND	Total Organic Carbon:	6
			Bicarbonate:	580	Chloride:	1730					
					Fluoride:	1.8					
			,		Nitrate-N:	0.22					
	,				Phosphate:	0.64					
		Ì			Sulfate:	3.9					
M05HW-01	108-S05-015	11/04/97	Alkalinity:	562	Bromide:	1.5	Total Dissolved Solids:	1100	ND	TOC Test 2:	3
			Bicarbonate:	562	Chloride:	414				Total Organic Carbon:	4
1		1			Fluoride:	1.3					
		·			Phosphate:	4.9					
					Sulfate:	5.5	·				
M10-01	108-S10-001	11/04/97	Alkalinity:	444	Bromide:	2.1	Total Dissolved Solids:	1500	ND	TOC Test 2:	5
			Bicarbonate:	444	Chloride:	541				Total Organic Carbon:	5
II.]				Fluoride:	1.3					
					Phosphate:	0.83					
					Sulfate:	51.9					

Notes:

mg/L

= Milligrams per liter

ND

= Not detected

TABLE 4.5-3 SITE 5 AND 10 QUARTER 2 GENERAL CHEMICALS DETECTED IN GROUNDWATER

ALAMEDA POINT

(Page 1 of 3)

Well Number	Sample Number	Sample Date	Alkalinity (1	mg/L)	Anions (t	ng/L)	Total Dissolved So (mg/L)	olids
D05-02	108-S05-017	02/04/98	Alkalinity:	292	Bromide:	40.3	Total Dissolved Solids:	19000 J
	·		Bicarbonate:	292	Chloride:	10900		
					Sulfate:	1630	•	
M05-01	108-S05-019	02/05/98	Alkalinity:	197	Bromide:	9.1	Total Dissolved Solids:	4000
			Bicarbonate:	197	Chloride:	2540		
,					Fluoride:	0.63		•
			<u> </u>		Sulfate:	352		
M05-02	108-S05-020	02/05/98	Alkalinity:	367	Bromide:	4.7	Total Dissolved Solids:	1900
			Bicarbonate:	367	Chloride:	984		
					Fluoride:	0.42		
		,			Nitrate:	2		
	:		1 .		Phosphate:	1.2	,	
					Sulfate:	56	·	
M05-03	108-S05-021	02/05/98	Alkalinity:		Chloride:	78.7	Total Dissolved Solids:	610
			Bicarbonate:	516	Fluoride:	0.58		
			<u> </u>		Sulfate:	13.7		
M05-04	108-S05-022	02/05/98	Alkalinity:		Bromide:	7.7	Total Dissolved Solids:	4000
			Bicarbonate:	794	Chloride:	1880		
					Fluoride:	0.74		
					Phosphate:	1.9		
				_	Sulfate:	140		
M05-05	108-S05-023	02/05/98	Alkalinity:	140	Chloride:	5.9		
			Bicarbonate:	140	Fluoride:	0.54		
			ļ		Nitrate:	1.8		
			1		Phosphate:	0.91		
					Sulfate:	13.7		
M05-06	108-S05-024	02/05/98	Alkalinity:	318	Bromide:	2.8	Total Dissolved Solids:	1100
			Bicarbonate:	318	Chloride:	504		
					Fluoride:	0.63		
	!				Phosphate:	1.1		
					Sulfate:	57.4		

TABLE 4.5-3 SITE 5 AND 10 QUARTER 2

GENERAL CHEMICALS DETECTED IN GROUNDWATER ALAMEDA POINT

(Page 2 of 3)

Well Number	Sample Number	Sample Date	Alkalinity (mg	/L)	Anions (m	ig/L)	Total Dissolved So (mg/L)	lids
M05-07	108-S05-025	02/05/98	Alkalinity:	197	Chloride:	9.9	Total Dissolved Solids:	270
			Bicarbonate:	197	Fluoride:	0.5		
					Phosphate:	0.79		
			l		Sulfate:	18.4		
M05-08	108-S05-026	02/05/98	Alkalinity:	276	Bromide:	0.98	Total Dissolved Solids:	660
			Bicarbonate:	276	Chloride:	265		
					Fluoride:	0.34		
					Phosphate:	2.9	*	
					Sulfate:	7.7		
M05-09	108-S05-027	02/05/98	Alkalinity:	252	Chloride:	43.9	Total Dissolved Solids:	390
			Bicarbonate:	252	Fluoride:	0.18		
					Sulfate:	57.1	,	
M05-10	108-S05-028	02/06/98	Alkalinity:	106	Bromide:	0.12	Total Dissolved Solids:	160
			Bicarbonate:	106	Chloride:	25.9		
	·				Fluoride:	0.87		•
					Nitrate:	0.1		
[ì		Phosphate:	1.8		
					Sulfate:	6.4	·	
M05-11	108-S05-029	02/06/98	Alkalinity:	780	Bromide:	12.7	Total Dissolved Solids:	6900
			Bicarbonate:	780	Chloride:	3360		
					Fluoride:	0.34		
					Phosphate:	0.34		
					Sulfate:	38.5		
M05-12	108-S05-030	02/06/98	Alkalinity:	825	Bromide:	9	Total Dissolved Solids:	4300
		4	Bicarbonate:	825	Chloride:	2300		
					Fluoride:	1.5		
					Phosphate:	0.38		
					Sulfate:	10.1		

TABLE 4.5-3 SITE 5 AND 10 QUARTER 2

GENERAL CHEMICALS DETECTED IN GROUNDWATER

ALAMEDA POINT

(Page 3 of 3)

Well Number	Sample Number	Sample Date	Alkalinity (r	ng/L)	Anions (m	Total Dissolve (mg/L)	
M05BS-01	108-S05-031	02/06/98	Alkalinity:	67.4	Chloride:	5.6 Total Dissolved Solids	s: 150
			Bicarbonate:	67.4	Fluoride:	0.44	
					Nitrate:	1.8	
					Phosphate:	0.27	
					Sulfate:	20.7	
M05HW-01	108-S05-032	02/06/98	Alkalinity:	256	Bromide:	0.41 Total Dissolved Solids	s: 460
		•	Bicarbonate:	256	Chloride:	107	
					Fluoride:	0.24	
			1		Phosphate:	1	
					Sulfate:	10.1	
M10-01	108-S10-002	02/05/98	Alkalinity:	264	Chloride:	86.9 Total Dissolved Solids	s: 540
			Bicarbonate:	264	Fluoride:	0.4	
					Sulfate:	27.4	

Notes:

mg/L

= Milligram per liter

T

= Value estimated at reported concentration

TABLE 4.5-3 SITES 5 AND 10 QUARTER 3 GENERAL CHEMICALS DETECTED IN GROUNDWATER ALAMEDA POINT (Page 1 of 3)

Well Number	Sample Number	Sample Date	Alkalinity (mg/	L)	. '. Anions	(mg/L) ,	Total Dissolved Sol	ids	Total Sulfide (mg/L)	Total Organic Carbon
D05-02	108-S05-033	05/08/98	Alkalinity:	373	Bromide:	48.7	Total Dissolved Solids:	35000	ND	NA
		;	Bicarbonate:	373	Chloride:	16600 J				
					Sulfate:	2000			·	
M05-01	108-S05-035	05/07/98	Alkalinity:		Bromide:	25.3	Total Dissolved Solids:	14000	ND	NA
1) 1			Bicarbonate:		Chloride:	5240		j		
, i					Phosphate:	3.5				
					Sulfate:	607 J			·	
M05-02	108-S05-036	05/07/98	Alkalinity:		Bromide:	18.7	Total Dissolved Solids:	7000	ND	NA
	4		Bicarbonate:		Chloride:	2560				
4					Nitrate-N:	1.2				
	-				Phosphate:	2.1				
1665.00	100 505 005	0.5/1.1/0.0			Sulfate:	61.3 J				
M05-03	108-S05-037	05/14/98	Alkalinity:		Bromide:	0.15	Total Dissolved Solids:	780	ND	NA
}			Bicarbonate:		Chloride:	56.7				
					Sulfate:	40.8				
M05-04	108-S05-038		Alkalinity:		Bromide:	1.3	Total Dissolved Solids:	2300	ND	NA
!			Bicarbonate:		Chloride:	269 J		ļ		.,
 					Nitrate-N:	0.32 J				
					Nitrite-N:	190 J				·
					Phosphate:	0.56 J				·
<u> </u>			<u> </u>		Sulfate:	134				

TABLE 4.5-3 SITES 5 AND 10 QUARTER 3 GENERAL CHEMICALS DETECTED IN GROUNDWATER ALAMEDA POINT

(Page 2 of 3)

Well Number	Sample Number	Sample Date	Alkalinity (r	ng/L)	Anions	(mg/L)		* Total Dissolved Sol	ds .	Total Sulfide (mg/L)	Total Organic Carbon
M05-05	108-S05-039	05/07/98	Alkalinity:		Bromide:	0.36	ľ	Total Dissolved Solids:	380	ND	NA
			Bicarbonate:	193	Chloride:	86.2					
		·			Fluoride:	0.84	- 1				
	!	1			Nitrate-N:	0.52					,
					Phosphate:	1.1					
	<u></u>				Sulfate:	18.2 J	IJ		-		
M05-06	108-S05-040	05/13/98	Alkalinity:		Bromide:	1.9	ľ	Total Dissolved Solids:	1300	ND	NA
i			Bicarbonate:	320	Chloride:	665	1				
			٠		Nitrate-N:	0.49	1				
			l		Phosphate:	0.63 J	- 1			-	
					Sulfate:	35.5 J					
M05-07	108-S05-041	05/08/98	Alkalinity:		Chloride:	12 J	1	Total Dissolved Solids:	680	ND	NA
			Bicarbonate:	203	Fluoride:	0.49	١				·
		i	1		Phosphate:	0.55 J	J	•			·
					Sulfate:	11.3	4				
M05-08	108-S05-042	05/07/98	Alkalinity:		Bromide:	1.4	ľ	Total Dissolved Solids:	3600	ND .	NA
			Bicarbonate:		Chloride:	235					
					Phosphate:	2.8	1				
1505.00	100 000 010	25/25-122		-	Sulfate:	27.9 J	_				
M05-09	108-S05-043	05/07/98	Alkalinity:		Chloride:	13.9	ľ	Total Dissolved Solids:	320	ND	NA
			Bicarbonate:	218	Fluoride:	0.19	١				
		·			Nitrate-N:	0.12	₋│				
		0.514.0.400			Sulfate:	34.1 J	_				
M05-10	108-S05-044	05/13/98	Alkalinity:		Bromide:	0.98		Total Dissolved Solids:	1800	Total Sulfide: 1.5 J	NA
			Bicarbonate:	58.6	Chloride:	239	_				
				ļ	Fluoride:	0.78 J	- 1				
[[Phosphate:	0.86 J	- 1				
					Sulfate:	9.1 J	Ц				

TABLE 4.5-3 SITES 5 AND 10 QUARTER 3 GENERAL CHEMICALS DETECTED IN GROUNDWATER ALAMEDA POINT (Page 3 of 3)

- Well Number	Sample Number	Sample Date	Alkalinity (n	ng/L)	Anions (mg/L)			Total Dissolved Solids (mg/L)		Total Sulfide (mg/L)	Total Organic Carbon (mg/L)
M05-11	108-S05-045	05/13/98	Alkalinity:	949	Bromide:	15.3	Ī	Total Dissolved Solids:	11000	Total Sulfide: 1.0 J	- NA
#			Bicarbonate:	949	Chloride:	3760	-				
					Sulfate:	30.8	J				
M05-12	108-S05-046	05/13/98	Alkalinity:	794	Bromide:	7.1	ľ	Total Dissolved Solids:	4300	Total Sulfide: 1.0 J	NA
			Bicarbonate:	794	Chloride:	1730					
	·				Nitrate-N:	1.5					
i					Phosphate:	0.4	J			·	
					Sulfate:	10.1	J				
M05BS-01	108-S05-048	05/11/98	Alkalinity:	213	Bromide:	0.42	J /	Total Dissolved Solids:	680	ND	NA
	•		Bicarbonate:	213	Chloride:	112	1				
	. <u></u>				Sulfate:	11.4					
M05HW-01	108-S05-047	05/11/98	Alkalinity:	394	Bromide:	5.1	J [Total Dissolved Solids:	3100	ND	NA
	•		Bicarbonate:	394	Chloride:	1410					
	ï				Nitrate-N:	. 1	-			}	
					Sulfate:	14.6					
M10-01	108-S10-003	05/12/98	Alkalinity:	266	Bromide:	R	ľ	Total Dissolved Solids:	780	ND	NA
			Bicarbonate:	266	Chloride:	91					
		1			Nitrate-N:	0.14	-				
			·		Sulfate:	10.3				}	

Notes:

J = Value estimated at reported concentration

mg/L = Milligrams per liter

NA = Not analyzed ND = Not detected R = Rejected

TABLE 4.5-3 SITES 5 AND 10 QUARTER 4

GENERAL CHEMICALS DETECTED IN GROUNDWATER

ALAMEDA POINT

(Page 1 of 3)

Well Number	Sample Number	Sample Date	Alkalinity (mg/L)	Anions (mg/L)		Total Dissolved Solids (mg/L)		Total Sulfide (mg/L)	Total Organic Carbon (mg/L)
D05-02	108-S05-049	08/05/98	Alkalinity: 488	Bromide:	54.5	Total Dissolved Solids:	32000	ND	NA
			Bicarbonate: 488	Chloride:	14300				
				Sulfate:	1990				
M05-01	108-S05-051	08/05/98	Alkalinity: 964	Bromide:	33.6	Total Dissolved Solids:	14000	ND	NA
			Bicarbonate: 964	Chloride:	6810				
	1			Phosphate:	3.1			and the second	1
N .				Sulfate:	403			. ·	
M05-02	108-S05-052	08/05/98	Alkalinity: 471	Bromide:	20.3	Total Dissolved Solids:	4000	ND	NA
			Bicarbonate: 471	Chloride:	4350				
				Phosphate:	2.4	· ·			
				Sulfate:	40.9				
M05-03	108-S05-053	08/05/98	Alkalinity: 533	Chloride:	29.4	Total Dissolved Solids:	680	ND	NA
	: .		Bicarbonate: 533	Sulfate:	30.7 J	<u> </u>			· ·
M05-04	108-S05-054	08/05/98	Alkalinity: 540	Bromide:	2.0	Total Dissolved Solids:	1600	ND	NA
			Bicarbonate: 540	Chloride:	435	1	ļ		
				Phosphate:	0.93				
		-		Sulfate:	126 J		_		

TABLE 4.5-3 SITES 5 AND 10 **QUARTER 4** GENERAL CHEMICALS DETECTED IN GROUNDWATER ALAMEDA POINT

(Page 2 of 3)

Well; Number	Sample Number	Sample Date	Alkalinity (mg/L)	Anions (mg/L)		Total Dissolved Solids (mg/L)		Total Sulfide (mg/L)	Total Organic Carbon (mg/L)
M05-05	108-S05-055	08/05/98	Alkalinity: 305	Bromide:	1.5	Total Dissolved Solids:	1200	ND	NA
			Bicarbonate: 305	Chloride:	316		ŀ		
,	•		;	Fluoride:	1.1				
			* *	Nitrate-N:	1.1			•	[
N: 1			*	Phosphate:	1.5		. [
		•		Sulfate:	19.5			· · · · · · · · · · · · · · · · · · ·	
M05-06	108-S05-056	08/05/98	Alkalinity: 368	Bromide:	2.8	Total Dissolved Solids:	1600	ND	NA
			Bicarbonate: 368	Chloride:	812	•			
:			* . *	Phosphate:	1.1	·	1		
				Sulfate:	47.0 J				
M05-07	108-S05-057	08/05/98	Alkalinity: 275	Bromide:	1.6	Total Dissolved Solids:	1300	ND	NA
			Bicarbonate: 275	Chloride:	332				S.
-	·			Fluoride:	0.64			*	
				Sulfate:	10.7				
M05-08	108-S05-058	08/05/98	Alkalinity: 223	Bromide:	1.1	Total Dissolved Solids:	750	ND	NA
j			Bicarbonate: 223	Chloride:	205				
				Phosphate:	1.4				·
,				Sulfate:	17.2				
M05-09	108-S05-059	08/06/98	Alkalinity: 213	Chloride:	17.2	Total Dissolved Solids:	260	ND	NA
			Bicarbonate: 213	Sulfate:	28.9				
M05-10	108-S05-060	08/06/98	Alkalinity: 14	Bromide:	1.5	Total Dissolved Solids:	1500	ND	NA
		ļ	Bicarbonate: 14	Chloride:	411				1
]	ļ)	Nitrate-N:	0.5				
				Sulfate:	16.5				

TABLE 4.5-3 SITES 5 AND 10 QUARTER 4

GENERAL CHEMICALS DETECTED IN GROUNDWATER

ALAMEDA POINT

(Page 3 of 3)

Well st	Sample Number	1	Alkalinity (m			(mg/L)	Total Dissolved Soli	ds ; , ,	Total Sulfide (mg/L)	Total Organic Carbon
M05-11	108-S05-061	08/06/98	Alkalinity:	812	Bromide:	14.9	Total Dissolved Solids:	6100	ND	NA
<u> </u>			Bicarbonate:	812	Chloride:	3660				
	·				Sulfate:	46.7				
M05-12	108-S05-062	08/06/98	Alkalinity:	778	Bromide:	8.2	Total Dissolved Solids:	4100	ND	NA
			Bicarbonate:	778	Chloride:	2090				
		ľ			Sulfate:	25.3				
M05BS-01	108-S05-063	08/06/98	Alkalinity:	679	Bromide:	8.5	Total Dissolved Solids:	3800	Total Sulfide: 2.9	NA
			Bicarbonate:	679	Chloride:	1930			,	
					Nitrate-N:	0.82				
					Sulfate:	9.9				
M05HW-01	108-S05-064	08/06/98	Alkalinity:	286	Bromide:	0.65	Total Dissolved Solids:	970	ND	NA
			Bicarbonate:	286	Chloride:	105				
]				Phosphate:	1.0 J				
			· ·		Sulfate:	12.5				
M10-01	108-S10-004	08/07/98	Alkalinity:	324	Bromide:	0.56	Total Dissolved Solids:	570	ND	NA
			Bicarbonate:	324	Chloride:	98.9				
			İ		Sulfate:	12.8		•		

Notes:

J

= Value estimated at reported concentration

mg/L = Milligrams per liter

NA = Not analyzed ND = Not detected